

polaris

Polaris Web Admin Tool (Language Editor) Guide

8.0

© 2025

Legal Notices

© Innovative (Part of Clarivate) and/or its affiliates. All rights reserved. All trademarks shown are the property of their respective owners.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

The software and related documentation are provided under an agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of the software, unless required by law for interoperability, is prohibited.

Contents

| | |
|---|-----|
| Customizing Language Strings with the Polaris Web Admin Tool | 1 |
| Requirements | 2 |
| Comparing and Editing Language Strings | 3 |
| Adding Language Strings | 7 |
| Importing Language Strings | 8 |
| Exporting Language Strings | 10 |
| PAC Tools | 11 |
| Identifying Polaris PowerPAC Language Strings by ID | 11 |
| Reload a PAC Application | 13 |
| Compile Custom CSS | 14 |
| Polaris Application Services Strings Reference | 16 |
| Polaris Application Services Strings Reference (continued) | 99 |
| Polaris ExpressCheck Strings Reference | 159 |
| Polaris MobilePAC Strings Reference | 160 |
| Polaris Notice Strings Reference | 161 |
| Polaris PowerPAC Strings Reference | 182 |
| Polaris Fusion Strings Reference | 185 |
| Inbound Telephony Strings Reference | 192 |
| Outbound Telephony Strings Reference | 207 |
| Polaris Receipt Strings Reference | 216 |
| Polaris ContentXChange Strings Reference | 218 |
| Leap (Staff Web Client) Strings | 221 |
| Leap Offline Strings | 307 |

Customizing Language Strings with the Polaris Web Admin Tool

The Polaris Web Admin Tool is a web-based tool you can use to customize English and other licensed language strings in many parts of Polaris, including the following:

- Polaris PowerPAC, including Community Profiles information displayed in PAC
- Polaris ExpressCheck
- Polaris MobilePAC
- Notices (print, email, and text message)
- Outbound telephony (telephone notices)
- Inbound telephony (Polaris Phone Attendant)
- PAC search results labels (ERMSPortal)
- PAC interlibrary loan (ILL) messages
- eReceipts
- Polaris Fusion
- ContentXChange
- Staff Web client (Leap)
- Leap Offline
- Staff client (missing part messages)

You can compare, add, edit, and distribute language strings easily, without editing individual files.

You can add or customize language strings at the system, library, and branch levels. Branch settings override library settings; settings made at the library level override system-level settings.

The Web Admin Tool also provides tools specifically for PAC applications, including a language string identifier for PowerPAC and a Reload tool to clear page caches and reload Polaris PowerPAC, Polaris PowerPAC Children's Edition, and MobilePAC pages.

Note: The Polaris Web Admin Tool also provides a tab for PAPI Key Management, where you can enter and edit access keys for the Polaris

API. For more information, see the "*Polaris Application Programming Interface (PAPI) Reference*".

See also

- [Comparing and Editing Language Strings](#)
- [Adding Language Strings](#)
- [Importing Language Strings](#)
- [Exporting Language Strings](#)

Requirements

The Polaris Web Admin Tool is automatically installed when you install Polaris Web Server software. In Polaris Administration, the server record must have a web connection defined, and a value defined for the PAC parameter **URL of the Mobile PAC's root** or **URL of the PowerPAC's root**.


The server must be registered as a workstation in Polaris Administration, and both the workstation and staff user must have the permission **WebAdmin access: Allow**. In Polaris Administration, this permission is available at the system level under the System Administration security node. For more information about registering workstations and setting Polaris permissions, see Polaris staff client online Help.

You must supply your Polaris username, password, and domain to log in to the Web Admin Tool.

Comparing and Editing Language Strings

To compare and edit language strings for any product

1. Open your web browser and navigate to the Web Admin Tool site on your server. The Log On page opens.
2. Type your username and password, and click **OK**. The Language Editor opens and the Edit page appears.



3. In the **Product** box, select the Polaris product:
 - PowerPAC
 - ExpressCheck
 - Inbound Telephony
 - Outbound Telephony
 - Notices
 - ILL (interlibrary loan and request messages that appear in PAC)
 - Polaris Fusion
 - MobilePAC
 - ERMSPortal (contains labels for elements in PowerPAC, MobilePAC, and Community Information search results)

- Receipts (email and text message receipt content)
- ContentXChange
- Staff Web Client (Leap)
- Staff Client (missing part messages)

Note: If a product is not licensed, no additional options are available.

4. Select the organization for which you are making the modification. You can edit language strings at the system, library, or branch level.
5. Select languages to compare and edit.

Only licensed languages are available for selection. Select two languages (for example, English and Spanish) to compare the equivalent strings side-by-side. If you want to edit only one language (for example, English), set both languages to English.

6. (Optional) To limit the language strings that appear, select one of the following options:

- **Specific string ID** - Each language string is identified by a unique identification code (string ID). If you want to display a specific language string and you know the code, enter it here. See also:

- String IDs for PowerPAC - [Identifying Polaris PowerPAC Language Strings by ID](#)

Note: Certain PAC messages related to hold requests are not automatically listed. To list these messages, select the ILL “product” and type a portion of the message text in the String contains box. To edit labels for elements in PAC brief and full search results, select the ERMSPortal “product.”


- String IDs for notices and related reports - [Polaris Notice Strings Reference](#)
- String IDs for outbound telephony - [Outbound Telephony Strings Reference](#)
- String IDs for inbound telephony - [Inbound Telephony Strings Reference](#)
- String IDs for eReceipts - [Polaris Receipt Strings Reference](#)

- String IDs for eReceipts - [Polaris Receipt Strings Reference](#)
- String IDs for Community Profiles displayed in PowerPAC - [Identifying Polaris PowerPAC Language Strings by ID](#)
- String IDs for ContentXChange content displayed on community organization web site - [Polaris ContentXChange Strings Reference](#)
- String IDs for Polaris Fusion - [Polaris Fusion Strings Reference](#)
- String IDs for Staff Web Client (Leap) - [Staff Web Client \(Leap\) Strings](#)
- **String contains** - You can display language strings that contain specific text. Enter the text here.
- **Only show customized language strings** - Check this box to limit the list to strings that have already been customized.

7. Click **Load Strings**. The strings appear in a table with the first language on the left and the equivalent string in the second language on the right. The string ID appears above each string for both languages.

| String ID | Page 1 of 56 |
|--|--|
| CONNECT_CAL_HORIZONT | calendario de eventos |
| COURSERESERVE_EMAILMYRESERVES_EMAILSENT | se enviará a usted un informe dentro de 24 horas |
| Custom: Send me this report | Custom: Send me this report |
| Default: Send me this report | Default: Envíenme este informe |

8. Click  to edit a string. (If you are editing two languages, you edit each language separately.) The custom box for the string appears.



9. Type your custom text in the **Custom** box, and click  to save your changes. (You can click  to restore the default value.)

Important: Variables supplied by the system from the database, such as specific dates, titles, and authors, are represented by a percent sign and a character in the language string. For example, %s. Do not edit these characters.

After you save your custom text, the string is labeled **Custom:** and the custom text appears in a different color.

You can click  to open the custom box again, or click  to restore the default value.

Note: To restore all custom strings to their default values, click **Reset All Custom Strings** at the top of the page. If the system organization is selected in the **Organization** box, you will remove all inherited customizations for libraries and branches. If a library or branch organization is selected, only the customizations made at that level are reset.

10. If you have been working with PowerPAC strings, reload the page cache. See [Reload a PAC Application](#).

Adding Language Strings

You can add your own language strings to a product instead of replacing default strings. When you add a string, it is added to all licensed languages for the selected product at the system level. You can edit each organization and each language as needed.

Note: You will also need to customize product pages or code to incorporate your new language string IDs.

To add language strings

1. Log on to the Web Admin Tool.
2. Click **Add** on the Language Tools tabbed page.
3. Select a product in the **Product** box.

Note: If a product is not licensed, no additional options are available.

4. Type a unique ID for the string in the **ID** box.
5. Type the text for the new string in the **Value** box.
6. Click **Add String**. The string is added to all licensed languages for the selected product. You can customize the string for each language using options on the Edit tabbed page.

Note: On the Edit tabbed page, if you click  by the added string, the string is deleted from all languages. This ensures that the languages have an equal set of strings.

7. Click **Log Off** to end the current session.

See also

- [Comparing and Editing Language Strings](#)

Importing Language Strings

You can import custom strings into the database from an XML file for use in a licensed language in Polaris PowerPAC and Polaris ExpressCheck. The file must be set up in the same format as the default PowerPAC and ExpressCheck XML language files. Each supported language is identified by a **langid** code as follows:

- English - 1033
- Korean - 1042
- Polish - 1045
- Russian - 1049
- Farsi - 1065
- Vietnamese - 1066
- Hindi - 1081
- Hawaiian - 1141
- Chinese - 2052
- Spanish - 3082
- French - 3084
- Arabic - 12289
- Haitian Creole - 15372

Example (Language 1066=Vietnamese):

```
<?xml version="1.0" encoding="utf-8" ?>
<polarisstrings>
  <strings langid="1066">
    <string strid="PACML_SEARCHOPTIONS_XSL_1689"><![CDATA[custom string text
    ]]></string>
    <string strid="PACML_SEARCHOPTIONS_XSL_1690"><![CDATA[custom string text
    ]]></string>
  </strings>
```

```
</polarisstrings>
```

Note: Unlike **Add**, this method adds custom strings only to the language specified in the imported XML file, not to every language file.

To import language strings

1. Log on to the Web Admin Tool.
2. Click **Import** on the Language Tools tabbed page.
3. Select a product in the **Product** box.
4. Select the organization for which you are importing the text.

You can import language strings at the system, library, or branch level.

5. Type the path and filename for your file in the **File** box, or click **Browse** and browse to and select the file.
6. Click **Import XML**.

The file is imported and your custom strings are added to the language specified in the file.

7. Click **Log Off** to end the current session.

Exporting Language Strings

To export language strings to an XML file

1. Log on to the Web Admin Tool.
2. Click **Export** on the Language Tools tabbed page.
3. Select a product in the **Product** box.
4. Select the language to export.
5. Select the organization whose language strings you wish to export.
6. Select an exporting option:
 - **Export current values** - Exports the current values for the specified product, language, and organization, including any customized strings.
 - **Export custom values** - Exports only the customized strings set for the organization.
 - **Export default Polaris values** - Export the default language strings that are stored in the default database table; does not include any customized strings.
7. Click **Export XML**. The File Download dialog box appears.
8. Click **Save** in the dialog box and specify a location for the exported file.

PAC Tools

The Polaris Web Admin Tool provides tools specifically for the PAC applications Polaris PowerPAC and Polaris MobilePAC. These include a language string identifier for PowerPAC and a Reload tool to clear the PowerPAC or MobilePAC cache and reload the appropriate application pages. (When you reload PowerPAC pages, Polaris PowerPAC Children's Edition pages are also reloaded.)

Identifying Polaris PowerPAC Language Strings by ID

This tool identifies PowerPAC language strings by their unique IDs. You can use this information to find and customize specific strings in context (see [Comparing and Editing Language Strings](#)).

To display the string IDs in PowerPAC

Important: This utility starts a live PowerPAC session for the purpose of identifying language strings within the PowerPAC context. However, certain PowerPAC features may not function correctly within the Web Admin Tool. To test and use PowerPAC, reload PowerPAC after making your language string changes. See [Reload a PAC Application](#). Then log off the Web Admin Tool and connect to PowerPAC.

1. Log on to the Web Admin Tool, and click the **PAC Tools** tab.
2. Click **Identify String**.
3. Click **Begin session**. PowerPAC opens in the Web Admin Tool window. Default language strings are marked with orange brackets. Language strings that have been customized are marked with green brackets.

Note: Some strings may appear above the page. These contain the RSS information in the page header and are not visible to the PowerPAC user.



4. In the **Switch to another branch** box, select the organization whose strings you want to display.
5. Select the language from the list in the PowerPAC dashboard.
6. Hover the cursor over any of the highlighted brackets to show the string ID in a tool tip.
7. To customize a string, click a highlighted bracket to open the editor for that string. The Web Admin (Language Editor) Edit page opens with the organization and language already selected to match your PowerPAC choices. The selected string is listed in the edit table.

Note: You can click **Open all strings in Language Editor** to open all the strings on the current PowerPAC page.

8. Edit the string as appropriate. See [Comparing and Editing Language Strings](#).

Note: You may have to scroll the screen to the far right to see the edit icon. 

9. Select **PowerPAC Tools > Identify Strings**, and click **End Session**.

Important: The PowerPAC session is live. If you do not select **End Session**, the colored brackets will continue to be visible to PowerPAC users.

10. Clear the PowerPAC page cache and reload PowerPAC. See [Reload a PAC Application](#).

Reload a PAC Application

When you change PowerPAC, PowerPAC Children's Edition, or MobilePAC settings in Polaris Administration, or customize language strings with the Web Admin Tool, you must update page caches to see the effects of your changes. Most cached information is stored at the application level on the specified Web server. You update that information with the Reload feature in the Web Admin Tool. Follow these steps to clear the page cache and reload PowerPAC and PowerPAC Children's Edition or MobilePAC on a specified server. (When you reload PowerPAC pages, PowerPAC Children's Edition pages are also reloaded.)

Note: Some information is stored at the session level (one session for each client browser currently connected to the PAC application), and you cannot reload each session's cached data for security reasons. In these cases, restart the Internet Information Server (IIS) to clear the cache and load any pages that have been changed. You may also need to close and re-open browsers.

To reload a PAC application

1. Log on to the Web Admin Tool, and click the **PAC Tools** tab.
2. Click the appropriate Server/Application link for each application instance you want to reload. The links are listed by the PAC root URLs as defined for each server in Polaris Administration.

After a few moments, a confirmation message appears in the Status column.

3. Click **Log Off** to end the current session.

Compile Custom CSS

This option allows libraries without direct access to the PowerPAC server to compile custom CSS for custom themes. It is found under **PAC Tools > Compile CSS**:



When a site has at least one custom theme, a table similar to the PAC reload appears:

| Compile CSS | | |
|--|----------------------|--|
| PowerPAC Server | Custom Theme | Status |
| https://rd-polaris.polarislibrary.com/polaris/ | Compile 'MVLS' theme | Theme not yet compiled |
| | Compile 'BCPL' theme | Theme not yet compiled |
| | Compile 'Rube' theme | Theme last compiled: 1/24/2019 3:34 PM |
| http://rubenau-lt.iii.com/polaris | Compile 'MVLS' theme | Theme not yet compiled |
| | Compile 'BCPL' theme | Theme not yet compiled |
| | Compile 'Rube' theme | Theme not yet compiled |

The table contains:

- PowerPAC Server - the names of the servers on which the custom themes are compiled.
- Custom Theme - the name of each custom theme found on the server. The name is clickable and executes the compile/recompile action on click.
- Status
 - Last date/time the theme compiled successfully
 - Theme not yet compiled
 - Compiling
 - Compile failed with any error details

- Compile successful

| | | |
|---|---------------------------------|--|
| http://QA-Polaris.polarislibrary.com/polaris/ | Compile 'MVLS' theme | Theme last compiled: 4/24/2019 1:22 PM |
| | Compile 'BCPL' theme | Theme not yet compiled |
| | Compile 'Responsive Test' theme | Compiling ... |

| | | |
|-----------------------------------|----------------------|--|
| http://rubenau-lt.iii.com/polaris | Compile 'MVLS' theme | Theme not yet compiled |
| | Compile 'BCPL' theme | Compile failed File: 'G:\Projects\Dev\Software\src\PowerPAC\custom\themes\bcpl\scss\style-bcpl.scss' not found on server |
| | Compile 'Rube' theme | Compile successful |

When the site does not have custom themes, the following message appears:



The screenshot shows the Polaris Web Admin Tool interface. At the top, there is a navigation bar with icons for polaris, Language Tools, PAC Tools, PAPI, Reload, Compile CSS, Identify String, and Log Off. Below the navigation bar, the title 'Polaris Web Admin' is displayed. The main content area has a heading 'Compile CSS'. A message 'No custom themes found.' is shown in a red-bordered box.

To compile a custom theme, click the theme name in the table:

| | |
|---|---|
| http://QA-Polaris.polarislibrary.com/polaris/ | Compile 'MVLS' theme |
| | Compile 'BCPL' theme |
| | Compile 'Responsive Test' theme |

When the compilation is complete, the results appear in the Status column.

Polaris Application Services Strings Reference

The following table lists Polaris Application Services strings. We renamed "Mnemonics" to "String Identifiers" so you can better match terms between documentation and the interface.

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|---------------------------------------|--|
| BULKERROR_ERRORRECORDSETOWNERIDISNULL | ErrorRecordSetOwnerId cannot be null. |
| BULKERROR_PROPERTYISINVALID | {0} is invalid. |
| BULKERROR_PROPERTYLENEXCEEDED | {0} length cannot exceed {1} characters. |
| PAS_ACKNOWLEDGEOTFCATALOGING | This item was created 'on the fly' and requires full cataloging. |
| PAS_ACQ_CHARGETYPE_INVALID | Invalid Header Charge Type. |
| PAS_ACQ_UPDATE_INFO_INVALID_MSG | Action blocked because of Update Info error. |
| PAS_ACQCHARGECATSERV | Cataloging services |
| PAS_ACQCHARGE CREDIT | Credit |
| PAS_ACQCHARGE OTHER | Other |
| PAS_ACQCHARGE SERV | Service |
| PAS_ACQCHARGE SHIP | Shipping |
| PAS_ACQCHARGE SPECHAND | Special handling |
| PAS_ACTIONNOTALLOWEDONDELETEDITEM | The record status of this item is Deleted. Action cannot be taken on a Deleted item. |
| PAS_ACTIONNOTALLOWEDONITEM | Action cannot be taken on this item. |
| PAS_ACTIONNOTALLOWEDONPROVISIONALITEM | The record status of this item is Provisional. Action cannot be taken on a Pro- |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|--|--|
| | visional item. |
| PAS_ACTIVATIONDATEERROR | Activation date has to be greater than or equal to the current date. |
| PAS_ADDCREDITDATANULLERROR | addCreditData cannot be null |
| PAS_ADDFROMFILEREPORTDUPEBARCODES | The following barcodes were already in the record set, and were not added again: |
| PAS_ADDFROMFILEREPORTDUPEBARCODESINEXT | The following barcodes were listed more than once in the external file, and were added only once to the record set: |
| PAS_ADDFROMFILEREPORTDUPEPATRONS | The following PatronIDs were already in the record set, and were not added again: |
| PAS_ADDFROMFILEREPORTDUPEPATRONSINEXT | The following PatronIDs were listed more than once in the external file, and were added only once to the record set: |
| PAS_ADDFROMFILEREPORTNOMATCHINGITEMS | No matching item record was found for the following barcodes: |
| PAS_ADDFROMFILEREPORTNOMATCHINGPATRONS | No matching patron record was found for the following PatronIDs: |
| PAS_ADDITIONALTEXTPHONEMISSING | Additional TXT notice is checked. Please select a phone number to receive text messages. |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|--|---|
| PAS_ADDRESS_STREETONE_LENGTHINVALID | Street one length is invalid. |
| PAS_ADDRESS_STREETTHREE_LENGTHINVALID | Street three length is invalid. |
| PAS_ADDRESS_STREETTWO_LENGTHINVALID | Street two length is invalid. |
| PAS_ADDRESS_ZIPPLUSFOUR_LENGTHINVALID | Zip plus four length is invalid. |
| PAS_ADDRESSESINSERTFAILED | failed to insert entry in addresses table |
| PAS_ADDRESSLABELHOME | Home |
| PAS_ADDRESSMISSINGTITLE | No address entered |
| PAS_ADHOCBULKCHANGEREQUIRESLISTOFRECORDIDS | Ad-hoc bulk change requires list of record IDs. |
| PAS_ADHOCCHANGEREPORT_NAME | Ad Hoc bulk change; no record set selected |
| PAS_ADMINATTRIBUTEDOESNOTEXIST | Admin attribute for mnemonic '{0}' does not exist. |
| PAS_ALLDONORFIELDSREQUIRED | All donor fields must be supplied when DonorID is not supplied. |
| PAS_ALTEMAILFIELDNAME | Alt Email |
| PAS_AMOUNTLARGERTHANOUTSTANDING | Changed amount should not be larger than the outstanding. |
| PAS_AMOUNTLESSTHAN | Please enter an amount less than {0} |
| PAS_AMOUNTRANGE | Please enter an amount between 0.01 and 2,000,000.00. |
| PAS_AMOUNTZEROERROR | Amount must be greater than zero. |
| PAS_ARG_INVALID | {0} ({1}) is invalid |
| PAS_ASSIGNEDBRANCHIDREQUIRED | AssignedBranchID is |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|--------------------------------------|--|
| | required. |
| PAS_ASSIGNEDBRANCHNOEXIST | Assigned branch does not exist. |
| PAS_ASSIGNEDBRANCHNOTBRANCHTYPEERROR | Assigned branch cannot be at the system or library level. |
| PAS_ASSIGNEDCOLLECTIONIDREQUIRED | AssignedCollectionID field must also be supplied when AssignedBranchID is provided. |
| PAS_ASSIGNEDCOLLECTIONNOEXIST | Assigned collection does not exist. |
| PAS_ASSIGNEDCOLLECTIONNOTALLOWED | Assigned collection not allowed for assigned branch. |
| PAS_ASSIGNEDHOMEBRANCHDIFFERENT | The Assigned Branch and Home Branch fields are different. If you want to make Assigned and Home branch the same, click Cancel to stop and re-set the values. |
| PAS_ASSOCAUTHRECORDSETSIZEWARNING | The resulting authority record set named '{0}' will contain up to {1} records. {2} |
| PAS_ASSOCBIBRECORDSETSIZEWARNING | The resulting bibliographic record set named '{0}' will contain up to {1} records. {2} |
| PAS_ASSOCIATEDBIBIDNOEXIST | Associated bib record {0} does not exist in database. |
| PAS_ASSOCIATEDBIBNOEXIST | Associated bib record does not exist. |
| PAS_ASSOCIATEDBIBRECORDIDREQUIRED | AssociatedBibRecordID is |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|---|---|
| | required. |
| PAS_ASSOCIATEDPATRONBLOCKDESC | Associated patron [{0}, {1}] is blocked: {2}. |
| PAS_ASSOCIATEDPATRONLISTINVALID | Associated patron list is invalid |
| PAS_ASSOCIATEDPATRONRECORDALREADYEXISTS | Associated patron record already exists with id {0} |
| PAS_ASSOCIATEDPATRONRECORDDOESNOTEXIST | Associated patron record does not exist with id {0} |
| PAS_ASSOCITEMRECORDSETSIZEWARNING | The resulting item record set named '{0}' will contain up to {1} records. {2} |
| PAS_ASSOCRECORDSETNAMEEXCEEDSLENGTH | Associated record set name cannot exceed 65 characters |
| PAS_ATTRIBUTEISNULL | {0} is null |
| PAS_AUTHCONTROLLER_AUTHDATAREQUIRED | Authentication data is required. |
| PAS_AUTHCONTROLLER_NOAUTHUSINGBEARERTOKEN | User has not been authenticated using bearer access token. |
| PAS_AUTHCONTROLLER_USERNOTAUTHENTICATED | User was not authenticated. |
| PAS_AUTHOR | Author |
| PAS_AUTHORITYIDINVALID | Authority ID is invalid |
| PAS_AUTHORITYLOCKED | Authority record {0} is locked by another user. |
| PAS_AUTHORITYLOCKEDBY | Authority record is locked by {0}. |
| PAS_AUTHORITYRECORDDELETEFAILED | Authority record {0} could not be deleted. |
| PAS_AUTHORITYRECORDDELETEFAILEDUNKNOWN | Authority record {0} could |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|--|---|
| | not be deleted. {1} |
| PAS_AUTHORITYRECORDDESC | authority record |
| PAS_AUTHORITYRECORDHEADINGDELETIONOPTIONS | Authority Record Heading Deletion Options |
| PAS_AUTHORITYRECORDLINKSBREAKABLE | Authority Record Links (Breakable) |
| PAS_AUTHORITYRECORDLINKSBREAKABLEMESSAGE | The following links will be broken if you continue delet- ing authority record [{0}]: |
| PAS_AUTHORITYRECORDLINKSUNBREAKABLE | Authority Record Links (Unbreakable) |
| PAS_AUTHORITYRECORDLINKSUNBREAKABLEMESSAGE | Deletion of authority record [{0}] is not possible due to the following unbreakable link(s): |
| PAS_AUTHORITYRECORDUNDELETEFAILED | Authority record {0} was not undeleted. |
| PAS_AUTHORITYRECORDUNDELETEFAILEDUNKNOWN | Authority record {0} was not undeleted. {1} |
| PAS_AUTHORITYRECSETSBARCODESNOTSUPPORTED | Authority Record Sets do not support barcode lists. |
| PAS_AUTHORLENGTHERROR | Author cannot exceed 255 characters |
| PAS_BARCODE | barcode |
| PAS_BARCODEASSIGNEDTOQUICKCIRC | Item barcode {0} is assigned to a quick-circ item. |
| PAS_BARCODECHANGEDCONTINUE | The barcode was changed. Do you want to continue saving? |
| PAS_ BARCODECHANGENOTALLOWEDFORELECTRONICITEM | Changing the barcode is not allowed for electronic items. |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|---|---|
| PAS_BARCODECHANGENOTALLOWEDFOROUTITEM | Changing the barcode is not allowed for checked out items. |
| PAS_BARCODEDEFINEDFORPATRONSCONTINUE | This barcode format is defined for patron records. Do you want to use this barcode for this item? |
| PAS_BARCODEFOMRATINVALID | Invalid barcode type: {0} |
| PAS_BARCODEFORMATINVALID | Invalid barcode type:{0} |
| PAS_BARCODEFORMATUNEXPECTED | Unexpected barcode type: {0} |
| PAS_BARCODEINVALIDMAXLENGTH | A valid item barcode must be supplied. Maximum length is {0} |
| PAS_BARCODELABEL | Barcode: |
| PAS_BARCODENOTFOUND | Barcode: {0} |
| PAS_BARCODEUSEDFORPATRON | A patron record exists for this barcode. |
| PAS_BIBBULK_DATAFIELDS_INVALID_ALTINDICATOR | Data Fields: Alt Indicator cannot be the same as the current Indicator |
| PAS_BIBBULK_DATAFIELDS_INVALID_ALTINDICATOR_COMBINATION | Data Fields: If an indicator is being changed, it's value cannot be '*' |
| PAS_BIBBULK_DATAFIELDS_INVALID_ALTINDICATOR_REQUIRED | Data Fields: At least one indicator must be changed |
| PAS_BIBBULK_DATAFIELDS_INVALID_ALTINDICATORONE | Data Fields: Invalid Alternate Indicator One |
| PAS_BIBBULK_DATAFIELDS_INVALID_ALTINDICATORTWO | Data Fields: Invalid Alternate Indicator Two |
| PAS_BIBBULK_DATAFIELDS_INVALID_ALTTAGNUMBER | Data Fields: Alternate Tag Number cannot be less than 10 or greater than 999 |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|--|--|
| PAS_BIBBULK_DATAFIELDS_INVALID_CORRECTINDICATORS | Data Fields: Only one Correct non-filing indicator values (initial articles 'a', 'an' or 'the') operation can be submitted |
| PAS_BIBBULK_DATAFIELDS_INVALID_DESCRIPTION | Data Fields: Invalid Description |
| PAS_BIBBULK_DATAFIELDS_INVALID_INDICATORONE | Data Fields: Invalid Indicator One |
| PAS_BIBBULK_DATAFIELDS_INVALID_INDICATORTWO | Data Fields: Invalid Indicator Two |
| PAS_BIBBULK_DATAFIELDS_INVALID_OPERATIONID | Data Fields: Invalid OperationID |
| PAS_BIBBULK_DATAFIELDS_INVALID_OPERATIONID13TAGNUMBER | Data Fields: Invalid Tag Number for Operation ID 13 |
| PAS_BIBBULK_DATAFIELDS_INVALID_SUBFIELD_CHANGES | Data Fields: The number of Subfield Changes for each Data Field Change cannot be greater than 10 or less than 1 |
| PAS_BIBBULK_DATAFIELDS_INVALID_SUBFIELDCHANGE | Data Fields: A Subfield Change is required for Operation ID {0} |
| PAS_BIBBULK_DATAFIELDS_INVALID_SUBFIELDCHANGE_NOTALLOWED | Data Fields: Subfield changes are not allowed for Operation ID {0} |
| PAS_BIBBULK_DATAFIELDS_INVALID_SUBFIELDDATA | Data Fields: Subfield Data length cannot be greater than 4000 |
| PAS_BIBBULK_DATAFIELDS_INVALID_SUBFIELDDELETE_COUNT | Data Fields: Only 1 Subfield Change can be specified for Operation ID {0} |
| PAS_BIBBULK_DATAFIELDS_INVALID_SUBFIELDDELETE_SUBFIELDCODE | Data Fields: Subfield Code is required for Operation ID |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|---|--|
| | {0} |
| PAS_BIBBULK_DATAFIELDS_INVALID_SUBFIELDDELETE_SUBFIELDDATA | Data Fields: Subfield Data is required for Operation ID {0} |
| PAS_BIBBULK_DATAFIELDS_INVALID_SUBFIELDDELETE_SUBFIELDDATAEMPTY | Data Fields: Subfield Data should be empty for Operation ID {0} |
| PAS_BIBBULK_DATAFIELDS_INVALID_SUBFIELDEXECUTIONORDER | Data Fields: Subfield Execution Order {0} does not match any of the Data Field Changes Execution Orders |
| PAS_BIBBULK_DATAFIELDS_INVALID_SUBFIELDINSERTBEFOREAFTER | Data Fields: The specified Subfield Code insert before/after value must be the last subfield and have an empty Subfield Data value |
| PAS_BIBBULK_DATAFIELDS_INVALID_SUBFIELDREPLACE_COUNT | Data Fields: 2 Subfield Changes must be specified for Operation ID {0} |
| PAS_BIBBULK_DATAFIELDS_INVALID_SUBFIELDREPLACE_SUBFIELDORDER | Data Fields: Subfield Order can only be 1 and 2 for Operation ID {0} |
| PAS_BIBBULK_DATAFIELDS_INVALID_TAGNUMBER | Data Fields: Tag Number cannot be less than 10 or greater than 999 |
| PAS_BIBBULK_DATAFIELDS_INVALID_TAGNUMBER_OPERATION_CHANGE | Data Fields: Tag Number changes are not allowed for Tag {0} New custom string |
| PAS_BIBBULK_DATAFIELDS_INVALID_TAGNUMBER_OPERATION_DELETE | Data Fields: Delete operations are not allowed for Tag {0} |
| PAS_BIBBULK_DATAFIELDS_INVALID_TAGNUMBER_SUBFIELDCODE | Data Fields: Changes are not allowed for Tag {0} and |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|--|---|
| | Subfield Code \${1} |
| PAS_BIBBULK_FIELDLEVEL007_INVALIDFROMVALUE | Field Level 007: Invalid From value |
| PAS_BIBBULK_FIELDLEVEL007_INVALIDREDUCTIONRATIOFROMVALUE | Field Level 007: Invalid From value (Reduction Ratio) |
| PAS_BIBBULK_FIELDLEVEL007_INVALIDREDUCTIONRATIOVALUE | Field Level 007: Invalid To value (Reduction Ratio) |
| PAS_BIBBULK_FIELDLEVEL007_INVALIDTOVALUE | Field Level 007: Invalid To value |
| PAS_BIBBULK_FIELDLEVEL00X_INVALID_DESCRIPTION | Field Level {0}: Invalid Description |
| PAS_BIBBULK_FIELDLEVEL00X_INVALID_FIELDLENGTH | Field Level {0}: Invalid Field Length |
| PAS_BIBBULK_FIELDLEVEL00X_INVALID_FIXEDFIELDATA | Fixed Field {0}: Invalid fixed field data (position, length and/or MARCFixedFieldTagID) |
| PAS_BIBBULK_FIELDLEVEL00X_INVALID_FROMORTOVALUENOTSET | Field Level {0}: The {1} 'From' and 'To' values both must be specified |
| PAS_BIBBULK_FIELDLEVEL00X_INVALID_FROMTOVALUESNOTTHESAME | Field Level {0}: The {1} 'From' and 'To' values cannot be the same |
| PAS_BIBBULK_FIELDLEVEL00X_INVALID_FROMVALUE | Field Level {0}: Invalid From Value |
| PAS_BIBBULK_FIELDLEVEL00X_INVALID_MARCFIXEDFIELDTAGTYPE | Field Level {0}: Invalid MARC Fixed Field Tag Type |
| PAS_BIBBULK_FIELDLEVEL00X_INVALID_NULLDESCRIPTION | Fixed Field {0}: Invalid Description |
| PAS_BIBBULK_FIELDLEVEL00X_INVALID_STARTPOSITION | Field Level {0}: Invalid Start Position |
| PAS_BIBBULK_FIELDLEVEL00X_INVALID_TAGNUMBER | Field Level {0}: Invalid Tag |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|--|---|
| | Number |
| PAS_BIBBULK_FIELDLEVEL00X_INVALID_TOVALUE | Field Level {0}: Invalid To Value |
| PAS_BIBBULK_FIELDLEVEL00X_INVALIDLENGTH_FROMTOVALUES | Field Level {0}: Invalid 'From' value or 'To' value length |
| PAS_BIBBULK_LEADER_INVALID_DESCRIPTION | Leader: Invalid Description |
| PAS_BIBBULK_LEADER_INVALID_FROMCHAR | Leader: Invalid From Char |
| PAS_BIBBULK_LEADER_INVALID_POS | Leader: Invalid Pos |
| PAS_BIBBULK_LEADER_INVALID_TOCHAR | Leader: Invalid To Char |
| PAS_BIBBULK_LEADER_INVALID_UPDATE05D | Leader: Cannot update 05 = d |
| PAS_BIBBULK_NONMARC_INVALID_DIPDESCRIPTION | Non-MARC: Display In PAC Description |
| PAS_BIBBULK_NONMARC_INVALID_DISPLAYINPAC | Non-MARC: Display In PAC |
| PAS_BIBBULK_NONMARC_INVALID_DONOTOVERLAY | Non-MARC: Do Not Overlay |
| PAS_BIBBULK_NONMARC_INVALID_DONOTOVERLAYDESCRIPTION | Non-MARC: Do Not Overlay Description |
| PAS_BIBBULK_NONMARC_INVALID_OWNERDESCRIPTION | Non-MARC: Owner Description |
| PAS_BIBBULK_NONMARC_INVALID_RECORDOWNER | Non-MARC: Record Owner |
| PAS_BIBBULK_NONMARC_INVALID_RECORDOWNER_FROM | Non-MARC: Record Owner 'From' is required when Record Owner 'To' is provided. |
| PAS_BIBBULK_NONMARC_INVALID_RECORDOWNER_SAME | Non-MARC: Record Owner 'From' and 'To' values cannot be the same. |
| PAS_BIBBULK_NONMARC_INVALID_RECORDOWNER_TO | Non-MARC: Record Owner 'To' is required when Record Owner 'From' is provided. |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|---|--|
| PAS_BIBBULK_NONMARC_INVALID_RESOURCEENTITYDESCRIPTION | Non-MARC: Resource Entity Description |
| PAS_BIBBULK_NONMARC_INVALID_SAVEASFINAL | Non-MARC: Save Provisional Records as Final |
| AS_BIBBULK_NONMARC_INVALID_VENDORACCOUNT | Non-MARC: Vendor Account |
| PAS_BIBHEADINGSWITHNOTMATCHES | The bibliographic headings with no exact authority matches are listed below. |
| PAS_BIBIDCHANGENOTALLOWEDFORECONTENT | Changing the associated bib ID is not allowed for electronic items. |
| PAS_BIBIDCHANGENOTALLOWEDFORILL | Changing the associated bib ID is not allowed for ILL items. |
| PAS_BIBLIOGRAPHICIDINVALID | Bibliographic ID is invalid |
| PAS_BIBLIOGRAPHICRECORDDESC | bibliographic record |
| PAS_BIBLOCKED | Bibliographic record {0} is locked by another user. |
| PAS_BIBLOCKEDBY | Bib record is locked by {0}. |
| PAS_BIBNODISPLAYINPACCONTINUE | This record will no longer display in the online catalog. Do you want to continue saving ? |
| PAS_BIBNODISPLAYINPACCONTINUENEWBIB | This record will not display in the online catalog. Do you want to continue saving ? |
| PAS_BIBORPARENTITEMNOTSPECIFIED | Neither a bibliographic control number nor a parent item has been specified. |
| PAS_BIBRECORDADDED | The bibliographic record has been added. |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|---------------------------------------|--|
| PAS_BIBRECORDDELETEFAILED | Bibliographic record {0} could not be deleted. |
| PAS_BIBRECORDDOESNOTEXIST | Bib record does not exist |
| PAS_BIBRECORDDUPRESULTS | Bibliographic Record Duplicate Detection Results |
| PAS_BIBRECORDISHOSTINBOUNDFGROUP | This bibliographic record is a host record in a Bound-With group. |
| PAS_BIBRECORDLINKSBREAKABLE | Bibliographic Record Links (Breakable) |
| PAS_BIBRECORDLINKSBREAKABLEMESSAGE | The following links will be broken if you continue deleting bibliographic record [{0}]: |
| PAS_BIBRECORDLINKSUNBREAKABLE | Bibliographic Record Links (Unbreakable) |
| PAS_BIBRECORDLINKSUNBREAKABLEMESSAGE | Deletion of bibliographic record [{0}] is not possible due to the following unbreakable link(s): |
| PAS_BIBRECORDLOCKED | Bibliographic record {0} is locked by another user and cannot be modified. |
| PAS_BIBRECORDMODIFIEDPARTIALLYINDEXED | Non-indexed record : Bibliographic record {0} was modified but not fully indexed. |
| PAS_BIBRECORDNOTSAVED_LOCKS | The record was not saved. Bibliographic record(s) are locked and cannot be replaced. |
| PAS_BIBRECORDPARTIALLYUNINDEXED | Non-indexed record : Bibliographic record {0} was partially unindexed. |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|--------------------------------------|---|
| PAS_BIBRECORDPARTIALLYINDEXED | Non-indexed record : Bibliographic record {0} was created but not fully indexed. |
| PAS_BIBRECORDSAVED | The record was saved successfully. |
| PAS_BIBRECORDSAVEDALLRECSNOTREPLACED | The record was saved successfully but not all bibliographic record(s) were replaced. |
| PAS_BIBRECORDSAVEDSORTINGERROR | The record has been saved. However, there was a failure during the sorting process. The record has not been sorted. |
| PAS_BIBRECORDUNDELETEFAILED | Bibliographic record {0} was not undeleted. |
| PAS_BIBRECORDUNDELETEFAILEDUNKNOWN | Bibliographic record {0} was not undeleted. {1} |
| PAS_BIBRECORDUNINDEXEDNOTMODIFIED | Non-indexed record : Bibliographic record %d was unindexed but not modified. |
| PAS_BIBRECORDUPDATED | The bibliographic record has been updated. |
| PAS_BIBRECORDWITHIDNOTFOUND | Bibliographic record not found with id {0} |
| PAS_BIBREPLACINGRECORDSErrorR | Unexpected error occurred while replacing records. The record was not saved. |
| PAS_BIBSAVE_NOTSAVEDUNINDEXED | The record was not saved but was unindexed. |
| PAS_BIBSAVE_NOTSAVEDUNINDEXED_ACK | The record was not saved |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|------------------------------------|---|
| | and is no longer fully indexed for searching. Please make note of the record's control number as it may be the only usable search criterion. Please save the record again. |
| PAS_BIBSAVE_OTFREMOVEBLOCKS | {0} On-the-fly items are attached to this record. Remove the OTF block? |
| PAS_BIBSAVE_OTFREMOVEBLOCKS_TITLE | Remove on-the-fly blocks |
| PAS_BIBSAVE_SAVEDNOTINDEXED | The record was saved successfully but was not indexed. |
| PAS_BIBSAVE_SAVEDNOTINDEXED_ACK | The record was saved successfully but was not fully indexed for searching. Please make note of the record's control number as it may be the only usable search criterion. Please save the record again. |
| PAS_BIBSAVE_SAVEDNOTSORTED | The record has been saved. However, there was a failure during the sorting process. The record has not been sorted. |
| PAS_BIBSDELETEDSUCCESSMSG | {0} bibliographic record(s) deleted successfully |
| PAS_BIBSUNABLETODELETEWARNING | {0} bibliographic record(s) were not deleted |
| PAS_BIRTHDATEINVALIDTITLE | Invalid birthdate |
| PAS_BLOCKDESCRIPTIONLENGTHEXCEEDED | BlockDescription length cannot be longer than 255 |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|-------------------------------------|--|
| | characters |
| PAS_BLOCKDESCRIPTIONNOTSUPPLIED | BlockDescription not supplied |
| PAS_BLOCKINGNOTEMAX | Blocking note cannot be greater than 4000 chars |
| PAS_BLOCKNOTFOUND | Block not found |
| PAS_BLOCKTYPEUSERLIBSYS | Block type must be user, library or system |
| PAS_BLOCKTYPEUSERLIBSYS3M | Block type must be user, library, system or 3M |
| PAS_BOUNDWITHHOLDSTITLE | Bound-With Title |
| PAS_BRANCHIDREQUIRED | Branch level organization ID is required |
| PAS_BRIEFITEMCREATETITLE | Brief Item Entry |
| PAS_BRIEFITEMDATAREQUIRED | Brief item entry reply data must be supplied. |
| PAS_BUILDLINKERRORINVALIDOBJECTTYPE | Object type is not supported for link object building. |
| PAS_BULK_HOLD_BIBID_INVALID | Bibliographic Record with ID {0} not found. |
| PAS_BULK_HOLD_FAILED_MSG | Hold request failed to create for {0} patron(s). |
| PAS_BULK_HOLD_PATRON_INVALID_TITLE | Invalid Patron |
| PAS_BULK_HOLD_SUCCESS_MSG | Hold request is created for {0} patron(s). |
| PAS_BULK_NUMBARCODEENTERED | {0} barcodes entered |
| PAS_BULK_USESYSTEMASSIGNEDRANGE | Use system assigned range of {0} |
| PAS_BULKCHANGEREPORT_BARCODE | Barcode number |
| PAS_BULKCHANGEREPORT_ERRDETAILS | ERROR DETAILS |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|---|---|
| PAS_BULKCHANGEREPORT_ERROR | Error |
| PAS_BULKCHANGEREPORT_ERRRECSETNAME | Error record set name |
| PAS_BULKCHANGEREPORT_ERRRECSETOWNER | Error record set owner |
| PAS_BULKCHANGEREPORT_GENINFO | GENERAL INFORMATION |
| PAS_BULKCHANGEREPORT_HOURS | hours |
| PAS_BULKCHANGEREPORT_ITEMRECORD | Item Record |
| PAS_BULKCHANGEREPORT_ITEMTITLE | Title |
| PAS_BULKCHANGEREPORT_MINUTES | minutes |
| PAS_BULKCHANGEREPORT_NORECSET | (No errors found; no record set created) |
| PAS_BULKCHANGEREPORT_NUMBARBADFORMAT | Number of barcodes not assigned because of incorrect format |
| PAS_BULKCHANGEREPORT_NUMBARDUPE | Number of barcodes not assigned because of detected duplicates |
| PAS_BULKCHANGEREPORT_NUMECONERRS | Number of eContent items with errors (partial changes may apply) |
| PAS_BULKCHANGEREPORT_NUMERRS | Number of items with errors (partial changes may apply) |
| PAS_BULKCHANGEREPORT_NUMITEMBARCODEEXISTS | Number of items not assigned a barcode because item already had a barcode |
| PAS_BULKCHANGEREPORT_NUMITEMNOBARCODES | Number of items not assigned a barcode because not enough bar-codes specified |
| PAS_BULKCHANGEREPORT_NUMPERMERRS | Number of items unchanged due to per- |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|--|---|
| | mission errors |
| PAS_BULKCHANGEREPORT_NUMPROC | Number of items processed |
| PAS_BULKCHANGEREPORT_NUMRSVERRS | Number of reserve items with errors (partial changes may apply) |
| PAS_BULKCHANGEREPORT_PROCTIME | Processing time |
| PAS_BULKCHANGEREPORT_REASONSS | Reason(s) |
| PAS_BULKCHANGEREPORT_RECSETNAME | Processed record set name |
| PAS_BULKCHANGEREPORT_RECSETOwner | Processed record set owner |
| PAS_BULKCHANGEREPORT_SECONDS | seconds |
| PAS_BULKCHANGEREPORT_STATS | STATISTICS |
| PAS_BULKCHANGEREPORT_SUMMARY | SUMMARY OF CHANGES |
| PAS_BULKCHANGEREPORT_TITLE | BULK CHANGE REPORT |
| PAS_BULKCHANGEREPORT_USERNAME | User name |
| PAS_BULKCHANGEREPORT_WARNING | Warning |
| PAS_BULKCHECKINDISPLAYOPTION_BARCODE | Barcode |
| PAS_BULKCHECKINDISPLAYOPTION_COMMENT | Comment |
| PAS_BULKCHECKINDISPLAYOPTION_DUEDATE | Due Date |
| PAS_BULKCHECKINDISPLAYOPTION_FINECHARGED | Fine Charged |
| PAS_BULKCHECKINDISPLAYOPTION_STATUS | Status |
| PAS_BULKCHECKINHEADING_ASSIGNEDBRANCH | Assigned Branch |
| PAS_BULKCHECKINHEADING_CALLNUMBER | Call Number |
| PAS_BULKCHECKINHEADING_COLLECTION | Collection |
| PAS_BULKCHECKINHEADING_MATERIALTYPE | Material Type |
| PAS_BULKCHECKINHEADING_PATRONNAME | Patron Name |
| PAS_BULKCHECKINHEADING_SHELFLOCATION | Shelf Location |
| PAS_BULKCHECKINHEADING_TITLE | Title |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|--|--|
| PAS_BULKERROR_BULKCHANGE_ITEM_TEMPLATENAMEEXISTS | An item bulk change template name already exists for this owner. Please rename the template or change the owner. |
| PAS_BULKERROR_BULKCHANGEREPORTNAMEISNULL | BulkChangeReportName cannot be null or empty. |
| PAS_BULKERROR_ERRORRECORDSETOWNERIDISINVALID | ErrorRecordSetOwnerId is invalid. Must be in the 'user:1' or 'org:1' format. |
| PAS_BULKERROR_ERRORRECORDSETOWNERIDISNULL | ErrorRecordSetOwnerId cannot be null. |
| PAS_BULKERROR_PROPERTYHOLDABLEINVALID | Holdable must be null, 0 or 1. |
| PAS_BULKERROR_PROPERTYISINVALID | {0} is invalid. |
| PAS_BULKERROR_PROPERTYLENEXCEEDED | {0} length cannot exceed {1} characters. |
| PAS_BULKERROR_PROPERTYMUSTBEDISABLED | {0} must be disabled. |
| PAS_BULKERROR_PROPERTYREQUIRED_HOLDABLEBYPICKUP | {0} cannot be changed without enabling HoldableByPickup. |
| PAS_BULKERROR_PROPERTYREQUIRESHOLDABLE | {0} cannot be changed without enabling Holdable. |
| PAS_BULKERROR_RECORDSETNAMEEXISTS | A record set name already exists for this owner. Please rename the record set or change the owner. |
| PAS_BULKITEMCHANGEIDINVALID | Bulk item change ID is invalid |
| PAS_BULKPREFIX_ASSIGNEDBRANCH | Assigned branch |
| PAS_BULKPREFIX_ASSIGNEDCOLLECTION | Assigned collection |
| PAS_BULKPREFIX_BARCODES | Barcodes |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|--|--|
| PAS_BULKPREFIX_BIBNONTROLNUM | Bib control no. |
| PAS_BULKPREFIX_CALLNUMBERPREFIX | Call number prefix |
| PAS_BULKPREFIX_CALLNUMBERSUFFIX | Call number suffix |
| PAS_BULKPREFIX_CIRCULATIONSTATUS | Circulation status |
| PAS_BULKPREFIX_CLASSIFICATIONNUMBER | Classification number |
| PAS_BULKPREFIX_COPYNUMBER | Copy number |
| PAS_BULKPREFIX_CUTTERNUMBER | Cutter number |
| PAS_BULKPREFIX_DISPLAYINPAC | Display in PAC |
| PAS_BULKPREFIX_DONOTMAILTOPATRON | Do not mail to patron |
| PAS_BULKPREFIX_FINECODE | Fine code |
| PAS_BULKPREFIX_FREETEXTBLOCK | Free text block |
| PAS_BULKPREFIX_FREETEXTBLOCKAPPEND | Free text block (Append) |
| PAS_BULKPREFIX_FREETEXTBLOCKPREPEND | Free text block (Prepend) |
| PAS_BULKPREFIX_FUNDINGSOURCE | Funding source |
| PAS_BULKPREFIX_HOLDABLE | Holdable |
| PAS_BULKPREFIX_HOLDABLEBYBRANCH | Patrons from this branch only |
| PAS_BULKPREFIX_HOLDABLEBYLIBRARY | Patrons from this library and branches |
| PAS_BULKPREFIX_HOLDABLEBYPRIMARYLENDER | Preferred borrowers |
| PAS_BULKPREFIX_HOMEBRANCH | Home branch |
| PAS_BULKPREFIX_ITEMDOESNOTFLOAT | Item does not float |
| PAS_BULKPREFIX_LIBRARYASSIGNEDBLOCK | Library assigned block |
| PAS_BULKPREFIX_LOANABLEOUTSIDESYSTEM | Loanable outside system |
| PAS_BULKPREFIX_LOANPERIODCODE | Loan period code |
| PAS_BULKPREFIX_MATERIALTYPE | Material type |
| PAS_BULKPREFIX_NAMEOFPIECE | Name of piece |
| PAS_BULKPREFIX_NO | No |
| PAS_BULKPREFIX_NONCIRCULATING | Non circulating |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|--|---|
| PAS_BULKPREFIX_NONE | None |
| PAS_BULKPREFIX_NONPUBLICNOTE | Non-public note |
| PAS_BULKPREFIX_NONPUBLICNOTEAPPEND | Non-public note (Append) |
| PAS_BULKPREFIX_NONPUBLICNOTEPREPEND | Non-public note (Prepend) |
| PAS_BULKPREFIX_OWNER | Owner |
| PAS_BULKPREFIX_PARENTITEM | Parent item |
| PAS_BULKPREFIX_PHYSICALCONDITION | Physical condition |
| PAS_BULKPREFIX_PHYSICALCONDITIONAPPEND | Physical condition (Append) |
| PAS_BULKPREFIX_PHYSICALCONDITIONPREPEND | Physical condition (Prepend) |
| PAS_BULKPREFIX_PICKUPAT | Pickup at |
| PAS_BULKPREFIX_PICKUPATWITHBRANCH | Pickup at {0} ({1}) |
| PAS_BULKPREFIX_PRICE | Price |
| PAS_BULKPREFIX_PUBLICNOTE | Public note |
| PAS_BULKPREFIX_PUBLICNOTEAPPEND | Public note (Append) |
| PAS_BULKPREFIX_PUBLICNOTEPREPEND | Public note (Prepend) |
| PAS_BULKPREFIX_RENEWALLIMIT | Renewal limit |
| PAS_BULKPREFIX_SHELFLOCATION | Shelf location |
| PAS_BULKPREFIX_SHELVINGSCHEME | Shelving scheme |
| PAS_BULKPREFIX_STATISTICALCODE | Statistical code |
| PAS_BULKPREFIX_TEMPORARYLOCATION | Temporary location |
| PAS_BULKPREFIX_USEBIBCALLNUMBER | Use call number fields from bib record |
| PAS_BULKPREFIX_VOLUMENUMBER | Volume number |
| PAS_BULKPREFIX_YES | Yes |
| PAS_BULKWARNING_ASSIGNEDHOMEDIFF | WARNING: Assigned branch and Home branch fields are different |
| PAS_BULKWARNING_ITEMSWILLNOTDISPLAYINPAC | No - WARNING: These |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|-----------------------------------|---|
| | items will not display in PAC. |
| PAS_CALLINGERROR | Error calling {0}. {1} |
| PAS_CALLNUMBERPREFIXLENGTHERROR | Call number prefix cannot exceed 60 characters. |
| PAS_CALLNUMBERSUFFIXLENGTHERROR | Call number suffix cannot exceed 60 characters. |
| PAS_CANCELDELETION | Cancel Deletion |
| PAS_CANCELDialog | Cancel the dialog. |
| PAS_CANNOTPERFORMOPERATION | This operation cannot be performed |
| PAS_CATALOGINGREQUIRED | Cataloging required |
| PAS_CCCREDITNOTSUPPORTED | Credit card credits are not supported. |
| PAS_CCEWREFUNDNOTSUPPORTED | EnvisionWare eCommerce doesn't support refund to credit card. |
| PAS_CC PAYMENT AUTH FAILED | Credit card payment failed. Authorization failed. |
| PAS_CC PAYMENT FAILED | Credit card payment failed. Please try again. |
| PAS_CC PAYMENT INVALID TASK | Credit card payment failed. Invalid task. |
| PAS_CC PAYMENT MISSING VENDORINFO | Missing vendor information. Check SA vendor configuration. |
| PAS_CC PAYMENT OVERPAYMENT | Over payment is not allowed. This transaction may have already been paid partially. Please refresh your view. |
| PAS_CC PAYMENT PENDINGTXN | A previous credit card pay- |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|--------------------------------------|---|
| | ment was pending and has been finalized. Please try again. |
| PAS_CC PAYMENTS MIN FINE INVALID | Fines must total at least {0:c} for credit card payments |
| PAS_CC PAYMENTS NOT ALLOWED | Credit card payments are not allowed. |
| PAS_CC PAYMENTS NOT LICENSED | Credit card payments are not licensed. |
| PAS_CC PAYMENTS NOT SUPPORTED | Credit card payments are not supported. |
| PAS_CC PAYMENT START TXN FAILED | Credit card payment failed. Unable to begin transaction with vendor. |
| PAS_CC Payment Status Invalid Action | Cannot update patron account when credit card transaction status is {0} |
| PAS_CC PAYMENT TXN COMPLETED | Credit card transaction already completed. |
| PAS_CC PAYMENT TXN NOT FOUND | Credit card transaction was not found. |
| PAS_CC PAYMENT UNEXPECTED ERROR | Credit card payment failed. An unexpected error has occurred. |
| PAS_CC PAYMENT VENDOR FAILED | Credit card payment failed. Vendor returned an invalid response. |
| PAS_CC PAYMENT ZERO BALANCE | This transaction has a zero balance and may have already been paid. Please refresh your view. |
| PAS_CC REFUND NOT POSSIBLE | A refund is not possible. |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|---------------------------------------|--|
| | Please check the library credit card gateway setup |
| PAS_CCREFUNDNSNOTSUPPORTED | Credit card refunds are not supported. |
| PAS_CHANGEDAMOUNTLARGERTHANBALANCE | Changed amount should not be larger than the balance |
| PAS_CHANGEDAMOUNTLARGERTHANBALANCENUM | Changed amount should not be larger than the balance {0}) |
| PAS_CHANGE_PICKUP_BRANCH_CONTINUE | <p>Do you want to continue with this operation?</p> <p>You are changing this item's pickup branch to: {0} ({1})</p> <p>The item will remain held until it is rerouted to the new location.</p> <p>Title: {2}</p> |
| PAS_CHANGE_PICKUP_BRANCH_MESSAGE | <p>You are changing this item's pickup branch to: {0} ({1})</p> <p>The item will remain held until it is rerouted to the new location.</p> <p>Title: {2}</p> |
| PAS_ChargeAlertThreshold_Exceeded | Charge amount exceeds the configured threshold. |
| PAS_CHARGE_CHECKOUT_CREDIT_APPLIED | Action from charge for checkout - credit applied to overpayment |
| PAS_CHARGE_DATA_NULL_ERROR | Charge data object cannot |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|---|--|
| | be null |
| PAS_CHARGENULLERROR | charge data cannot be null |
| PAS_CHARGE_THRESHOLD_EXCEEDED | Charge amount exceeds the configured threshold. |
| PAS_CHECKDUPBIBRECORDSERROR | Unexpected error occurred while checking for duplicate bibliographic records. |
| PAS_CHECKEDOUTITEMSREQUIRED | There are no checked out or renewed item records included |
| PAS_CHECKEOTDATEIDNOTFOUND | Organization ID or patron code ID not found from CheckEOTDate |
| PAS_CHECKHEADINGS_REASON_TXT | Reason unknown |
| PAS_CHECKHEADINGS_REASON_TXT1 | Indicator one value |
| PAS_CHECKHEADINGS_REASON_TXT2 | Indicator two value |
| PAS_CHECKHEADINGS_REASON_TXT3 | No authorizing subfields |
| PAS_CHECKHEADINGS_REASON_TXT4 | No usage specified |
| PAS_CHECKHEADINGS_SOL_DSPLYTXT | Leave heading unlinked |
| PAS_CHECKHEADINGSASSISTANT | Check Headings Assistant |
| PAS_CHECKHEADINGSERROR | Unexpected error occurred while checking headings. |
| PAS_CHECKIN_CHARGECLAIMMISSINGPARTS_DIFFERENTPATRON | Patron must be the last use patron for check in with charge for missing parts. |
| PAS_CHECKINDEFAULTVIEWSAVEERROR | Error saving the check-in user default view: Mnemonic {0} and Value is {1}. |
| PAS_CHECKINDISPLAYOPTION_BARCODE | Barcode |
| PAS_CHECKINDISPLAYOPTION_COMMENT | Comment |
| PAS_CHECKINDISPLAYOPTION_DUEDATE | Due Date |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|---|--|
| PAS_CHECKINDISPLAYOPTION_STATUS | Status |
| PAS_CHECKINFAILEDACQRECEIVE | Quick-circ items cannot be checked in and received. Please check-in the item in Circulation. |
| PAS_CHECKINFAILEDACQSTATUSINVALID | An item with a status of {0} cannot be checked in and received. Please check-in the item in Circulation. |
| PAS_CHECKINFAILEDACQUISITIONITEM | This item has not been ordered through Acquisitions. Check in the item using the Normal Check In view. |
| PAS_CHECKINFAILEDCKONOTFOUND | Checkin failed for unknown reason. Failed to find CheckOut entry for PatronID {0}, ItemRecordID {1} |
| PAS_CHECKINFAILEDINHOUSE | In House check in failed. |
| PAS_CHECKINFAILEDINHOUSEITEMSTATUSINVALID | Item status is {0} and belongs to {1}. In House check in failed. |
| PAS_CHECKINFAILEDINHOUSEOUTITEM | Item is Out. Please check this item in. |
| PAS_CHECKINFAILEDINHOUSEQUICKCIRCITEM | Quick-circ items cannot be checked in for in-house use. |
| PAS_CHECKINFAILEDINVENTORY | Inventory update failed. |
| PAS_CHECKINFAILEDINVENTORYQUICKCIRCITEM | Quick-circ items cannot be checked in for inventory. |
| PAS_CHECKINFAILEDRETURNILL | Item is an INTER-LIBRARY LOAN. The item status is Returned-ILL and the request status is Returned. |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|---|--|
| | The item cannot circulate. |
| PAS_CHECKINFAILED SHELFREADY | Shelf ready check in failed. |
| PAS_CHECKINFAILED UNKNOWN | Checkin failed for unknown reason |
| PAS_CHECKINGMEDIADISPENSER | Checking media dispenser... |
| PAS_CHECKINHEADING_ASSIGNEDBRANCH | Assigned Branch |
| PAS_CHECKINHEADING_CALLNUMBER | Call Number |
| PAS_CHECKINHEADING_COLLECTION | Collection |
| PAS_CHECKINHEADING_MATERIALTYPE | Material Type |
| PAS_CHECKINHEADING_PATRONNAME | Patron Name |
| PAS_CHECKINHEADING_SHELFLOCATION | Shelf Location |
| PAS_CHECKINHEADING_TITLE | Title |
| PAS_CHECKININHOUSEASNBRANCHINVALID | Item status is IN and belongs to {0}. In House check in failed. |
| PAS_CHECKININHOUSEHELDITEMSTATUSPROMPTMSG | Item {0} satisfies a hold or ILL request. Please check this item in. |
| PAS_CHECKININHOUSEHELDITEMSUCCESS | Item satisfies a hold request. In House check-in succeeded. |
| PAS_CHECKININHOUSEINITEMSUCCESS | Item is currently in the library. In House check-in succeeded. |
| PAS_CHECKININHOUSEITEMSTATUSINVALID | Unexpected item status: {0}. In House check in failed. |
| PAS_CHECKININHOUSERECORDSTATUSDELETED | The record status of this item is Deleted. Action cannot be taken against this item. |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|--|--|
| PAS_CHECKININHOUSETRECORDSTATUSPROVISIONAL | The record status of this item is Provisional. Action cannot be taken against this item. |
| PAS_CHECKININHOUSESUCCESS | In House check-in successful |
| PAS_CHECKININVENTORYASNBRANCHINVALID | Item status is IN and belongs to {0}. Inventory check in failed. |
| PAS_CHECKININVENTORYHELDSTATUSCOMMENT | Inventory update successful. Item satisfies a hold request. |
| PAS_CHECKININVENTORYSUCCESS | Inventory update successful. |
| PAS_CHECKININVENTORYSUCCESSFORSTATUSES | Inventory update successful for item with a status of {0}. |
| PAS_CHECKININVENTORYSUCCESSCOMMENT | Inventory update successful. |
| PAS_CHECKININVENTORYTRANSFERREDSTATUSCOMMENT | Item needs to be transferred. Inventory update successful. |
| PAS_CHECKININVENTORYUNEXPECTEDSTATUSCOMMENT | Unexpected item status: {0}. Inventory update successful. |
| PAS_CHECKINITEMLOCATIONFAILEDHEADING | Unexpected location |
| PAS_CHECKINITEMRECORDSTATUSFAILEDHEADING | Unexpected record status |
| PAS_CHECKINITEMSTATUSFAILEDHEADING | Unexpected status |
| PAS_CHECKINLOSTITEMERROR | CheckInLostItem() error: {0} |
| PAS_CHECKINPROCEDURECANCELLED | Checkin procedure canceled |
| PAS_CHECKINSUCCESS | Check-in successful |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|---|--|
| PAS_CHECKITEMCIRCSTATUS | Circulation status was {0}. Check item |
| PAS_CHECKMARC21ERROR | Unexpected error occurred while checking MARC21 format. |
| PAS_CHECKMARC21RESULTS | MARC Validation Results |
| PAS_CHECKMARC21VALIDATION_ERRORS | The bibliographic record cannot be saved with the following errors. |
| PAS_CHECKOUTACTION | Check Out |
| PAS_CHECKOUTCHARGETITLE | Patron Check-out Charge |
| PAS_CHECKOUTDUEDATEMOVED | The due date that is a closed date was moved to the next open date. |
| PAS_CHECKOUTENTRYDOESNOTEXIST | Checkout entry for itemID {0} does not exist |
| PAS_CHECKOUTENTRYDOESNOTEXISTBARCODE | Checkout entry for item barcode {0} does not exist |
| PAS_CHECKOUTENTRYDOESNOTEXISTPATRONITEM | Failed to find CheckOut entry for PatronID {0}, ItemRecordID {1} |
| PAS_CHECKOUTFAILEDDELETEDITEM | The record status of this item is Deleted. The item can not be checked-out. Please complete item processing. |
| PAS_CHECKOUTFAILEDDUETOITEMSTATUS | Check out failed, unexpected item status: {0}. |
| PAS_CHECKOUTFAILEDINVALIDITEMRECORDSTATUS | The item has an invalid record status. Action can not be taken on this item. |
| PAS_CHECKOUTFAILEDPROVISIONALITEM | The record status of this item is Provisional. The |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|-----------------------------------|---|
| | item can not be checked-out. Please complete item processing. |
| PAS_CHECKOUTFAILEDUNKNOWN | Check-out failed for unknown reason |
| PAS_CHECKOUTOVERRENEWLIMIT | Item over renewal limit. |
| PAS_CHECKOUTPROCEDURECANCELLED | Check-out procedure canceled |
| PAS_CHECKOUTRECEIPTUNKNOWNERR | Unknown error code returned formatting check-out receipt |
| PAS_CHECKOUTRECORDDESC | check out record |
| PAS_CHECKOUTSUCCESS | Check-out successful |
| PAS_CHECKOUTTOSECUREDPATRON | Item was checked out to a patron record that is secured. |
| PAS_CHECKPATRONBARCODEFORMATERROR | Check-PatronBarcodeFormat error |
| PAS_CHILDITEMDESC | child item |
| PAS_CHOOSEPAYMENTMETHOD | Choose a payment method |
| PAS_CIRC_CHECKEOTDATEIDNOTFOUND | Organization ID or patron code ID not found from Circ_CheckEOTDate |
| PAS_CIRC_CHECKOUTCLAIMEDBYOTHER | This item was claimed by another patron as '{0}'. Do you want to continue with the check out? |
| PAS_CIRC_CHECKOUTCLAIMEDBYPATRON | This item was claimed by this patron as '{0}'. Do you want to check it in and continue the check-out? |
| PAS_CIRCINTRANSIT | Barcode: {0} |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|---------------------------------------|---|
| | Title: {1} This item does not belong to this branch. Do you want to put it {2} to {3}? |
| PAS_CIRCINTRANSITCONTINUE | This item is in-transit to {0}. Do you want to continue with the checkout? |
| PAS_CIRCOTFCREATEREORD | This item is not linked to a record, and cannot circulate. Would you like to create a record 'on-the-fly'? |
| PAS_CIRCOTFCREATEREORDTITLE | Item not found |
| PAS_CIRCOTFPATRONBARCODEEXISTS | A patron record exists for this barcode {0}. |
| PAS_CIRCSTATUSCHANGENOTALLOWED_RECACQ | The circulation status of this item cannot be changed until it is received in acquisitions. |
| PAS_CIRCTODIFFPATRON | Circulated to different borrower. |
| PAS_CIRCTRANTYPENOTCKI | CircTranType is not a check in type |
| PAS_CIRCTRANTYPENOTCKO | CircTranType is not a check-out type |
| PAS_CIRCTXNSUBTYPECODEINVALID | Circ txn subtype code is invalid |
| PAS_CIRCTXNTYPEINVALID | Circulation transaction type is not invalid |
| PAS_CIRCULATIONRESTRICTED | Circulation of item is restricted |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|---|--|
| PAS_CIRCULATIONRESTRICTEDFORPATRON | Circulation of this item for patron code {0} is restricted. Do you want to continue? |
| PAS_CITYFIELDNAME | City |
| PAS_CLAIMCANCELLED | Claim canceled. |
| PAS_CLAIMCHECKINITEMBILLED | The patron has already been billed for this item. To check-in the item, use normal check-in. |
| PAS_CLAIMDOESNOTEXIST | A claim for patron with patronID {0} for item {1} does not exist |
| PAS_CLAIMINVALID | Claim is not valid |
| PAS_CLAIMLISTINVALID | Please provide a valid claims list |
| PAS_CLAIMNOTALLOWED | Claims are not permitted for eContent |
| PAS_CLAIMSUCCESS | Claim successful |
| PAS_CLAIMTYPEUNKNOWN | Unknown claim type |
| PAS_CLASSIFICATIONNUMBERLENGTHERROR | Classification number cannot exceed 60 characters. |
| PAS_COLLECTIONFLOATINGLIMITREACHED | Barcode: {0} Title: {1} You have reached your collection floating limit. |
| PAS_COLLECTIONFLOATINGLIMITTYPEPHEREACHED | Barcode: {0} Title: {1} You have reached your {2} floating limit for this title. |
| PAS_COLLECTIONWITHIDNOTFOUND | Collection not found with ID |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|--|--|
| | {0} |
| PAS_COLUMN | Column |
| PAS_CONSTITUENTBIBLIOGRAPHICRECORDSDESC | constituent bibliographic record(s) |
| PAS_CONSTITUENTMULTIPLELINKEDFINALERROR | Constituent records may not have item records with a record status of 'final' linked to them. |
| PAS_CONTACTPERSON_EMAILADDRESS_INVALID | Contact Person email address is invalid. |
| PAS_CONTACTPERSON_EMAILADDRESS_LENGTHINVALID | Contact Person email address length is invalid. |
| PAS_CONTACTPERSON_FAXNUMBER_LENGTHINVALID | Contact Person fax number length is invalid. |
| PAS_CONTACTPERSON_NAME_LENGTHINVALID | Contact Person name length is invalid. |
| PAS_CONTACTPERSON_PHONENUMBERONE_LENGTHINVALID | Contact Person phone number one length is invalid. |
| PAS_CONTACTPERSON_PHONENUMBERTWO_LENGTHINVALID | Contact Person phone number two length is invalid. |
| PAS_CONTINUEDELETING | Continue deleting |
| PAS_CONTINUEDELETION | Continue Deletion |
| PAS_CONTINUEFLOATINGCHECKIN | Do you want to check this item {0} at {1} ({2})? (Click Cancel to stop the check-in process.) |
| PAS_CONTINUEHOLDINGITEMCANCELSTOP | Continue to hold the item? (Click Cancel to stop the check-in/check-out process.) |
| PAS_CONTINUEHOLDINGITEMTITLE | Continue holding item |
| PAS_CONTINUETOBLOCKITEMFOROTF | Continue to block this item |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|--------------------------------------|--|
| | for On-The-Fly? |
| PAS_CONVERTHOLDFAILEDINCORRECTSTATUS | Hold request is not in correct status to do the conversion. |
| PAS_CONVERTHOLDFAILEDNOTFOUND | Hold request not found in the table |
| PAS_CONVERTHOLDTOILLFAILED | Hold request 'convert to ILL' failed |
| PAS_CONVERTTOILLSUCCESS | Hold request is converted successfully |
| PAS_COPYIDINVALID | Copy ID is invalid. |
| PAS_COPYNUMBERLENGTHERROR | Copy number cannot exceed 60 characters. |
| PAS_COULDNOTGETSAVALUE | Could not get SA Value: {0} |
| PAS_COURSESERVEDESC | course reserve |
| PAS_COURSESERVEDOESNOTEXIST | Course reserve record does not exist |
| PAS_COURSESERVEINVALIDDATA | Course reserve record {0} is not valid |
| PAS_COURSESERVENOTFOUND | Course Reserve not found. |
| PAS_CREATECIRCOTITEM | Create a circ on-the-fly item record. |
| PAS_CREATERECORDSET | Do you still wish to create the record set? |
| PAS_CREATORIDINVALID | Creator ID must be valid |
| PAS_CREDITAPPLIEDTOOVERPAYMENTNOTE | Action from processing overdue fines - credit applied to overpayment |
| PAS_CURRENCYIDINVALID | Currency ID is invalid. |
| PAS_CURRENTITEMSTATUS | Current status {0}. |
| PAS_CURRENTITEMSTATUSIDINVALID | currentItemStatusID '{0}' is not valid. |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|---|---|
| PAS_CURRENTLYONHOLD | This {0} is currently on hold. |
| PAS_CUTTERNUMBERLENGTHERROR | Cutter number cannot exceed 60 characters. |
| PAS_DATABASEERROR | Database error |
| PAS_DATEINPAST | Date cannot be in the past |
| PAS_DATEINTERVALSCONTROLLER_EXACTDATE | exact date |
| PAS_DATEINTERVALSCONTROLLER_MONTH | months |
| PAS_DATEINTERVALSCONTROLLER_YEAR | years |
| PAS_DATEISINPAST | Date is in the past |
| PAS_DELAYEDHOLDSDAYSErrorR | The number of days past first available must be between 1 and 999. |
| PAS_DELAYEDHOLDSERROR | 'Delayed hold processing' cannot be true when 'holdable by library' is false. |
| PAS_DELETEAUTHNODELETEPERMISSION | You do not have permission to delete authority record {0}. |
| PAS_DELETEAUTHORITYLINKEDAUTHS | There are {0} authority record(s) linked to this authority record. |
| PAS_DELETEAUTHORITYLINKEDBIBS | There are {0} bibliographic record(s) linked to this authority record. |
| PAS_DELETEAUTHORITYLINKEDBIBSANDDELETEDBIBS | There are {0} bibliographic record(s) and {1} deleted bibliographic record(s) linked to this authority record. Deleted record links will automatically be unlinked. |
| PAS_DELETEAUTHORITYLINKEDDELETEDBIBS | There are {0} deleted bibliographic record(s) linked |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|---|---|
| | to this authority record. Deleted record links will automatically be unlinked. |
| PAS_DELETEAUTHORITYRECORD | Delete authority record |
| PAS_DELETEAUTHORITYRECORDMARKEDCONFIRM | The authority record will be marked for deletion. Do you want to continue? |
| PAS_DELETEAUTHORITYRECORDPERMANENTLYCONFIRM | The authority record will be permanently deleted. Do you want to continue? |
| PAS_DELETEAUTHORITYWOULDYOU | Would you like to: |
| PAS_DELETEBIBNODELETEPERMISSION | You do not have permission to delete bibliographic record {0}. |
| PAS_DELETEBIBRECORD | Delete bibliographic record |
| PAS_DELETEBIBRECORDIDINVALID | Bibliographic record ID {0} is invalid |
| PAS_DELETEBIBRECORDMARKEDCONFIRM | The bibliographic record will be marked for deletion. Do you want to continue? |
| PAS_DELETEBIBRECORDPERMANENTLYCONFIRM | The bibliographic record will be permanently deleted. Do you want to continue? |
| PAS_DELETEBIBRECORDPROCEDURECANCELLED | Deletion was canceled by user. |
| PAS_DELETEBULKBIBRECORDCONFIRMMMSG | Are you sure you want to delete {0} selected Bibliographic record(s)? |
| PAS_DELETEBULKITEMRECORDCONFIRMMMSG | Are you sure you want to delete {0} selected Item record(s)? |
| PAS_DELETEBULKITEMRECORDCONFIRMTITLE | Delete item records |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|--|---|
| PAS_DELETEBULKITEMRECORDMARKEDCONFIRM | {0} item records will be marked for deletion. Do you want to continue? |
| PAS_DELETEBULKITEMRECORDPERMANENTLYCONFIRM | {0} item records will be permanently deleted. Do you want to continue? |
| PAS_DELETEBULKPATRONRECORDCONFIRMMMSG | Are you sure you want to delete {0} selected Patron record(s)? |
| PAS_DELETEISSDIPWARNING | No other records are linked to its linked bibliographic record. Do you still want to display this bibliographic record in the PAC? |
| PAS_DELETEISSDIPWARNINGTITLE | Display in PAC |
| PAS_DELETEISSHARDLINKSERR | You cannot delete {0} Check the linked item's links and status. |
| PAS_DELETEISSITEMLOCKEDERR | %s Has a linked item record that is being modified by another user. |
| PAS_DELETEISSLNKROUTESTITLE | Linked Records |
| PAS_DELETEISSLNKROUTESWARNING | There are {0} records linked to this issue record. Do you want to continue? |
| PAS_DELETEISSRETAINEDWARNING | Retention settings in the linked Serial Holdings Record indicate the following is retained: |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|--|--|
| | {0} Do you still want to delete this issue/part? |
| PAS_DELETEISSRETAINEDWARNINGTTL | Issue/Part is Retained |
| PAS_DELETEISSUEPARTCANCELLED | Delete serial issue/part procedure canceled. |
| PAS_DELETEISSUEPARTSUCCESS | The issue/part was deleted successfully. |
| PAS_DELETEISSUNEXPECTEDERR | Unexpected error occurred. The issue/part was not deleted. |
| PAS_DELETEITEMRECORD | Delete item record |
| PAS_DELETEITEMRECORDCONFIRMAUTO | Auto delete is on. The item record will be deleted. Do you want to continue? |
| PAS_DELETEITEMRECORDFORILL | Item record for ILL |
| PAS_DELETEITEMRECORDIDINVALID | Item record ID {0} is invalid |
| PAS_DELETEITEMRECORDMARKEDCONFIRM | The item record will be marked for deletion. Do you want to continue? |
| PAS_DELETEITEMRECORDPERMANENTLYCONFIRM | The item record will be permanently deleted. Do you want to continue? |
| PAS_DELETEITEMRECORDPROCEDURECANCELLED | Deletion was canceled by user. |
| PAS_DELETEMULTIBIBRECORDCONFIRMTITLE | Delete bibliographic records |
| PAS_DELETEMULTIBIBRECORDMARKEDCONFIRM | {0} bibliographic records will be marked for deletion. Do you want to continue? |
| PAS_DELETEMULTIBIBRECORDPERMANENTLYCONFIRM | {0} bibliographic records will be permanently |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|--|---|
| | deleted. Do you want to continue? |
| PAS_DELETEMULTIPATRONRECORDCONFIRMTITLE | Delete patron records |
| PAS_DELETEPATRONFAILEDUNKNOWN | Delete patron failed for unknown reason |
| PAS_DELETEPATRONRECORD | Delete patron record |
| PAS_DELETEPATRONRECORDIDINVALID | Patron record ID {0} is invalid |
| PAS_DELETEPATRONRECORDPERMANENTLYCONFIRM | The patron record will be permanently deleted. Do you want to continue? |
| PAS_DELETEPATRONRECORDPROCEDURECANCELLED | Deletion was canceled by user. |
| PAS_DELETEPATRONRECORDSECURED | Patron record with ID {0} is secured |
| PAS_DELETEPATRONSUCCESS | Delete patron successful |
| PAS_DELETERECORDFORILL | Bibliographic record for ILL |
| PAS_DELETERECORDINVALID | Invalid record ID |
| PAS_DELETERECORDNOTFOUND | Record not found |
| PAS_DELETERECORDNOTFOUNDBIB | Bibliographic Record with ID {0} not found |
| PAS_DELETERECORDNOTFOUNDITEM | Item Record with ID {0} not found |
| PAS_DELETERECORDNOTFOUNDPATRON | Patron Record with ID {0} not found |
| PAS_DELETERECORDOBJECTLOCK | Object lock |
| PAS_DELETERECORDOBJECTLOCKBIB | Bibliographic record {0} is locked by {1} |
| PAS_DELETERECORDOBJECTLOCKITEM | Item record {0} is locked by {1} |
| PAS_DELETERECORDOBJECTLOCKPATRON | Patron record {0} is locked by {1} |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|---------------------------------------|--|
| PAS_DELETERECORDSETPROCEDURECANCELLED | Deletion was canceled by user. |
| PAS_DELETEROUTEDISSUEERROR | Cannot delete an issue record with 'routed' status. |
| PAS_DEPOSITISNULLERR | Deposit data cannot be null |
| PAS_DESIGNATION | Designation |
| PAS_DISPLAYINPACREQUIRED | DisplayInPAC is required. |
| PAS_DISPLAYINPACTITLE | Display in PAC |
| PAS_DISTRIBUTEDWAIVEAMTLARGERTHANMIN | Distributed waive amount should not be larger than the minimum charge of {0} |
| PAS_DOMAINNULL | Domain is null |
| PAS_DOMAINUSERPWDINCORRECT | The domain, username or password is incorrect |
| PAS_DONORCHANGELINKEDTOPONOTALLOWED | Donor information may not be changed. This item is linked to a purchase order. |
| PAS_DONORCORPORATENAMELENGTHERROR | Donor corporate name cannot exceed 255 characters. |
| PAS_DONORFIRSTNAMELENGTHERROR | Donor first name cannot exceed 30 characters. |
| PAS_DONORLASTNAMELENGTHERROR | Donor last name cannot exceed 50 characters. |
| PAS_DONORMIDDLENAMELENGTHERROR | Donor middle name cannot exceed 15 characters. |
| PAS_DONOTRENEW | Do Not Renew |
| PAS_DOYOUWANTTOCONTINUE | Do you want to continue? |
| PAS_DUEDATEATTRIBUTEINVALID | Invalid 'dueDate' attribute |
| PAS_DUEDATECLOSEDNEXTDATE | Due date is a closed date. The next open date is {0} |
| PAS_DUEDATEINVALID | Due date is invalid |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|---|---|
| PAS_DUEDATEISCLOSED_MOVED | Due date is a closed date. It will be moved to next open date. |
| PAS_DUEDATENOTRESETEBOOKNOTPERMITTED | Reset due date is not permitted for ebook items |
| PAS_DUEDATENOTRESETITEMSTATUSNOTPERMITTED | Due date cannot be reset. This item's status is not permitted. |
| PAS_DUEDATENOTRESETOVERDUE | Due date cannot be reset. This item is overdue. |
| PAS_DUEDATESETTOEOT | Due date set to end-of-term date from due date governing branch {0} |
| PAS_DUEDATETRUNCATED_TITLE | Due date truncated |
| PAS_DOYOUWANTTOCONTINUE | Do you want to continue? |
| PAS_DUEDATEATTRIBUTEINVALID | Invalid 'dueDate' attribute |
| PAS_DUEDATECLOSEDNEXTDATE | Due date is a closed date. The next open date is {0} |
| PAS_DUEDATEINVALID | Due date is invalid |
| PAS_DUEDATEISCLOSED_MOVED | Due date is a closed date. It will be moved to next open date. |
| PAS_DUEDATENOTRESETEBOOKNOTPERMITTED | Reset due date is not permitted for ebook items |
| PAS_DUEDATENOTRESETITEMSTATUSNOTPERMITTED | Due date cannot be reset. This item's status is not permitted. |
| PAS_DUEDATENOTRESETOVERDUE | Due date cannot be reset. This item is overdue. |
| PAS_DUEDATESETTOEOT | Due date set to end-of-term date from due date governing branch {0} |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|--|--|
| PAS_DUEDATETRUNCATED_TITLE | Due date truncated |
| PAS_DUPEDETECTIONINVALIDMARCRECORDTYPE | PerformDuplicateDetection: Invalid MARC record type. |
| PAS_DUPLICATEBARCODE | Duplicate barcode |
| PAS_DUPLICATEBARCODEDETECTEDTITLE | Duplicate barcode detected |
| PAS_DUPLICATEHOLDREQUESTSEXISTMSG | Duplicate holds exists for {0}. |
| PAS_DUPLICATEHOLDREQUESTSEXISTTITLE | Duplicate hold requests exist |
| PAS_DUPLICATEHOLDSEXIST_CONTINUE | Duplicate hold requests exist. Do you want to continue? |
| PAS_DUPLICATEHOLDTOCONVERTTITLE | Duplicate hold requests exist |
| PAS_DUPLICATEID | Duplicate id {0}. |
| PAS_DUPLICATEOFEXISTINGRECORDS | This record appears to be a duplicate of existing records: |
| PAS_DUPLICATEPATRONBARCODETITLE | Duplicate barcode |
| PAS_DUPLICATEPATRONDISPLAY_BIRTHDATE | Birth Date |
| PAS_DUPLICATEPATRONDISPLAY_BRANCH | Branch |
| PAS_DUPLICATEPATRONDISPLAY_CITY | City |
| PAS_DUPLICATEPATRONDISPLAY_EMAIL | E-mail |
| PAS_DUPLICATEPATRONDISPLAY_NAME | Name |
| PAS_DUPLICATEPATRONDISPLAY_NAMEID | Name on Identification |
| PAS_DUPLICATEPATRONDISPLAY_PHONE1 | Voice Phone 1 |
| PAS_DUPLICATEPATRONDISPLAY_POSTALCODE | Postal Code |
| PAS_DUPLICATEPATRONDISPLAY_STREET | Street |
| PAS_DUPLICATEPATRONRECORDS | Duplicate Patron Records |
| PAS_DUPLICATESUPPLIER | Supplier name/owner combination already used. |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|--|---|
| PAS_EBOOKCANNOTCHECKIN | EContent items cannot be checked in. |
| PAS_EBOOKCANNOTCHECKOUT | EContent items cannot be checked out or renewed from Leap. |
| PAS_ECONTENTDECLAREDLOSTERR | EContent items cannot be declared lost. |
| PAS_ECONTENTDECLAREDLOSTWITHIDERR | Ebook items cannot be declared lost. Item ID {0}. |
| PAS_ECONTENTLOANCANNOTBEDELETED | The econtent item record has a status of EContent External Loan and cannot be deleted. |
| PAS_EDITION | Edition |
| PAS_EDITIONLENGTHERROR | Edition cannot exceed 50 characters. |
| PAS_ELECCOMM_FTPADDRESS_LENGTHINVALID | FTP Address is required. |
| PAS_ELECCOMM_PASSWORD_LENGTHINVALID | Password is required. |
| PAS_ELECCOMM_POAINVDIRECTORY_LENGTHINVALID | POA/INV Directory is required. |
| PAS_ELECCOMM_POFLEDIRECTORY_LENGTHINVALID | PO File Directory is required. |
| PAS_ELECCOMM_POFLEEXT_LENGTHINVALID | PO File Extension is required. |
| PAS_ELECCOMM_PROFILETYPEID_INVALID | Access/Profile ID is invalid. |
| PAS_ELECCOMM_USERNAME_LENGTHINVALID | Username is required. |
| PAS_EMAILADDRESS_FORMATERROR | Please re-enter data for {0} Address in a valid format. |
| PAS_EMAILADDRESS_FORMATERROR_ATSIGNS | Please re-enter data for {0} Address in a valid format. Address can not have multiple '@' characters. |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|--|--|
| PAS_EMAILADDRESS_FORMATERROR_PERIODS | Please re-enter data for {0} Address in a valid format. Address can not have successive '..' characters. |
| PAS_EMAILADDRESS_FORMATERROR_STARTEND_ATSIGN | Please re-enter data for {0} Address in a valid format. Address can not begin or end with '@'. |
| PAS_EMAILADDRESS_FORMATERROR_STARTEND_PERIOD | Please re-enter data for {0} Address in a valid format. Address can not begin or end with '..'. |
| PAS_EMAILADDRESS_FORMATERROR_WHITESPACE | Please re-enter data for {0} Address in a valid format. Address can not have white space. |
| PAS_EMAILADDRESS_MAXLENGTH | {0} Address cannot exceed 64 characters. |
| PAS_EMAILADDRESS_MISSING | {0} Address is not supplied. |
| PAS_EMAILADDRESSFORMATERROR | Please re-enter data for {0} Address in a valid format. |
| PAS_EMAILADDRESSFORMATERROR1 | Please re-enter data for {0} Address in a valid format. Address can not begin or end with '..'. |
| PAS_EMAILADDRESSFORMATERROR2 | Please re-enter data for {0} Address in a valid format. Address can not begin or end with '@'. |
| PAS_EMAILADDRESSFORMATERROR3 | Please re-enter data for {0} Address in a valid format. Address can not have successive '..' characters. |
| PAS_EMAILADDRESSFORMATERROR4 | Please re-enter data for {0} |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|------------------------------------|---|
| | Address in a valid format. Address can not have white space. |
| PAS_EMAILADDRESSFORMATERROR5 | Please re-enter data for {0} Address in a valid format. Address can not have multiple '@' characters. |
| PAS_EMAILADDRESSINVALIDTITLE | Valid email address not found |
| PAS_EMAILADDRESSNOTSUPPLIED | Email address not supplied. |
| PAS_EMAILFIELDNAME | Email |
| PAS_EMAILINVALIDTITLE | Invalid email address |
| PAS_EMAILNOTSUPPLIED | Email address not supplied. |
| PAS_EMAILRECEIPTSNOTENABLED | email receipts are not enabled at patron's library |
| PAS_EMPTYLIST_ERR | List cannot be empty. |
| PAS_ENTERVALIDPAYMENTMETHOD | Please enter a valid payment method. |
| PAS_EPHEMERALCHECKOUTREQUIRESCOUNT | Check out failed. Ephemeral item checkouts (quick-circ) must supply an item count between 1 and 999 |
| PAS_EPHEMERALCOUNT | {0} items |
| PAS_EPHEMERALITEMBARCODENOTFOUND | Ephemeral item record with barcode {0} not found |
| PAS_ERECEIPTISEMAILSELECTEMAIL | eReceipt option is email. Please enter E-mail address. |
| PAS_ERECEIPTISTXTSELECTPHONE | eReceipt option is Txt Messaging. Please select a phone number to receive text messages. |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|---------------------------------|--|
| PAS_ERECEIPTOPTIONEMAILMISSING | eReceipt option is email. Please enter E-mail address. |
| PAS_ERECEIPTOPTIONINVALID | Please select a valid eReceipt option. |
| PAS_ERECEIPTSNOTENABLED | eReceipts are not enabled at patron's library |
| PAS_ERECEIPTTEXTPHONEINVALID | Please select a valid phone number to receive text messages. |
| PAS_ERECEIPTTEXTPHONEMISSING | eReceipt option is Txt Messaging. Please select a phone number to receive text messages. |
| PAS_ERRORCALCULATINGDUEDATE | Error calculating due date. |
| PAS_ERRORRECORDSETCREATED | Record Set {0} ({1}) has been created. |
| PAS_ERRORREPORTTITLE | Error Report |
| PAS_EXCEEDEDCLAIMSLIMITTITLE | Exceeded claims limit |
| PAS_EXCEEDEDTOTALMATERIALLIMIT | Exceeded material type request limit |
| PAS_EXCEEDEDTOTALREQUESTLIMIT | Exceeded total request limit |
| PAS_EXCELFALSE | N |
| PAS_EXCELMAXROWSEXCEEDED | Record set is too large to export. Exceeds Excel's maximum of approximately 1,000,000 records. |
| PAS_EXCELTRUE | Y |
| PAS_EXISTINGPROVISIONALBIBERROR | An error occurred determining whether the bib is an existing, provisional record. |
| PAS_EXPIRATIONDATEERROR | Expiration date has to be |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|--------------------------------------|--|
| | greater than or equal to the current date. |
| PAS_EXPORTMAXROWSEXCEEDED | Record set is too large to export. Exceeds configured maximum of {0} records. |
| PAS_EXTERNALAUTHDERRMSG | An error occurred when attempting to search an external authority database |
| PAS_EXTERNALAUTHDERROR | An error occurred when attempting to search an external authority database |
| PAS_EXTERNALAUTHDERRORTIP | If you are connecting to the Polaris ZMARC database, please make sure your production server can make outgoing TCP connections on port 210. Please contact Polaris customer support for details. If you are using a different external database, please contact that vendor. {0} |
| PAS_EXTERNALAUTHDERRTITLE | Remote Automatic Authority Control |
| PAS_FAILEDTORELOADPATRONINFO | Failed to reload the patron information |
| PAS_FAILEDTOSETSAVALUE | Failed to set the SA value |
| PAS_FEEREASONCODE_LOSTBILLED_INVALID | Invalid fee reason code has been supplied for lost/-billed payment. |
| PAS_FEEREASONCODEMISSING | Must specify fee reason code |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|----------------------------------|---|
| PAS_FEEREASONCODENOTALLOWED | Fee reason code must be allowed by the logged in branch. |
| PAS_FILEEXTENSIONNOTSUPPORTED | File extension not supported. |
| PAS_FILENAMEINVALID | Filename may not contain <, >, ;, ", /, \, , ?, *, or . |
| PAS_FILETYPENOTVALID | 'fileType' value not supported. |
| PAS_FILEUPLOADFAILEDBADFORMAT | File upload failed due to improperly formatted request. |
| PAS_FILEUPLOADFAULTEDORCANCELLED | Read faulted or was canceled. |
| PAS_FILLHOLDREQUEST | Fill hold request |
| PAS_FILLILLREQUESTTITLE | Fill ILL request |
| PAS_FILLNEXTHOLDTITLE | Fill next hold request |
| PAS_FILLSHOLDREQUESTFORPATRON | {0} Barcode: {1} satisfies a hold request for: {2} Barcode: {3} |
| PAS_FILLSREQUESTRENEWITEM | Barcode: {0} Title: {1} This item fills a request at {2}. Do you want to renew the item? (The hold request will remain active.) |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|-------------------------------------|--|
| PAS_FILLSREQUESTSAMEPATRONRENEWITEM | <p>Barcode: {0}</p> <p>Title: {1}</p> <p>This item fills a request at {2}.</p> <p>(The request is for the same patron who currently has the item checked out.)</p> <p>Do you want to renew the item?</p> <p>(The hold request will remain active.)</p> |
| PAS_FILLSREQUESTTRANSFER | <p>Barcode: {0}</p> <p>Title: {1}</p> <p>This item fills a request at {2}</p> <p>Transfer for hold?</p> <p>(Click Cancel to stop the check-in/check-out process.)</p> |
| PAS_FINEAMOUNTINVALID | Fine amount must be greater than 0 |
| PAS_FINECODEIDREQUIRED | FineCodeID is required. |
| PAS_FINECODENOEXIST | Fine code does not exist. |
| PAS_FINEENTRYDOESNOTEXIST | The Fines table does not have an entry or default entry associated with the organization for item {0} |
| PAS_FISCALYEAR_DATESINVALID | Fiscal year end date must be later than the fiscal year start date. |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|------------------------------------|---|
| PAS_FISCALYEAR_FUNDSATTACHED | There are funds attached to this fiscal year. |
| PAS_FISCALYEAR_INVALID_ID | Fiscal year ID invalid. |
| PAS_FISCALYEAR_NAMELENGTHINVALID | Fiscal year name length is invalid. |
| PAS_FISCALYEAR_NOTESLENGTHINVALID | Fiscal year Notes length is invalid. |
| PAS_FISCALYEAR_STATUSIDINVALID | Fiscal year Status ID is invalid. |
| PAS_FISCALYEARCREATORIDINVALID | Fiscal year Creator ID is invalid. |
| PAS_FIXEDFIELDTAGTYPEIDINVALID | fixedFieldTagTypeID is not a valid AE_MARCFixedFieldTagType. |
| PAS_FLOATINGITEMLIMITEXCEEDED | Exceeded floating item limit |
| PAS_FREETEXTBLOCKLENGTHERROR | Free text block cannot exceed 255 characters. |
| PAS_FREETEXTBLOCKNOTFOUNDFORPATRON | Free-text block with ID {0} not found for Patron with ID {1}. |
| PAS_FREETEXTBLOCKTOOLONG | Free text block's length is too long. |
| PAS_FUNCTIONCODEINVALID | functionCode '{0}' is not valid |
| PAS_FUNCTIONCODENULL | functionCode cannot be null. |
| PAS_FUND_ADDRESSID_INVALID | Fund Address ID is invalid. |
| PAS_FUND_DONOR_EMAIL | Fund Donor email is invalid. |
| PAS_FUND_ENCLIMPERITEM_NEGATIVE | Encumbrance Limits Line item must be greater than or equal to zero. |
| PAS_FUND_ENCLIMPERORDER_NEGATIVE | Encumbrance Limits Orders |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|---|---|
| | must be greater than or equal to zero. |
| PAS_FUND_ENCLIMTOTCURRENC_NEGATIVE | Encumbrance Limits Fund must be greater than or equal to zero. |
| PAS_FUND_EXPLIMPERITEM_NEGATIVE | Exp/Debit Limit Line item must be greater than or equal to zero. |
| PAS_FUND_EXPLIMPERORDER_NEGATIVE | Exp/Debit Limit Invoices must be greater than or equal to zero. |
| PAS_FUND_EXPLIMTOTEXP_NEGATIVE | Exp/Debit Limit Fund must be greater than or equal to zero. |
| PAS_FUND_ID_INVALID | Fund {0} is invalid. |
| PAS_FUND_INVALID_ID | Fund {0} is invalid. |
| PAS_FUND_OVEREXPALLOW_NEGATIVE | Exp/Debit Limit Exceed free balance by must be greater than or equal to zero. |
| PAS_FUND_TYPE_INVALID | Fund type is invalid. |
| PAS_FUNDCANNOTDELETEHASCHILDREN | This fund cannot be deleted because it has subfunds linked to it. |
| PAS_FUNDCANNOTDELETELINKEDADMINISTRATIONPROFILESS | This fund is used in one or more Administration profiles. Are you sure you want to delete it? |
| PAS_FUNDCANNOTDELETELINKEDINVOICELINEITEMS | This fund cannot be deleted because there are invoice line items linked to it. |
| PAS_FUNDCANNOTDELETELINKEDINVOICES | This fund cannot be deleted because there are invoices linked to it. |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|--|---|
| PAS_FUNDCANNOTDELETELINKEDPURCHASEORDERLINEITEMS | The fund cannot be deleted because there are purchase order line items linked to it. |
| PAS_FUNDCANNOTDELETELINKEDPURCHASEORDERS | The fund cannot be deleted because there are purchase orders linked to it. |
| PAS_FUNDCANNOTDELETELINKEDSELECTIONLISTLINEITEMS | This fund cannot be deleted because there are selection list line items linked to it. |
| PAS_FUNDCANNOTDELETELINKEDSUBSCRIPTIONS | This fund cannot be deleted because it has linked subscription records. |
| PAS_FUNDCANNOTDELETETRANSACTIONSPOSTED | The fund cannot be deleted because there are transactions posted against it. |
| PAS_FUNDINGSOURCELENGTHERROR | Funding source cannot exceed 50 characters. |
| PAS_FUNDINVALIDID | Fund is not found {0} |
| PAS_FUNDNAMEINVALID | Fund Name is invalid. |
| PAS_FUNDNAMEMULTIPLE | [Multiple] |
| PAS_FUNDNAMENONE | [None] |
| PAS_FUNDSTATUSINVALID | Fund Status is invalid. |
| PAS_FUNDTYPEIDCHANGEFROMDAINVALID | Fund Type change to Deposit Account is restricted. |
| PAS_FUNDTYPEIDCHANGETODAINVALID | Fund Type change to Deposit Account is restricted. |
| PAS_GETOVERDUEFINEERROR | GetOverdueFine() error: |
| PAS_GETSACLEAROVDFINEATCIRCERROR | Error: GetSAClearOvdFineAtCirc() failed to get SA parameter for clearing overdue fine. |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|-------------------------------------|--|
| PAS_HEADERCHARGENOTFOUND | Header Charge not found. |
| PAS_HEADERCHARGESLISTISEMPTY | Header Charges list is empty. |
| PAS_HELDFOR | For {0} |
| PAS_HISTORYIDDOESNOTBELONGTOPATRON | HistoryID {0} does not exist or does not belong to this patron {1} |
| PAS_HISTORYWITHIDINVALID | HistoryID {0} is invalid |
| PAS_HOLDABLEBYBRANCHANDLIBRARYERROR | Both 'holdable by library' and 'holdable by branch' cannot be true. |
| PAS_HOLDABLEBYPICKUPREQUIRED | HoldableByPickup field must also be supplied when AssignedBranchID is provided. |
| PAS_HOLDABLEBYPRIMARYERROR | No other 'holdable by' options can be true when 'holdable by primary lender' is true. |
| PAS_HOLDABLEBYPRIMARYLENDERREQUIRED | HoldableByPrimaryLender field must also be supplied when AssignedBranchID is provided. |
| PAS_HOLDABLEREQUIRED | Holdable is required. |
| PAS_HOLDBRANCHTYPEIDINVALID | Hold branch type ID is not valid |
| PAS_HOLDCONTINUEOPTIONTEXT | Do you want to continue with this operation? |
| PAS_HOLDILLITEMFORPATRON | Item is an INTER-LIBRARY LOAN for: {0} Barcode: {1} |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|------------------------------------|---|
| | Do you want to hold this item for the patron? |
| PAS_HOLDINFOUNVERIFIED | Unable to verify hold info |
| PAS_HOLDITEMCANCELSTOP | Do you want to hold the item? (Click Cancel to stop the check-in/check-out process.) |
| PAS_HOLDLOCKEDBY | Hold request is locked by {0}. |
| PAS_HOLDNOTE | Hold Note |
| PAS_HOLDORSSTOPMESSAGE | *** Hold for Outreach Services Patron *** |
| PAS_HOLDPICKUPBRANCHIDREQUIRED | HoldPickupBranchID field must also be supplied when AssignedBranchID is provided. |
| PAS_HOLDPICKUPBRANCHNOEXIST | Hold pickup branch does not exist. |
| PAS_HOLDPICKUPBRANCHNOTALLOWED | Hold pickup branch not allowed for assigned branch. |
| PAS_HOLDPICKUPBRANCHREQUIRED | Hold pickup branch must be provided when HoldableByPickup is true. |
| PAS_HOLDPROCESSINGCANCELLED | Hold processing canceled |
| PAS_HOLDREQUESTASSOCPATRON | Hold request for associated patron |
| PAS_HOLDREQUESTASSOCPATRONCONTINUE | This item will satisfy a hold request for an associated patron. Do you want to continue with the check-out? |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|--|--|
| PAS_HOLDREQUESTCANNOTBEROUTED_ONLYAVAIL | {0} ({1}) has the only available item(s), the request cannot be routed. |
| PAS_HOLDREQUESTCREATED | The hold request has been created. |
| PAS_HOLDREQUESTDESC | hold request |
| PAS_HOLDREQUESTFAILED | Placing hold request failed. |
| PAS_HOLDREQUESTFILLED | The hold request has been filled. |
| PAS_HOLDREQUESTIDNOTFOUND | Holds request {0} not found |
| PAS_HOLDREQUESTINVALIDSTATUSID | Unexpected status '{0}'. |
| PAS_HOLDREQUESTISCANCELLED | Hold request is canceled |
| PAS_HOLDREQUESTNOTFOUND | Hold request not found |
| PAS_HOLDREQUESTREACTIVATED | Request reactivated for patron {0}, {1}. |
| PAS_HOLDREQUESTREACTIVATEFAILED_NOTBOUND | This request cannot be bound to a bibliographic record and cannot be reactivated. |
| PAS_HOLDREQUESTREACTIVATEFAILED_NOTFINAL | Cannot reactivate this request. Bibliographic record {0} does not have a status of Final. |
| PAS_HOLDREQUESTRECORDBOUNDWITH | This record is linked to the title: {0} Your request will be listed under that title. |
| PAS_HOLDREQUESTRECORDLINKEDTOTITLE | The record "{0}" is linked to the title: " {1} " Your request will be listed under that title. |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|---|--|
| PAS_HOLDREQUESTSDESC | hold requests |
| PAS_HOLDREQUESTSTATUSREQUIREMENTS | Hold request status must be either ACTIVE, INACTIVE, PENDING, HELD, or LOCATED |
| PAS_HOLDREQUESTSTATUSUPDATEHOLDUNTIL | Hold request status must be either HELD or SHIPPED |
| PAS_HOLDREQUESTTRANSFERRED | The hold request has been transferred |
| PAS_HOLDREQUESTUPDATE_CANNOTFILL_CONTINUE | <p>Do you want to continue with this operation?</p> <p>This item's 'Limit to: 'branch is set to: {0} ({1})</p> <p>This item cannot fill the request according to its assigned branch policy.</p> <p>Title: {2}</p> |
| PAS_HOLDREQUESTUPDATECANNOTFILLMSG | <p>This item's 'Limit to: 'branch is set to: {0} ({1})</p> <p>This item cannot fill the request according to its assigned branch policy.</p> <p>Title: {2}</p> |
| PAS_HOLDSTATUSIDINVALID | Hold status ID is not valid |
| PAS_HOLDSTATUSINCORRECT | Hold request status incorrect for this operation |
| PAS_HOLDTILDATENOTSPECIFIED | HoldTillDate not specified |
| PAS_HOMEBRANCHIDREQUIRED | HomeBranchID is required. |
| PAS_HOMEBRANCHNOEXIST | Home branch does not |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|-------------------------------------|--|
| | exist. |
| PAS_HOMEBRANCHNOTBRANCHTYPEERROR | Home branch cannot be at the system or library level. |
| PAS_HOSTBIBLIOGRAPHICRECORDDESC | host bibliographic record |
| PAS_HOSTMULTIPLELINKEDFINALERROR | Host records can have no more than 1 linked item record with a record status of 'final'. |
| PAS_IDS_MSG_CKINCANSUB | The subscription issue is linked to a subscription that was canceled. |
| PAS_ILLCIRCULATED | The ILL item was originally requested by patron {0}, {1}. |
| PAS_ILLCONVERSIONPROCEDURECANCELLED | ILL conversion procedure canceled |
| PAS_ILLITEM | ILL Item |
| PAS_ILLITEMNOCHECKIN | ILL items cannot be checked in and received. Please check-in the item in Circulation. |
| PAS_ILLITEMNOCIRC | Item is an INTER-LIBRARY LOAN. The item status is Returned-ILL and the request status is Returned. The item cannot circulate. |
| PAS_ILLITEMRETURNEDSTATUSNOCIRC | Item is an INTER-LIBRARY LOAN. The item status is Returned-ILL and the request status is Returned. The item can not circulate. |
| PAS_ILLITEMTEMPLATEREQUIRED | There is no 'ILL Item' item record template for {0}. Please create one. |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|--|--|
| PAS_ILLRECEIVEDUPLICATEBARCODEEXIST | This barcode is a duplicate and cannot be used to create an ILL item. |
| PAS_ILLRECEIVEDUPLICATEBARCODEEXISTTITLE | Duplicate barcode |
| PAS_ILLRECEIVEFAILED | ILL request 'Receive' failed |
| PAS_ILLRECEIVEPROCEDURECANCELLED | ILL-Receive procedure canceled |
| PAS_ILLRECEIVESUCCESS | ILL-Receive successful |
| PAS_ILLRECEIVESUCCESSITEMHELD | This ILL item was created. Item status is Held. |
| PAS_ILLRECEIVESUCCESSITEMTRANSFERRED | This ILL item was created. Item status is Transferred. |
| PAS_ILLRECEIVESUCCESSPATRONNOWANT | This ILL item was created. The INN-Reach request indicates the patron no longer wants this item. |
| PAS_ILLRECEIVESUCCESTITLE | ILL item created |
| PAS_ILLRECORDSELECTDIFFERENT | The bibliographic record you specified is an ILL record. Please select a different record. |
| PAS_ILLREQUESTALREADYRETURNED | ILL request is already returned |
| PAS_ILLREQUESTDELETEFAILED | ILL request {0} cannot be deleted. |
| PAS_ILLREQUESTDELETEINVALIDSTATUSID | Unexpected ILL status '{0}'. ILL request delete failed. |
| PAS_ILLREQUESTIDINVALID | ILLRequest ID is invalid |
| PAS_ILLREQUESTINVALIDSTATUSID | Unexpected item status '{0}'. ILL request update failed. |
| PAS_ILLREQUESTLOCKEDBY | ILL request is locked by {0}. |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|---------------------------------------|--|
| PAS_ILLREQUESTPACNOTESUPDATEFAILED | ILL request update failed. PAC notes update is not allowed. |
| PAS_ILLREQUESTSNOTPERMITTED | ILL requests are not permitted by the patron's library |
| PAS_ILLREQUESTSNOTPERMITTEDTITLE | ILL request blocked |
| PAS_ILLREQUESTTYPEINVALID | Request type is invalid |
| PAS_ILLREQUESTUPDATED | The ILL request has been updated. |
| PAS_ILLREQUESTUPDATEFAILED | ILL request update failed. |
| PAS_ILSSTOREORDERCREATEFAILED | Create ILS store order failed |
| PAS_ILSSTOREORDERDETAILDOESNOTEXIST | ILSStoreOrderDetail record does not exist |
| PAS_ILSSTOREORDERDETAILINVALID | Associated ILS store order detail is invalid |
| PAS_ILSSTOREORDERIDINVALID | ILS store order ID is invalid |
| PAS_ILSSTOREORDERTRANSACTIONINVALID | Associated ILS store order transaction is invalid |
| PAS_IMPORTJOB_DUPLICATERECORDSETKINDS | Import Job has duplicate record set ImportRecordSetKind fields |
| PAS_IMPORTJOB_INVALIDRECORDSETOPTIONS | Invalid number of Record Set options |
| PAS_IMPORTJOB_NAMELENGTHINVALID | Import Job File Name length is invalid |
| PAS_IMPORTJOB_PATHNAMEINVALID | Import Job path name is invalid |
| PAS_IMPORTJOBSTATUSINVALID | Import Job Status Invalid |
| PAS_IMPORTPROFILEDESC | import profile |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|-----------------------------------|--|
| PAS_INAVLIDHOLDREQUESTID | Invalid Hold request ID |
| PAS_INHOUSECHECKINFAILED | In House check in failed. |
| PAS_INNREACHDENY | Deny INN-Reach hold request |
| PAS_INNREACHDENYMSG | You are denying this INN-Reach request. Are you sure you want to continue? |
| PAS_INNREACHFILL | Fill INN-Reach hold request |
| PAS_INNREACHFILLMSG | {0} Barcode: {1} satisfies an INN-Reach hold request to be shipped to: {2}, {3}, for: {4} Phone: {5} Do you want to ship the item? (Click Cancel to stop the check-in/check-out process.) |
| PAS_INNREACHITEMISHELDCHECKINMSG | This INN-Reach item has already been checked in and declared shipped. Do you still want to ship this item? |
| PAS_INNREACHITEMISHELDCHECKOUTMSG | This item statisfies an INN-Reach request and cannot be checked out. It is currently being held for: {0} Phone: {1} |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|----------------------------------|--|
| | Do you still want to ship this item? |
| PAS_INNREACHITEMTEMPLATEREQUIRED | There is no 'INNR Item {0}-{1}' item record template for {2}. Please create one. |
| PAS_INSERTRECORDSFAILED | Failed to insert records |
| PAS_INTRASIT | In-Transit |
| PAS_INTRASITITEM | In-transit item |
| PAS_INTRASITTO | To |
| PAS_INTRASITTOWITHABBR | To {0} ({1}) |
| PAS_INVALIDADDRESSID | Address ID is invalid. |
| PAS_INVALIDATTRIBUTEVALUE | Attribute value '{0}' is not valid for attribute type '{1}' |
| PAS_INVALIDCONTACTPERSONID | Contact Person ID is invalid. |
| PAS_InvalidCreditCardPaymentData | Invalid Credit Card Payment Data. |
| PAS_INVALIDCUSTOMDATA | The value of {0} may not be greater than 2,147,483,647. |
| PAS_INVALIDCUSTOMDATATITLE | Invalid value |
| PAS_INVALIDDATECUSTOMDATA | {0} contains an invalid date value. |
| PAS_INVALIDDATECUSTOMDATATITLE | Invalid Date |
| PAS_INVALIDDISCRATE | Discount rate is invalid |
| PAS_INVALIDDOMAINFORATTR | Invalid domain for attribute '{0}' |
| PAS_INVALIDDOMAINSPECIFIED | Invalid domain specified |
| PAS_INVALIDEMAILATSIGN | Invalid Email format: Address can not begin or end with '@'. |
| PAS_INVALIDEMAILDOMAIN | Invalid Email format: |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|---|--|
| | Improper domain. |
| PAS_INVALIDEMAILMULTIPLEATSIGNS | Invalid Email format: Address can not have multiple '@' characters. |
| PAS_INVALIDEMAILPERIOD | Invalid Email format: Address can not begin or end with '..'. |
| PAS_INVALIDEMAILSUCCESSIVEPERIODS | Invalid Email format: Address can not have successive '.' characters. |
| PAS_INVALIDEMAILWHITESPACE | Invalid Email format: Address can not have white space. |
| PAS_INVALIDFAXSUPRESSED | System Admin is set to suppress FAX. |
| PAS_INVALIDFILEGROUPTYPEFORRECORDSETADD | Invalid file group type for record set add operation. |
| PAS_INVALIDFISCALYEARNAMEORORG | Fiscal year name is already in use for this organization. |
| PAS_INVALIDHEADERCHARGE | Header Charge already exists. |
| PAS_INVALIDHOLDPICKUPBRANCH | Invalid Pickup Branch |
| PAS_INVALIDHOLDUSERSUPPLIED | Invalid hold user not supplied reason |
| PAS_INVALIDIMPORTJOBID | Invalid Import Job ID |
| PAS_INVALIDINNREACHREQUESTFORILLEXPORT | INN-Reach requests not eligible for export. |
| PAS_INVALIDITEMID | Invalid Item ID. |
| PAS_INVALIDITEMSTATUS | Not a valid item status [{0}] |
| PAS_INVALIDITEMSTATUSFORILLCANCEL | Item has {0} status. Please check the item in. |
| PAS_INVALIDITEMSTATUSFORILLDELETE | Item has {0} status. Please |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|---|---|
| | return it and try again. |
| PAS_INVALIDLICENSE | Invalid license. |
| PAS_INVALIDNAMEID | Use for print / phone notices is checked. Please populate the Last name and First name on Identification. |
| PAS_INVALIDNOTIFICATIONOPTIONTITLE | Invalid notification option |
| PAS_INVALIDOBJECTTYPEAUTHTOBIBRECORDSET | Invalid ObjectType. Failed to create Bib recordset from Authority record set. |
| PAS_INVALIDOBJECTTYPEBIBTOAUTHITEMRECORDSET | Invalid ObjectType. Failed to create Authority/Item recordset from Bib record set. |
| PAS_INVALIDOBJECTTYPEITEMTOBIBRECORDSET | Invalid ObjectType. Failed to create Bib recordset from Item record set. |
| PAS_INVALIDORGANIZATIONID | Invalid Organization ID |
| PAS_INVALIDORIGINATINGRECORDSETID | Invalid OriginatingRecordSetID {0}. |
| PAS_INVALIDPASSWORD | Password can contain only numeric characters. |
| PAS_INVALIDPASSWORDTITLE | Invalid Password |
| PAS_INVALIDPATRONBIRTHDATE | Birthdate is in the future. Please enter a valid birthdate. |
| PAS_INVALIDPATRONBRANCHID | Patron organization {0} is not a valid branch. |
| PAS_INVALIDPATRONREGDATE | Registration date is in the future. Please enter a valid registration date. |
| PAS_INVALIDPHONE3SUPRESSED | System Admin is set to |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|--|---|
| | supress Phone 3. |
| PAS_INVALIDPHONE3TITLE | Invalid phone |
| PAS_INVALIDPICKUPBRANCHID | Invalid pickup branch id |
| PAS_INVALIDPolarisUserID | Invalid Polaris User ID |
| PAS_INVALIDPROMPTRESULT | Invalid reply |
| PAS_INVALIDSALESTAXRATE | Sales tax is invalid |
| PAS_INVALIDTRANS | Invalid Trans |
| PAS_INVENTORYUPDATEFAILED_ITEMBELONGSTO | Item status is {0} and belongs to {1}. Inventory update failed. |
| PAS_INVENTORYUPDATESUCCESS_ITEMHELD | Item is held. Inventory update successful. |
| PAS_INVENTORYUPDATESUCCESSWITHSTATUS | Inventory update successful for item with a status of {0}. |
| PAS_INVOICE_CHARGETYPE_INVALID | Invalid Header Charge Type. |
| PAS_INVOICE_CLOSED_FUNDS_MSG1 | Transactions cannot be posted against the following closed funds: |
| PAS_INVOICE_CLOSED_FUNDS_MSG2 | The operation will be canceled. |
| PAS_INVOICE_CLOSED_FUNDS_TITLE | Closed Funds |
| PAS_INVOICE_DETAILS_TRANMETH_ELECTRONIC | Electronic |
| PAS_INVOICE_DETAILS_TRANMETH_FAX | Fax |
| PAS_INVOICE_DETAILS_TRANMETH_PAPER | Paper |
| PAS_INVOICE_DETAILS_TRANSMISSIONMETHODVALUEINVALID | Invoice Transmission Method value is invalid. |
| PAS_INVOICE_DUPLICATEFOUND | An invoice already exists that has the same number, suffix, type, and supplier. |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|---------------------------------------|---|
| PAS_INVOICE_FUND_LIST_TITLE | Overexpenditure List |
| PAS_INVOICE_INVALID_CHECK_DATE | Invalid check date. |
| PAS_INVOICE_INVALID_ID | Invoice is not found {0} |
| PAS_INVOICE_INVALID_MISC_TYPE | Cannot pay open miscellaneous invoice with no line items or header charges. |
| PAS_INVOICE_INVALID_PYMNT_STATUS | Invalid PaymentStatusID {0}. |
| PAS_INVOICE_INVALID_STATUS | Invoice status is not Open. |
| PAS_INVOICE_INVALID_VOUCHER_DATE | Invalid voucher date. |
| PAS_INVOICE_LINKED_FUNDS_LOCKED_MSG | One or more linked funds are locked by other users. The operation will be canceled. |
| PAS_INVOICE_LINKED_FUNDS_LOCKED_TITLE | Linked Funds |
| PAS_INVOICE_LINKED_ITEMS_LOCKED_MSG | One or more linked items are locked by other users. The operation will be canceled. |
| PAS_INVOICE_LOCKED_TITLE | Linked Items |
| PAS_INVOICE_NOTELENGTHINVALID | Invoice Note length is invalid. |
| PAS_INVOICE_NULL_ID | Invalid InvoiceID {0} |
| PAS_INVOICE_NULL_LINES_MISC_TYPE | Cannot pay credited miscellaneous invoice with no line items. |
| PAS_INVOICE_NUMBERSUFFIXLENGTHINVALID | Invoice Number Suffix length is invalid. |
| PAS_INVOICE_NUMLBERLENGTHINVALID | Invoice Number length is invalid. |
| PAS_INVOICE_PAID_FAILED_MSG | Failed to pay invoice. |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|-------------------------------------|---|
| PAS_INVOICE_PAID_SUCCESS_MSG | Invoice paid successfully. |
| PAS_INVOICE_PLANNAMELENGTHINVALID | Invoice Plan name length invalid. |
| PAS_INVOICE_PYMNT_CANCELLED | Invoice payment is cancelled. |
| PAS_INVOICE_TRANMETHODLENGTHINVALID | Invoice Transmission Method length is invalid. |
| PAS_INVOICELINEITEMDESC | invoice line item |
| PAS_INVOICESTATUSIDINVALID | Invoice Status ID is invalid |
| PAS_INVOICETYPEIDINVALID | Invoice Type ID is invalid |
| PAS_INVOICEUNDOPAYMENTNOTALLOWED | This invoice does not satisfy the conditions for undoing an invoice payment. |
| PAS_ISBN | ISBN |
| PAS_ISBNANDISSNPRESENTERROR | Both ISBN and ISSN cannot be present. |
| PAS_ISBNISSNLENGTHERROR | {0} cannot exceed 50 characters. |
| PAS_ISHOLDABLESTATUS01 | No items are attached to the bibliographic record. |
| PAS_ISHOLDABLESTATUS02 | An item at this branch is IN. |
| PAS_ISHOLDABLESTATUS03 | All items have a prohibited status and will not fill this request. |
| PAS_ISHOLDABLESTATUS04 | All items are restricted from filling this request. |
| PAS_ISHOLDABLESTATUS05 | All items are restricted from filling this request according to their assigned branch policy. |
| PAS_ISHOLDABLESTATUS06 | All items will not fill this request because they do |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|------------------------|--|
| | not belong to a responder branch for this pickup location. |
| PAS_ISHOLDABLESTATUS07 | All items are marked 'Do not mail to patron'. To fill this request, uncheck this option on one or more items or uncheck the Borrow by mail option for this request. |
| PAS_ISHOLDABLESTATUS09 | Hold request not permitted. This bibliographic record has been created for ILL. |
| PAS_ISHOLDABLESTATUS10 | The bibliographic record is Provisional. Hold requests are not permitted on Provisional records. |
| PAS_ISHOLDABLESTATUS11 | The bibliographic record is Deleted. Hold requests are not permitted on Deleted records. |
| PAS_ISHOLDABLESTATUS16 | The item is IN. |
| PAS_ISHOLDABLESTATUS17 | The item has a prohibited status and is not available to fill your request. |
| PAS_ISHOLDABLESTATUS18 | This item is not holdable. |
| PAS_ISHOLDABLESTATUS19 | This item cannot fill the request according to its assigned branch policy. |
| PAS_ISHOLDABLESTATUS20 | This item will not fill this request because it does not |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|-----------------------------------|--|
| | belong to a responder branch for this pickup location. |
| PAS_ISHOLDABLESTATUS21 | This item is marked 'Do not mail to patron'. To fill this request, uncheck this option on the item or uncheck the Borrow by mail option for this request. |
| PAS_ISHOLDABLESTATUS22 | This multipart item is restricted from filling requests. |
| PAS_ISHOLDABLESTATUS23 | This serial item is restricted from filling requests. |
| PAS_ISHOLDABLESTATUS24 | Hold request not permitted. This item record has been created for ILL. |
| PAS_ISHOLDABLESTATUS25 | The item record is Provisional. Hold requests are not permitted on Provisional records. |
| PAS_ISHOLDABLESTATUS26 | The item record is Deleted. Hold requests are not permitted on Deleted records. |
| PAS_ISHOLDABLESTATUS27 | Hold requests are not permitted on eContent items. |
| PAS_ISHOLDABLESTATUSID | IsHoldable status id: {0} |
| PAS_ISHOLDABLESTATUSPROMPTFILLNOW | Do you want to fill the request with this item? |
| PAS_ISHOLDABLESTATUSPROMPTPLACE | Do you want to place this |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|-----------------------------------|--|
| | request? |
| PAS_ISNEWINVALIDSTATE | Attempt to create a new item record when IsNew is set to false. |
| PAS_ISNEWRECANDBIBRECIDNOTALLOWED | Supplying both IsNewRecord and BibRecordID is not allowed. |
| PAS_ISSN | ISSN |
| PAS_ISSUE_CREATE_ERROR | Failed to create issue/part |
| PAS_ISSUEPART_RECORDLOCKEDBY | Serial issue/part record is locked by {0}. |
| PAS_ISSUEPARTRECORDDESC | issue/part record |
| PAS_ISSUERECORDCLAIMNOTFOUND | Claim Info for issue record with ID {0} not found. |
| PAS_ISSUERECORDINVALIDID | Invalid IssueID |
| PAS_ISSUERECORDNOTFOUND | Issue record with ID {0} not found. |
| PAS_ITEM_RECEIVED_MSG | This item has already been checked in and received. Do you want to continue? |
| PAS_ITEM_RECEIVED_TITLE | Item Received |
| PAS_ITEM_SECUREPATRON_MMSCHECKIN | You can't do this because the patron record for the last borrower of this item is secured. You can make the item Unavailable |
| PAS_ITEMALREADYHELDFORPATRON | Item was already held for patron {0}, {1}. |
| PAS_ITEMASSIGNEDTO | Item is assigned to {0}. |
| PAS_ITEMBARCODEDEFINEDFORPATRONS | This barcode format is defined for patron records. |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|------------------------------------|---|
| PAS_ITEMBARCODEEMPTY | Item barcode is empty |
| PAS_ITEMBARCODEINVALIDFORMAT | Invalid barcode. This barcode format is not defined. No matching item record was found. Check the item barcode. |
| PAS_ITEMBARCODEINVALIDISFORPATRON | Invalid barcode. Barcode format is for patron. |
| PAS_ITEMBARCODEINVALIDTITLE | Invalid barcode format |
| PAS_ITEMBARCODENOTDEFINEDCONTINUE | This barcode format is not defined. Do you want to continue? |
| PAS_ITEMBARCODENOTDEFINEDCONTINUE2 | This barcode format is not defined. Do you want to use this barcode for this item? |
| PAS_ITEMBARCODENOTFOUND | No matching item record was found. Check the item barcode. |
| PAS_ITEMBARCODENULL | Item barcode is null |
| PAS_ITEMBILLEDTOPATRON | Item was billed to patron {0}, {1}. |
| PAS_ITEMBLOCKED | Item is blocked |
| PAS_ITEMBLOCKEDCONTINUE | Do you want to continue with this operation? |
| PAS_ITEMBLOCKEDTITLE | Item is blocked |
| PAS_ITEMBLOCKIDINVALID | Invalid item block id |
| PAS_ITEMCHECKEDINANDHELD | Item checked in and being held. |
| PAS_ITEMCHECKEDINANDTRANSFERRED | Item checked in and being transferred to pick up library. |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|-------------------------------------|--|
| PAS_ITEMCHECKEDINFORSECUREPATRON | Item was checked in for a patron record that is secured - Patron [{0}, {1}]. |
| PAS_ITEMCHECKEDOUT | Item checked out |
| PAS_ITEMCHECKOUTCHARGE | There is a charge to check out this item. |
| PAS_ITEMCLAIMEDBILLEDBY | Item was claimed {0} by and billed to patron {1}, {2}. |
| PAS_ITEMCLAIMEDBY | Item was Claimed {0} by patron {1}, {2}. |
| PAS_ITEMCLAIMEDTITLE | Item is claimed |
| PAS_ITEMCLAIMLIMITMMSCHECKIN | Patron has exceeded total number of claims allowed. Do you want to continue with this operation? |
| PAS_ITEMDELETEDCANNOTFILLHOLD | The item record is Deleted. The item cannot fill a request. |
| PAS_ITEMDIFFBRANCHCONTINUE | This item is assigned to {0}. Do you want to continue with this transaction? |
| PAS_ITEMDOESNOTEXISTINQUEUE | ItemRecordID {0} does not exist in NotificationQueue |
| PAS_ITEMDUEATCLOSINGTIME_PERMITLOAN | Item is due at library closing time. Permit overnight loan? |
| PAS_ITEMFILLEDHOLDREQUEST | Item filled hold request for patron {0}, {1}. |
| PAS_ITEMFILLSREQUESTATTRANSFER | Barcode: {0} Title: {1} This item fills a request at {2} |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|--------------------------------|---|
| | Transfer for hold? (Click Cancel to stop the check-in/check-out process.) |
| PAS_ITEMFILLSREQUESTTITLE | Item fills a request |
| PAS_ITEMFROMANOTHERBRANCH | Item is from another branch |
| PAS_ITEMHASOUTSTANDINGCHARGES | Item status is {0} and has outstanding patron charges. |
| PAS_ITEMHELDFOR | This item is held for: {0} Barcode: {1} |
| PAS_ITEMIDINVALID | Item ID is invalid |
| PAS_ITEMIDZEROERROR | Item Id has to be greater than zero. |
| PAS_ITEMINTRANSIT | Item is in-transit |
| PAS_ITEMINTRANSITBOUNDTOHOLD | Item In-Transit to {0}, bound to hold request for {1}, {2}. |
| PAS_ITEMINTRANSITTITLE | Item is in-transit |
| PAS_ITEMINTRANSITTO | The item is now In-Transit to {0} ({1}) |
| PAS_ITEMINTRANSITTOWITHABBR | The item is now {0} to {1} ({2}) |
| PAS_ITEMINTRANSITTRANSFERREDTO | Item In-Transit to {0} is being transferred to {1} hold request. Please send item to pick-up library. |
| PAS_ITEMISHELDTITLE | Item is held |
| PAS_ITEMISNOTILLITEM | It is not an ILL item. Item control number: {0} |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|-------------------------------------|--|
| PAS_ITEMISPROVISIONALCANNOTFILLHOLD | The item record is Provisional. The item cannot fill a request. |
| PAS_ITEMISRESERVEITEM | Item {0}, Title {1} is a reserve item |
| PAS_ITEMLASTCRCTXNNEWER | Item's lastCircTransactionDate is newer than this transaction date. |
| PAS_ITEMINTRANSITTRANSFERREDTO | Item In-Transit to {0} is being transferred to {1} hold request. Please send item to pick-up library. |
| PAS_ITEMISHELDTITLE | Item is held |
| PAS_ITEMISNOTILLITEM | It is not an ILL item. Item control number: {0} |
| PAS_ITEMISPROVISIONALCANNOTFILLHOLD | The item record is Provisional. The item cannot fill a request. |
| PAS_ITEMISRESERVEITEM | Item {0}, Title {1} is a reserve item |
| PAS_ITEMLASTCRCTXNNEWER | Item's lastCircTransactionDate is newer than this transaction date. |
| PAS_ITEMLINKEDTOHOSTBIB | Attention: This item record is linked to a host bibliographic record. You may also need to change the call numbers (if any) on linked constituent bib records. |
| PAS_ITEMLINKEDTOHOSTBIBDISPLAYINPAC | This item record is linked to a host bibliographic record. The Display In PAC setting also affects the display of |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|-----------------------------------|---|
| | constituent call numbers. |
| PAS_ITEMLINKPARENTPARENTERROR | An item can't be linked to a parent record ({0}) that is itself linked to a parent record ({1}). |
| PAS_ITEMLOCKEDBY | Item record is locked by {0}. |
| PAS_ITEMLOSTACTION | Item was Lost |
| PAS_ITEMMARKEDASDONOTMAIL | Title: {0} This item is marked 'Do not mail to patron'. To fill this request, uncheck this option on one or more items or uncheck the Borrow by mail option for this request. |
| PAS_ITEMMUSTBEINTOFILLREQUEST | The item circulation status is {0}. The item must be In to fill a request. |
| PAS_ITEMNONCIRCULATING | Item is designated non-circulating |
| PAS_ITEMNOTCHECKEDOUT | Item was not checked out |
| PAS_ITEMNOTCHECKEDOUTTOPATRON | Item is not checked out to the patron |
| PAS_ITEMNOTCHECKEDOUTTOTHISPATRON | Item is not checked out to this patron. |
| PAS_ITEMNOTLINKEDTOREQUEST | Item not linked to this request |
| PAS_ITEMNOTLOSTORCLAIMED | Item with itemID {0} does not have a lost or claim status |
| PAS_ITEMNOTOUT | Item was not Out |
| PAS_ITEMNOWHELDFORPATRON | Item is now held for patron |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|---|---|
| | {0}, {1}. |
| PAS_ITEMOUTBILLEDOUTTODIFFPATRON | Item that was out and billed to patron {0}, {1} has been checked out to patron {2}, {3}. |
| PAS_ITEMOUTBILLEDTO | Item was out and billed to patron {1}, {2}. |
| PAS_ITEMOUTTOANOTHERPATRON | Item is out to another patron |
| PAS_ITEMOUTTOANOTHERPATRONCONTINUE | This item is already checked out to another patron. Do you want to continue with the check-out to {0}? |
| PAS_ITEMOUTTODIFFPATRON | Item that was out to patron {0}, {1} has been checked out to patron {2}, {3}. |
| PAS_ITEMOVERRENEWALLIMITCONTINUE | Item is over the renewal limit of {0}. Item has been renewed {1} times. Do you want to continue with renewal? |
| PAS_ITEMPARENTANDCHILDERROR | An item can't be linked to both a parent record ({0}) and a child record ({1}). |
| PAS_ITEMPARENTNOTITSELF | An item record can't have itself as a parent. |
| PAS_ITEMRECORDASSOCSERIALLOCKEDNODELETE | The item record's associated serial issue/part record is locked by {0} and cannot be deleted. |
| PAS_ITEMRECORDDELETED | The record was deleted suc- |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|---|---|
| | cessfully. |
| PAS_ITEMRECORDDELETEFAILED | Item record {0} could not be deleted. |
| PAS_ITEMRECORDDELETEFAILEDUNKNOWN | Item record {0} could not be deleted. {1} |
| PAS_ITEMRECORDDESC | item record |
| PAS_ITEMRECORDHISTORYACTIONINVALID | Invalid item record history action supplied. |
| PAS_ITEMRECORDINSERTFAILEDMISSINGASSIGNEDBRANCH | Item Record insert failed due to missing assigned branch. |
| PAS_ITEMRECORDINSERTFAILEDMISSINGBIBLINK | Item Record insert failed due to missing bibliographic record link. |
| PAS_ITEMRECORDINSERTFAILEDMISSINGCIRCSTATUS | Item Record insert failed due to missing circulation status. |
| PAS_ITEMRECORDINSERTFAILEDMISSINGFINECODE | Item Record insert failed due to missing fine code. |
| PAS_ITEMRECORDINSERTFAILEDMISSINGHOME | Item Record insert failed due to missing home branch. |
| PAS_ITEMRECORDINSERTFAILEDMISSINGLOANPERIOD | Item Record insert failed due to missing loan period code. |
| PAS_ITEMRECORDINSERTFAILEDMISSINGMATTTYPE | Item Record insert failed due to missing material type. |
| PAS_ITEMRECORDINSERTFAILEDMISSINGOWNER | Item Record insert failed due to missing system wide owner. |
| PAS_ITEMRECORDINSERTFAILEDMISSINGRECORDSTATUS | Item Record insert failed due to missing record |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|---|--|
| | status. |
| PAS_ITEMRECORDINSERTFAILEDMISSINGRENEWAL | Item Record insert failed due to missing renewal limit. |
| PAS_ITEMRECORDINSERTFAILEDMISSINGSHELFSCHHEME | Item Record insert failed due to missing shelving scheme. |
| PAS_ITEMRECORDLINKSBREAKABLE | Item Record Links (Breakable) |
| PAS_ITEMRECORDLINKSBREAKABLEMESSAGE | The following links will be broken if you continue deleting item record [{0}]: |
| PAS_ITEMRECORDLINKSUNBREAKABLE | Item Record Links (Unbreakable) |
| PAS_ITEMRECORDLINKSUNBREAKABLEMESSAGE | Deletion of item record [{0}] is not possible due to the following unbreakable link (s): |
| PAS_ITEMRECORDLINKSBREAKABLEMESSAGE | The following links will be broken if you continue deleting item record [{0}]: |
| PAS_ITEMRECORDLINKSUNBREAKABLE | Item Record Links (Unbreakable) |
| PAS_ITEMRECORDLINKSUNBREAKABLEMESSAGE | Deletion of item record [{0}] is not possible due to the following unbreakable link (s): |
| PAS_ITEMRECORDMANAGEREXISTEDITEMBARCODE | Item barcode {0} already exists in the database. |
| PAS_ITEMRECORDMANAGEREXISTEDPATRONBARCODE | A patron record exists for this barcode {0}. |
| PAS_ITEMRECORDMANAGEREXISTEDQUICKCIRCBARCODE | Item barcode {0} is used as a quick-circ barcode. |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|---|--|
| PAS_ITEMRECORDMANAGERINVALIDBARCODELENGTH | A valid item barcode must be supplied. Maximum length is {0}. |
| PAS_ITEMRECORDMANAGERINVALIDITEMFORMAT | This barcode format is not defined. Do you want to use this barcode for this item? |
| PAS_ITEMRECORDMANAGERINVALIDPATRONFORMAT | This barcode format is defined for patron records. Do you want to use this barcode for this item? |
| PAS_ITEMRECORDMANAGERITEMBARCODEASSIGNED | Item barcode {0} is already assigned to this item. |
| PAS_ITEMRECORDMANAGERSTOPECONTENT | EContent item {0} cannot be modified from check-in. |
| PAS_ITEMRECORDMANAGERSTOPILL | ILL item {0} cannot be modified from check-in. |
| PAS_ITEMRECORDMANAGERSTOPLOCKED | Locked item {0} cannot be modified from check-in. |
| PAS_ITEMRECORDMANAGERSTOPNONEIN | Item {0} must be in and from this branch. |
| PAS_ITEMRECORDMANAGERSTOPQUICKCIRCITEM | Quick-circ item {0} cannot be modified from check-in. |
| PAS_ITEMRECORDOPENOPTIONIDINVALID | Invalid ItemRecordOpenOption id |
| PAS_ITEMRECORDOPENVIEWSAVEERROR | Error saving the item record open user default view: Mnemonic {0} and Value is {1}. |
| PAS_ITEMRECORDSAVED | The record was saved successfully. |
| PAS_ITEMRECORDSTATUSINVALIDCANNOTFILLHOLD | The item has an invalid record status. The item cannot fill a request. |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|-------------------------------------|---|
| PAS_ITEMRECORDUNDELETEFAILED | Item record {0} was not undeleted. |
| PAS_ITEMRECORDUNDELETEFAILEDUNKNOWN | Item record {0} was not undeleted. {1} |
| PAS_ITEMRECORDUPDATED | The item record has been updated. |
| PAS_ITEMRECORDUPDATEFAILED | Item record update failed. |
| PAS_ITEMRETURNEDFROMROUTING | Item was returned from routing. |
| PAS_ITEMSATISFIESHOLDREQUEST | Item satisfies a hold request. |
| PAS_ITEMSATISFIESREQUESTTITLE | Item satisfies request |
| PAS_ITEMSDELETEDMSG | {0} item record(s) deleted successfully |
| PAS_ITEMSECUREPATRONMMSCHECKIN | You can't do this because the patron record for the last borrower of this item is secured. You can make the item Unavailable. |
| PAS_ITEMSTATCODENOEXIST | Item statistical code does not exist. |
| PAS_ITEMSTATCODENOTALLOWED | Statistical code not allowed for assigned branch. |
| PAS_ITEMSTATUSCLAIMED | Item status is {0}, {1} or {2}. |
| PAS_ITEMSTATUSCLAIMMISSINGPARTS | Claim Missing Parts |
| PAS_ITEMSTATUSCLAIMNEVERHAD | Claim Never Had |
| PAS_ITEMSTATUSCLAIMRETURNED | Claim Returned |
| PAS_ITEMSTATUSDOESNOTEXIST | ItemStatus {0} does not exist |
| PAS_ITEMSTATUSHELDHOLDNOTHELD | Item status was held, but hold status was not held or unfilled |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|---|--|
| PAS_ITEMSTATUSHELDILLNOTRECEIVED | Item status was held, but ill status was not received-held |
| PAS_ITEMSTATUSIDINVALID | Item status ID is invalid |
| PAS_ITEMSTATUSIDINVALIDSTATE | Current item record status '{0}' cannot be change to '{1}'. |
| PAS_ITEMSTATUSIDNOTCLAIMMISSINGPARTS | Item status ID is not 'Claim Missing Parts'. |
| PAS_ITEMSTATUSIDNOTVALIDFORNEWRECORDS | Item status ID is not valid for item record creation. |
| PAS_ITEMSTATUSIDREQUIRED | ItemStatusID is required. |
| PAS_ITEMSTATUSOUT | Item Record {0} has an OUT status |
| PAS_ITEMSTATUSOUTILL | Item Record {0} has an OUT-ILL status |
| PAS_ITEMSTATUSTRANSFERREDHOLDNOTSHIPPED | Item status was transferred, but hold status was not shipped |
| PAS_ITEMSTATUSTRANSFERREDILLNOTRECEIVED | Item status was transferred, but ill status was not received-transferred |
| PAS_ITEMSTATUSUPDATEFAILED | {0} Error: item status update failed |
| PAS_ITEMSUNABLETODELETEWARNING | {0} item record(s) were not deleted |
| PAS_ITEMTEMPLATEDESC | item template |
| PAS_ITEMTEMPLATEFIELDASSIGNEDBRANCH | Assigned branch |
| PAS_ITEMSTATUSUPDATEFAILED | {0} Error: item status update failed |
| PAS_ITEMSUNABLETODELETEWARNING | {0} item record(s) were not deleted |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|---|--|
| PAS_ITEMTEMPLATEDESC | item template |
| PAS_ITEMTEMPLATEFIELDASSIGNEDBRANCH | Assigned branch |
| PAS_ITEMTEMPLATEFIELDFINECODE | Fine code |
| PAS_ITEMTEMPLATEFIELDHOMEBRANCH | Home branch |
| PAS_ITEMTEMPLATEFIELDITEMSTATUS | Item status |
| PAS_ITEMTEMPLATEFIELDLOANPERIODCODE | Loan period code |
| PAS_ITEMTEMPLATEFIELDMATERIALTYPE | Material type |
| PAS_ITEMTEMPLATEFIELDOWNINGBRANCH | Owning branch |
| PAS_ITEMTEMPLATEFIELDRENEWALLIMIT | Renewal limit |
| PAS_ITEMTEMPLATEFIELDSHELVINGSCHEME | Shelving scheme |
| PAS_ITEMTEMPLATEFIELDSMISSING | The following fields are missing from the '{0}' item record template for {1}: {2} |
| PAS_ITEMTEMPLATENOTFOUND | Item template not found. |
| PAS_ITEMTEMPLATEREQUIRED | There is no 'On The Fly' item record template for {0}. An item template is required to circulate this item on the fly. |
| PAS_ITEMTEMPLATEREQUIREDTITLE | Item template required |
| PAS_ITEMTRANSFERREDTO | The item is now transferred to {0}. |
| PAS_ITEMTRANSFERREDTOFORHOLD | Item is being transferred to {0} hold request. Please send item to pick-up library. |
| PAS_ITEMUPDATEFAILED_MISSINGASGNDBRANCHID | Item record update failed due to missing assigned branch ID. |
| PAS_ITEMUPDATEFAILED_MISSINGBIBID | Item record update failed due to missing associated |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|--|---|
| | bibliographic record ID. |
| PAS_ITEMUPDATEFAILED_MISSINGFINECODEID | Item record update failed due to missing fine code ID. |
| PAS_ITEMUPDATEFAILED_MISSINGHOMEBRANCHID | Item record update failed due to missing home branch ID. |
| PAS_ITEMUPDATEFAILED_MISSINGITEMSTATUSID | Item record update failed due to missing item status ID. |
| PAS_ITEMUPDATEFAILED_MISSINGLOANPERIODCODE | Item record update failed due to missing loan period code ID. |
| PAS_ITEMUPDATEFAILED_MISSINGMATTYPED | Item record update failed due to missing material type ID. |
| PAS_ITEMUPDATEFAILED_MISSINGMODIFIERID | Item record update failed due to missing modifier ID. |
| PAS_ITEMUPDATEFAILED_MISSINGOWNBRANCHID | Item record update failed due to missing owning branch ID. |
| PAS_ITEMUPDATEFAILED_MISSINGRECORDSTATUSID | Item record update failed due to missing record status ID. |
| PAS_ITEMUPDATEFAILED_MISSINGRENEWALLIMIT | Item record update failed due to missing renewal limit. |
| PAS_ITEMUPDATEFAILED MISSINGSHELFSCHEMEID | Item record update failed due to missing shelving scheme ID. |
| PAS_ITEMWAS | Item was {0} |
| PAS_ITEMWASINTRANSIT | Item was In-Transit. |
| PAS_ITEMWASNOT | Item was not {0} |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|--|---|
| PAS_ITEMWITHDRAWNTITLE | Item is withdrawn |
| PAS_ITEMWITHIDNOTFOUND | Item not found with ID {0} |
| PAS_KEEPBLOCK | Keep block |
| PAS_LABEL_CONTENT_LASTLABELHASNULLOREMPTYCONTENT | Last label cannot have null or empty content. |
| PAS_LABEL_CONTENT1_LENGTHINVALID | Content1 length is invalid. |
| PAS_LABEL_CONTENT2_LENGTHINVALID | Content2 length is invalid. |
| PAS_LABEL_CONTENT3_LENGTHINVALID | Content3 length is invalid. |
| PAS_LASTCOPYAUTHDISPLAY | Authority Record {0} - {1} |
| PAS_LASTCOPYBIBDISPLAY | Bibliographic Record {0} - {1} |
| PAS_LASTCOPYOPTIONSTITLE | Last copy options |
| PAS_LASTCOPYORRECORDOPTIONS | The following record options are available: |
| PAS_LASTCOPYORRECORDREPORTTITLE | Last Copy Or Record Report |
| PAS_LASTRECORDOPTIONSTITLE | Last record options |
| PAS_LASTTXNDATEINVALID | Last transaction date is invalid |
| PAS_LASTUSEBRANCHIDINVALID | Last use branch ID is invalid |
| PAS_LASTUSEPATRONINFO | {0} item: Last borrower was {1}, {2}. |
| PAS_LASTUSEPATRONINVALID | Failed to get patron information with the last use patron id {0}. |

Polaris Application Services Strings Reference (continued)

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|-----------------------------------|--|
| PAS_LASTCOPYORRECORDREPORTTITLE | Last Copy Or Record Report |
| PAS_LASTRECORDOPTIONTITLE | Last record options |
| PAS_LASTTXNDATEINVALID | Last transaction date is invalid |
| PAS_LASTUSEBRANCHIDINVALID | Last use branch ID is invalid |
| PAS_LASTUSEPATRONINFO | {0} item: Last borrower was {1}, {2}. |
| PAS_LASTUSEPATRONINVALID | Failed to get patron information with the last use patron id {0}. |
| PAS_LCCN | LCCN |
| PAS_LCCNLENGTHERROR | LCCN cannot exceed 40 characters. |
| PAS_LIBRARYBLOCKIDINVALID | Invalid library-defined block id |
| PAS_LIBRARYBLOCKNOTFOUNDFORPATRON | Library-defined block (stop) with ID {0} not found for Patron with ID {1}. |
| PAS_LIBRARYBLOCKWITHIDNOTFOUND | Library assigned block not found with ID {0} |
| PAS_LINKASSOCIATIONCOUNTDESC | This {0} has {1} {2} associated with it. |
| PAS_LINKEDBIBNOTFINAL | Linked bibliographic record {0} does not have a status of final. |
| PAS_LINKEDPATRONINVALID | Linked patron ID is invalid |
| PAS_LINKEDREQUESTSFORITEMUPDATED | Linked requests for this item have been updated. |
| PAS_LINKEDTODIGITALRESOURCES | This {0} is linked to digital resource(s). |
| PAS_LOANABLEOUTSIDESYSTEMREQUIRED | LoanableOutsideSystem is required. |
| PAS_LOANINGORGIDINVALID | Loaning org ID is invalid |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|-----------------------------------|---|
| PAS_LOANPERIODCODEIDREQUIRED | LoanPeriodCodeID is required. |
| PAS_LOANPERIODCODENOEXIST | LoanPeriod code does not exist. |
| PAS_LOANPERIODSENTRYDOESNOTEXIST | The LoanPeriods table does not have an entry or default entry associated with the assigned branch of item {0} |
| PAS_LOANPERIODSHORTENEDDUETOHOLDS | Loan period shortened due to number of holds. |
| PAS_LOANUNITSINVALID | Loan units are invalid |
| PAS_LOANUNITTYPEINVALIDDATA | Loan unit type {0} is not valid |
| PAS_LOCKERROR | Error locking object ID {0}. {1} |
| PAS_LOGONBRANCHDOESNOTEXIST | Logon branch {0} does not exist |
| PAS_MAILINGADDRESSINVALIDTITLE | Invalid mailing address |
| PAS_MAINTXNIDINVALID | Must supply a valid main txn ID |
| PAS_MAINTXNIDSINVALID | Invalid MainTxnIDs |
| PAS_MAKECLAIMFAILEDUNKNOWN | Make claim failed for unknown reason |
| PAS_MANUALBLOCKIDREQUIRED | ManualBlockID field must also be supplied when AssignedBranchID is provided. |
| PAS_MANUALBLOCKNOEXIST | Library assigned block (manual block) does not exist. |
| PAS_MANUALBLOCKNOTALLOWED | Library assigned block (manual block) not allowed for assigned branch. |
| PAS_MARCRECORDFORMATIDINVALID | marcRecordFormatID is not a valid ILSMARCRecordFormats. |
| PAS_MARCTAG_NOTVALIDFIXEDFIELD | MARC tag number is not a valid fixed field. Please supply 0, 6, 7 or 8. |
| PAS_MARCTAGDEFINITION_NOTFOUND | MARC tag definition with ID {0} |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|------------------------------------|---|
| | not found. |
| PAS_MARCTYPEOFMATERIALNOEXIST | MARCTypeOfMaterial does not exist |
| PAS_MARCVALIDATIONPROBLEM | The following validation errors were found. To ignore these errors, click continue. |
| PAS_MARCVALIDATIONPROBLEMCANTSOLVE | The bibliographic record cannot be saved with the following errors. |
| PAS_MATERIALTYPEIDREQUIRED | MaterialTypeID is required. |
| PAS_MATERIALTYPENOEXIST | Material type does not exist. |
| PAS_MATERIALTYPEWITHIDNOTFOUND | Material type not found with ID {0} |
| PAS_MATTYPINGLEIMITEXCEEDED | Exceeded material type item limit |
| PAS_MEDIADISPENSERANDSLOT | Dispenser {0}, slot {1} |
| PAS_MEDIADISPENSERTITLE | Media Dispenser |
| PAS_MEDIADISPENSERWARNINGTITLE | Media to dispense |
| PAS_MEMORIALNOTE_INVALID | Donor Memorial note length is invalid. |
| PAS_MESSAGEIDINVALID | MessageID is an invalid value |
| PAS_MESSAGEIDORPATRONIDINVALID | MessageID or PatronID is an invalid value |
| PAS_MESSAGETYPEINVALID | {MessageType} must be 100 or 101 |
| PAS_MESSAGEVALUemaxlength | MessageValue length is greater than 255 characters |
| PAS_MESSAGEVALUENULL | MessageValue is null or empty |
| PAS_MISSINGBARCODE | Missing barcode |
| PAS_MNEMONICNOTVALIDADMINATTR | Mnemonic '{0}' not a valid admin attribute |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|--|---|
| PAS_MODIFIEDBARCODE | Modified barcode |
| PAS_MSG_SSO_UPDATEBIB | {0}: No other records are linked to its linked bibliographic record. Do you still want to display this bibliographic record in the PAC? |
| PAS_MULTIPLEHOLDABLEBYNOTALLOWED | Multiple 'holdable by' options are not allowed. |
| PAS_NAMEIDINCOMPLETE_TITLE | Name on Identification is not complete |
| PAS_NAMEOFPICELENGTHERROR | Name of piece cannot exceed 255 characters. |
| PAS_NEWMESSAGEIDINVALID | New MessageID is an invalid value |
| PAS_NOBARCODE | No barcode |
| PAS_NOBARCODECONTINUE | This item has no barcode. Do you want to continue saving? |
| PAS_NODISPLAYINPACCONTINUE | This item will not display in PAC. Do you want to continue saving? |
| PAS_NOFIRSTNAME | No first name |
| PAS_NOHEADINGPROBLEMSFOUND | No heading problems were found. |
| PAS_NOITEMSCHECKEDOUTTOPATRON | No items are checked out to this patron. |
| PAS_NOITEMSSATISFYOBJECTDELETEWILLCANCELDESC | No other items are available to satisfy the {0}. Deleting this item will cancel {1} {2}. |
| PAS_NOITEMSSELECTDEPOSITONLY | No item(s) selected. Please select 'Deposit' type only. |
| PAS_NOITEMSSELECTED | No items have been selected |
| PAS_NOITEMSWITHDEPOSITS | No items have deposits asso- |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|---|--|
| | ciated with them |
| PAS_NOITEMWITHCHARGES | No items have charges associated with them |
| PAS_NOLASTNAME | No last name |
| PAS_NOMATCHINGITEMRECORD | No matching item record was found. |
| PAS_NONBLOCKINGNOTEINVALID | Invalid Non Blocking Status note |
| PAS_NONBLOCKINGNOTEMAX | Non Blocking note cannot be greater than 4000 chars |
| PAS_NONCIRCULATINGREQUIRED | NonCirculating is required. |
| PAS_NONE | (None) |
| PAS_NONLOCALINNREACHREQUESTSMAYNOTBECONVERTED | Non-local INN-Reach requests cannot be converted. |
| PAS_NONPUBLICNOTELENGTHERROR | Non-public note cannot exceed 255 characters. |
| PAS_NONPUBLICNOTETOOLONG | Non-Public note's length is too long. |
| PAS_NOORGSLICENSEDFORLEAP | No organizations are licensed for LEAP circulation. |
| PAS_NOOTHERITEMSAREAVAILABLETOFILLHOLD | No other items at other branches are available to fill this hold |
| PAS_NOOWNERSHIPRIGHTS | You do not have the proper ownership rights to perform this operation. |
| PAS_NOOWNERSHIPRIGHTS_SERIAL | You do not have the proper ownership rights to perform this operation. |
| PAS_NOPATCODEID | No patron code id |
| PAS_NOTETOOLONG | Note field cannot exceeds {0} |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|-------------------------------------|--|
| | characters. |
| PAS_NOTIFICATIONEMAILADDRESSMISSING | Notification option is E-mail. Please enter E-mail address. |
| PAS_NOTIFICATIONFAXMISSING | Notification option is FAX. Please enter a FAX number. |
| PAS_NOTIFICATIONMAILADDRESSMISSING | Notification Option is Mailing Address. Please select a Notices Address. |
| PAS_NOTIFICATIONPHONE1MISSING | Notification option is Phone 1. Please enter a number for Phone 1. |
| PAS_NOTIFICATIONPHONE2MISSING | Notification option is Phone 2. Please enter a number for Phone 2. |
| PAS_NOTIFICATIONPHONE3MISSING | Notification option is Phone 3. Please enter a number for Phone 3. |
| PAS_NOTIMPLEMENTED | Not implemented. |
| PAS_NUMRECORDSOUTOFRANGE | numRecords out of range |
| PAS_OBJECTDOESNOTEXIST | Object does not exist. |
| PAS_OBJECTLINKEDTO | This {0} is linked to {1} {2}(s). |
| PAS_OBJECTLINKEDTOOTHER | This {0} is linked to {1} other {2}(s). |
| PAS_OBJECTLOCKED | {0} is locked by {1} on {2} |
| PAS_OBJECTLOCKEDBYANOTHERUSER | Object is locked by another user. |
| PAS_OBJECTLOCKEDBYUSER | Object is currently locked by user '{0}' |
| PAS_OBJECTNOTFOUND | {0} not found. |
| PAS_OBJECTNOTLOCKED | Object has not been locked |
| PAS_OBJECTNULL | {0} cannot be null |
| PAS_OBJECTROUTED | This {0} is currently being |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|---------------------------------------|--|
| | routed. |
| PAS_OBJECTTYPEIDNOTVALIDFORRECORDSETS | ObjectTypeID {0} is not valid for record sets. |
| PAS_OBJECTTYPENOTEXPECTED | Expected ObjectType {0}, but received ObjectType {1} |
| PAS_OBJECTWITHDESCRIPTIONNOTFOUND | {0} with {1} {2} not found. |
| PAS_OBJECTWITHIDNOTFOUND | {0} with ID {1} not found. |
| PAS_OFFICE1FIELDNAME | Office 1 |
| PAS_OFFLINEASSOCIATEDPATRONPICKEDUP | This item satisfied a hold request for an associated patron {0}, {1}. |
| PAS_OFFLINECHECKINLOSTITEMERROR | Item was {0}. No related patron information. |
| PAS_OFFLINECHECKOUTCHECKHOLD | checked out to patron {0}, {1}. Check hold request |
| PAS_OFFLINECHECKOUTCHECKILL | checked out to patron {0}, {1}. Check ILL request. |
| PAS_OFFLINECHECKOUTHELD | Hold request for patron {0}, {1} may be invalid, item with status {2}. |
| PAS_OFFLINECHECKOUTILL | ILL request for patron {0}, {1} may be invalid, item with status {2}. |
| PAS_OFFLINECHECKOUTROUTEDITEM | 'Routed' Item was checked-out. |
| PAS_OFFLINECIRCINPROCESSITEM | Item circulated was In-Process. |
| PAS_OFFLINECIRCINTRANSITITEM | Item was In-Transit to {0}. |
| PAS_OFFLINECIRCITEMOTHERSTATUS | Circulation status was {0}. Check item. |
| PAS_OFFLINECIRCNONCIRCITEM | The item circulated to the patron is a non-circulating item. |
| PAS_OFFLINECIRCNONCIRCPATRONCODE | The item circulated to the patron is a non-circulating item for |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|--------------------------------------|---|
| | the patron code. |
| PAS_OFFLINECIRCTRANSFERREDITEM | Item was In-Transit, bound to hold request for patron {0}, {1}. |
| PAS_OFFLINEFAILEDNEWERTXNEXISTS | Item's lastCircTransactionDate is newer than this transaction date. |
| PAS_OFFLINEHOLDSATISFIED | Item filled hold request for patron {0}, {1}. |
| PAS_OFFLINEILLSATISFIED | Item filled ILL request for patron {0}, {1}. |
| PAS_OFFLINENORELATEDPATRON | Item was {0}. No related patron information. |
| PAS_OLDMESSAGEIDINVALID | Old MessageID is an invalid value |
| PAS_ONLYINITEMSMAYBESETTOMISSING | Only items with a circulation status of 'In' may be set to 'Missing'. |
| PAS_ONLYITEMAVAILABLEFORHOLD | This is the only item available for hold |
| PAS_ONSHELF | on-shelf |
| PAS_OPENINVOICELINEITEMDESC | open invoice line item |
| PAS_ORGANIZATIONDOESNOTEXIST | Organization {0} does not exist |
| PAS_ORGANIZATIONDOESNOTEXISTINDOMAIN | "OrganizationID {0} does not exist in the '{1}' domain" |
| PAS_ORGANIZATIONIDINVALID | Organization ID is invalid |
| PAS_ORGANIZATIONIDINVALIDDATA | Organization {0} is not valid |
| PAS_ORGANIZATIONIDMUSTBEBRANCHID | Organization ID must be a branch ID. |
| PAS_ORGANIZATIONNOTLICENSEDFORLEAP | User's organization is not licensed for LEAP circulation. |
| PAS_ORGDOESNOTEXIST | Organization does not exist |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|--|--|
| PAS_ORGIDINVALID | OrgID {0} is invalid |
| PAS_ORIGINALITEMSTATUSIDREQUIRED | OriginalItemStatusID is required. |
| PAS_ORIGINATINGRECORDSETEMPTY | The originating record set must contain records. |
| PAS_ORSMANAGER_INVALIDSTATUS | Invalid StatusID. Valid values are 1 (Active) or 2 (Inactive) |
| PAS_ORSMANAGER_LASTSVC DATA ISNULL | patronData cannot be null. |
| PAS_ORSMANAGER_LASTSVC DATE INVALID FUTURE | Last Service Date cannot be more than a year in the future. |
| PAS_ORSMANAGER_LASTSVC DATE INVALID PAST | Last Service Date cannot be more than a year in the past. |
| PAS_ORSMANAGER_PATRONLISTISNULLERR | Patron list is invalid. |
| PAS_ORSNOTLICENSED | Outreach Services is not licensed. |
| PAS_ORSPATRONCHECKOUTSERVICEDATE | Do you want to update the next service date? |
| PAS_ORSPATRONPRIORCHECKOUTMSG | {0} was previously checked out by this patron on {1}. Do you want to continue? |
| PAS_ORSPATRONPRIORCHECKOUTTITLE | Outreach Services Patron |
| PAS_OTFUNABLETOCREATEBIBRECORD | Unable to create bibliographic record. |
| PAS_OTFUNABLETOCREATEITEMRECORD | Unable to create item record. |
| PAS_OUTREACH_PATRON_PREF_NOT_FOUND | Patron record must be saved as an outreach patron prior to adding preferences. |
| PAS_OUTREACH_SRVSC_NOTALLOWED | Outreach services are not allowed. |
| PAS_OUTREACH_SVS_DIS_DEL_ERR | Failed to delete ORS patron disability. |
| PAS_OUTREACH_SVS_EQIP_DEL_ERR | Failed to delete ORS patron |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|---------------------------------------|---|
| | equipment. |
| PAS_OUTREACH_SVS_EXCEEDSMONTH | Number of months to wait must be between 0 and 120. |
| PAS_OUTREACH_SVS_INVALID_DELMODE | Invalid outreach delivery mode. |
| PAS_OUTREACH_SVS_INVALID_DELROUTE | Invalid outreach delivery route. |
| PAS_OUTREACH_SVS_INVALID_DELSCHEDULE | Invalid outreach delivery schedule. |
| PAS_OUTREACH_SVS_INVALID_DELSTOP | Invalid outreach delivery stop. |
| PAS_OUTREACH_SVS_INVALID_STATUS | Invalid outreach status. |
| PAS_OUTREACH_SVS_LASTSVSDATENULL | lastServiceDate is null |
| PAS_OUTREACH_SVS_PATNOTENABLED | Patron is not enabled for Outreach Services |
| PAS_OUTREACH_SVS_PATRONNULL | Patron object cannot be null. |
| PAS_OUTREACH_SVSDATE_PATRON_NOT_FOUND | Patron record must be saved as an outreach patron prior to updating last service date. |
| PAS_OUTREACHHELDITEMSBRACHNONE | No items are being held for this patron at this branch. |
| PAS_OUTREACHHELDITEMSBRANCHNONE | No items are being held for this patron at this branch. |
| PAS_OUTREACHHELDITEMSERROR | Unable to retrieve hold requests. |
| PAS_OUTREACHHELDITEMSILLERROR | Unable to retrieve ILL requests. |
| PAS_OUTREACHHELDITEMSNONE | No items are being held for this patron. |
| PAS_OUTREACHNOPREFERENCESFOUND | Unable to save preferences. You must choose at least 1 subject, author or genre when other settings are selected. |
| PAS_OUTREACHPATRON | Outreach Services Patron |
| PAS_OUTREACHPATRONPREFNOTFOUND | Patron record must be saved as an outreach patron prior to |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|-----------------------------------|--|
| | adding preferences. |
| PAS_OUTREACHPREFDUPLICATEERROR | Term '{0}' has already been added to the list. |
| PAS_OUTREACHPREFINVALIDAUDIENCE | Invalid Target Audience |
| PAS_OUTREACHPREFINVALIDDATE | Invalid Publication Date |
| PAS_OUTREACHPREFINVALIDFORMAT | Invalid Material Type |
| PAS_OUTREACHPREFINVALIDLANG | Invalid Language |
| PAS_OUTREACHPREInvalidAUDIENCE | Invalid Target Audience |
| PAS_OUTREACHPREINVALIDDATE | Invalid Publication Date |
| PAS_OUTREACHPREINVALIDFORMAT | Invalid Material Type |
| PAS_OUTREACHPREINVALIDLANG | Invalid Language |
| PAS_OUTREACHSRVSCNOTALLOWED | Outreach services are not allowed. |
| PAS_OUTREACHSVSDATEPATRONNOTFOUND | Patron record must be saved as an outreach patron prior to updating last service date. |
| PAS_OUTREACHSVSDISDELERR | Failed to delete ORS patron disability. |
| PAS_OUTREACHSVSEQIPDELERR | Failed to delete ORS patron equipment. |
| PAS_OUTREACHSVSEXCEEDSMONTH | Number of months to wait must be between 0 and 120. |
| PAS_OUTREACHSVSINVALIDDELMODE | Invalid outreach delivery mode. |
| PAS_OUTREACHSVSINVALIDDELROUTE | Invalid outreach delivery route. |
| PAS_OUTREACHSVSINVALIDDELSCHEDULE | Invalid outreach delivery schedule. |
| PAS_OUTREACHSVSINVALIDDELSTOP | Invalid outreach delivery stop. |
| PAS_OUTREACHSVSINVALIDSTATUS | Invalid outreach status. |
| PAS_OUTREACHSVSLASTSVSDATENULL | lastServiceDate is null. |
| PAS_OUTREACHSVSPATNOTENABLED | Patron is not enabled for Outreach Services. |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|------------------------------------|---|
| PAS_OUTREACHSVSPATRONNULL | Patron object cannot be null. |
| PAS_OUTREACHSVSSAVEERR | Error occurred saving patron. |
| PAS_OUTREACHUPDATEFAILEDISABILITY | Update failed. Invalid disability ID {0}. |
| PAS_OUTREACHUPDATEFAILED EQUIPMENT | Update failed. Invalid equipment ID {0}. |
| PAS_OVERDUEAMOUNTINVALID | Please enter an overdue amount between 0.01 and 2,000,000.00. |
| PAS_OVERDUEFINEMESSAGE | Patron has account balance |
| PAS_OVERDUEFINETITLE | Overdue Fine |
| PAS_OVERDUETXNCODEINVALID | Please supply a valid overdue transaction code. |
| PAS_OVERDUETXNCODENOTALLOWED | Please supply an allowable overdue transaction code. |
| PAS_OVERPAYMENTNOTALLOWED | Over payment is not allowed. Changed amount should not be larger than the balance |
| PAS_OVERRIDEHOLDCONTINUECHECKOUT | This item cannot be checked out. It is being held for: {0} Barcode: {1} {2}Do you want to override the hold and continue with check out? |
| PAS_OWNINGBRANCHIDREQUIRED | OwningBranchID is required. |
| PAS_OWNINGORGDOESNOTEXIST | Owning organization does not exist. |
| PAS_OWNINGORGNOEXIST | Owning organization does not exist. |
| PAS_PACNOTESMODIFICATIONNOTALLOWED | Modifications to PAC notes are |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|---|--|
| | not allowed. |
| PAS_PAGES | Pages |
| PAS_PAPIPRIVSERROR | User lacks PAPI privileges |
| PAS_PARENTILLRECORDSELECTDIFFERENT | The parent item record you specified is an ILL record. Please select a different record. |
| PAS_PARENTITEMIDNOEXIST | Parent item record {0} does not exist in database. |
| PAS_PARENTITEMNOLINKEDBIB | Parent item record {0} does not have a linked bib record. |
| PAS_PARENTITEMNOTFINAL | Parent item record {0} does not have a status of final. |
| PAS_PARENTITEMRECORDNOEXIST | Parent item record does not exist. |
| PAS_PARENTNOTILLRECORDSELECTDIFFERENT | The parent item record you specified is not an ILL record. Please select a different record. |
| PAS_PARENTSAVEPROVISIONALRECORDASFINAL | The parent item record you specified is a provisional record. Please save the provisional record as final before linking another record to it. |
| PAS_PARENTUNDELETEDELETEDRECORD | The parent item record you specified is a deleted record. Please undelete the deleted record before linking another record to it. |
| PAS_PARTRECORDDESC | part record |
| PAS_PASSWORDNULL | Password is null |
| PAS_PASTCLOSINGTIME_DUEDATERESETTOTODAY | The time selected is past closing time. The time due will be reset to today's closing time. |
| PAS_PATRONACCOUNTAFFECTED | Patron account has been |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|--------------------------------------|---|
| | affected. |
| PAS_PATRONACCOUNTTXNCODEINVALID | Patron Account Txn Code is invalid |
| PAS_PATRONACCTTXNCHARGEWAIVEPAY | Patron account txn code must be charge/waive/pay |
| PAS_PATRONACCTTXNCODEINVALID | PatronAccountTxnCode needs a valid value to charge or waive registration fee. |
| PAS_PATRONADDRCHECKDATEPASTTITLE | Address check date has passed |
| PAS_PATRONADDRCHECKPASTCONTINUE | Address check date is in the past. Do you want to continue? |
| PAS_PATRONADDRCHECKTODAYCONTINUE | Address check date is today. Do you want to continue? |
| PAS_PATRONADDRDELETEFAILED | Failed to delete patron addresses for patron ID {0} |
| PAS_PATRONADDRESSESINSERTFAILED | failed to insert entry in patronaddresses table |
| PAS_PATRONADDRESSINFOMISSINGCONTINUE | No address information has been entered. Do you want to continue? |
| PAS_PATRONADDRESSMISSING | Notification option is Mailing address. Please enter address. |
| PAS_PATRONADDRESSZIPCITYINVALID | Zip code {0} with city {1} not found: address rejected. |
| PAS_PATRONADDRESSZIPCOUNTRYINVALID | The Postal Code {0} / Country {1} combination is not valid: address rejected. |
| PAS_PATRONADDRINSERT_FAILED | Failed to insert patron address for patron ID {0}. |
| PAS_PATRONASSOCACTIONINVALID | Invalid patron association action specified. |
| PAS_PATRONASSOCMAXLINKS | This patron is associated with |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|-------------------------------------|--|
| | the maximum number of {0} permitted linked records. |
| PAS_PATRONASSOCSAVEERR | Error saving patron association (s). |
| PAS_PATRONBARCODEEMPTY | Patron barcode is empty |
| PAS_PATRONBARCODEFORMATITEM | This barcode format is defined for item records. |
| PAS_PATRONBARCODEFORMATITEMCONTINUE | This barcode format is defined for item records. Do you want to use this barcode for this patron? |
| PAS_PATRONBARCODEFORMATNOTDEFINED | This barcode format is not defined. Do you want to use this barcode for this patron? |
| PAS_PATRONBARCODEFORMATTITLE | Invalid barcode format |
| PAS_PATRONBARCODEITEMBARCODEEXITS | An item record exists for this barcode. |
| PAS_PATRONBARCODENULL | Patron barcode is null |
| PAS_PATRONBLOCKDESC | Patron [{0}, {1}] is blocked: {2}. |
| PAS_PATRONBLOCKED | Patron is blocked. |
| PAS_PATRONBLOCKEDBULKCANCEL | {0} is blocked. |
| PAS_PATRONBLOCKEDBULKCONTINUE | {0} is blocked. Do you want to continue with this operation? |
| PAS_PATRONBLOCKEDCONTINUE | Do you want to continue with this operation? |
| PAS_PATRONBLOCKEDINSUFFICIENTPRIV | < Insufficient privilege to view patron blocks > |
| PAS_PATRONBLOCKEDTITLE | Patron is blocked |
| PAS_PATRONBLOCKEDVERIFYREGCONTINUE | Patron has been blocked to verify registration information. |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|-------------------------------------|---|
| | Do you want to continue to block this patron? |
| PAS_PATRONCHARGEFORREGISTRATION | There is {0} charge for registration. Please choose to Pay, Waive or Charge to the account. |
| PAS_PATRONCHARGEPAYWAIVEWRITEFAILED | Unable to write charge/pay/waive into PatronAccount table |
| PAS_PATRONCHECKOUTFEECHARGED | This item was charged for check-out. The patron account has been charged {0}. |
| PAS_PATRONCLAIMSEXCEEDED | Patron has exceeded total number of claims allowed |
| PAS_PATRONCLAIMSEXCEEDEDANDONETIME | and the number of claims allowed at one time |
| PAS_PATRONCLAIMSEXCEEDEDCONTINUE | Do you want to continue with this operation? |
| PAS_PATRONCLAIMSEXCEEDEDONETIME | Patron has exceeded the number of claims allowed at one time |
| PAS_PATRONCODEIDINVALID | Patron code ID is invalid |
| PAS_PATRONCUSTOMDATADATEINVALID | {0} contains an invalid date value. |
| PAS_PATRONCUSTOMDATADIGITINVALID | The value of {0} may be greater than 2,147,483,647. |
| PAS_PATRONCUSTOMDATAINVALID | Invalid PatronCustomData |
| PAS_PATRONDELETEFAILED | Failure in deleting patron {0} |
| PAS_PATRONDELETELINKS | Deletion of patron record is blocked due to the following links. |
| PAS_PATRONDELETELOCKED | Record is in use by another user and cannot be deleted. |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|---|---|
| PAS_PATRONDOESNOTEXIST | Patron with barcode {0} does not exist |
| PAS_PATRONEXCEEDEDCHECKOUTLIMIT | Patron ({0}) has exceeded check out limit for {1}. Patron has {2} items of {3} permitted. |
| PAS_PATRONEXCEEDEDCHECKOUTLIMITMATTTYPE | Patron ({0}) has exceeded the check out limit for Material Type: {1}. Patron has {2} items of {3} permitted. Do you want to continue? |
| PAS_PATRONEXCEEDEDTTLCHECKOUTLIMIT | Exceeded total item limit |
| PAS_PATRONEXCEEDEDTTLCKOLIMITCONTINUE | Patron ({0}) has exceeded the total items out limit. Patron has a total of {1} items of {2} permitted. Do you want to continue? |
| PAS_PATRONEXCEEDITEMSOUTLIMIT | Patron has exceeded total items out limit. Patron has total of {0} items of {1} permitted. |
| PAS_PATRONEXCLUDEDFROMBILLSMSG | According to the settings in the patron account, this user is excluded from billing. |
| PAS_PATRONEXCLUDEFROMHOLDNOTICESDISPLAY | Exclude from hold notices: {0} |
| PAS_PATRONEXPDATEPASTCONTINUE | Expiration date is in the past. Do you want to continue? |
| PAS_PATRONEXPDATETODAYCONTINUE | Expiration date is today. Do you want to continue? |
| PAS_PATRONFEERECORDDESC | patron fee record |
| PAS_PATRONFIELDADDRESS | Address |
| PAS_PATRONFIELDBARCODE | Barcode |
| PAS_PATRONFIELDBIRTHDATE | Birth date |
| PAS_PATRONFIELDBRANCH | Branch |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|------------------------------------|--|
| PAS_PATRONFIELDEMAILADDRESS | Email address |
| PAS_PATRONFIELDEXPDATE | Expiration date |
| PAS_PATRONFIELDFIRSTNAME | First name |
| PAS_PATRONFIELDGENDER | Gender |
| PAS_PATRONFIELDLASTNAME | Last name |
| PAS_PATRONFIELDPASSWORD | Password |
| PAS_PATRONFIELDPATRONCODE | Patron code |
| PAS_PATRONFIELDSTATCLASS | Statistical class ID |
| PAS_PATRONFINEWRITFAILED | Unable to write patron fine |
| PAS_PATRONHASNOCLAIMS | Zero total claims for this patron with ID: {0} |
| PAS_PATRONIDINVALID | Patron ID is invalid |
| PAS_PATRONIDNOTFOUND | Patron ID was not found in the database |
| PAS_PATRONLINKSTITLE | Patron Record Links |
| PAS_PATRONMERGEBLOCKCA | Patron has a collection agency block. |
| PAS_PATRONMERGEBLOCKCOURSERESERVES | Patron has linked course reserve records. |
| PAS_PATRONPAYMENTREPLYDATAREQUIRED | Failed to update patron custom data for patronID {0}. |
| PAS_PATRONPHONEDIPLAY | Phone: {0} |
| PAS_PATRONPHOTODOESNOTEXIST | Patron does not have a photo |
| PAS_PATRONPSWDALPHANUMERICONLY | Patron password should only contain alphanumeric characters. |
| PAS_PATRONPSWDEXCEEDSLENGTH | Patron password may not exceed 16 characters. |
| PAS_PATRONPSWDNUMERICONLY | Patron password should only contain numeric characters. |
| PAS_PATRONRECORDDELETEDFAILED | Patron record {0} could not be |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|-------------------------------------|---|
| | deleted. |
| PAS_PATRONRECORDDELETEFAILED | Delete patron record failed. |
| PAS_PATRONRECORDSECURED | Patron record is secured |
| PAS_PATRONRECORDSETCANNOTBEDELETED | This patron record set cannot be deleted. |
| PAS_PATRONREGDUPLICATEBARCODE | duplicate barcode |
| PAS_PATRONREGDUPLICATENAME | duplicate name |
| PAS_PATRONREGFAILEDUNKNOWN | Patron Registration failed for an unknown reason |
| PAS_PATRONREGINSERTFAILED | failed to insert entry in PatronRegistration table |
| PAS_PATRONREGISTRATIONCHARGETITLE | Patron registration charge |
| PAS_PATRONREGISTRATIONFEECHARGED | Patron Registration fee {0} charged to patron account. |
| PAS_PATRONREGISTRATIONFEEINVALID | Please enter an amount between 0.01 and 2,000,000.00 for registration fee. |
| PAS_PATRONREGISTRATIONSUCCESS | Registration successful |
| PAS_PATRONREGNAMEANDBARCODE | Patron Registration ({0}-{1}) |
| PAS_PATRONREQUESTCOUNTMATTYP | Patron has made {0} of {1} requests permitted for material type {2}. |
| PAS_PATRONREQUESTLIMITZEROMATTYP | Patron request limit is 0 for material type {0}. |
| PAS_PATRONREQUESTSEXCEEDED_CONTINUE | Patron ({0} {1}) has exceeded the maximum number of requests permitted. Title: {2} Do you want to place this request? |
| PAS_PATRONREQUESTSEXCEEDEDMSG | Patron ({0} {1}) has exceeded |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|---|--|
| | the maximum number of requests permitted. Title: {2} |
| PAS_PATRONRESTRICTED | Patron ({0}) is restricted from borrowing {1}. |
| PAS_PATRONRESTRICTEDMATTYP | Patron ({0}) is restricted from borrowing Material type: {1}. Do you want to continue? |
| PAS_PATRONSAVEBARCODEEXISTED | Unable to save patron record, barcode is assigned to another patron. |
| PAS_PATRONSCONTROLLER_GROUPSUCCESS | Requests are grouped successfully. |
| PAS_PATRONSCONTROLLER_REMOVESUCCESS | Requests are removed from group successfully. |
| PAS_PATRONSDLETEDSUCCESSMSG | {0} patron record(s) deleted successfully |
| PAS_PATRONSEXISTINDB | The following patrons exist in the database already and may be a duplicate of {0} ({1}). |
| PAS_PATRONSRPCCONTROLLER_NORELEASE_RECORDLOCKED | Patron record is locked by another user and may not be released. |
| PAS_PATRONSRPCCONTROLLER_NORELEASE_RECORDNOTLOCKED | Patron record is not locked and may not be released. |
| PAS_PATRONSRPCCONTROLLER_NORELEASE_REGISTRATIONLOCKED | Patron registration record is locked by another user. The patron record may not be released. |
| PAS_PATRONSRPCCONTROLLER_NOSECURE_RECORDLOCKED | Patron record is locked by another user and may not be secured. |
| PAS_PATRONSRPCCONTROLLER_NOSECURE_RECORDNOTLOCKED | Patron record is not locked and may not be secured. |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|--|--|
| PAS_PATRONSRPCCONTROLLER_NOSECURE_REGISTRATIONLOCKED | Patron registration record is locked by another user. The patron record may not be secured. |
| PAS_PATRONSRPCCONTROLLER_UNABLETORELEASERECORD | Unable to release patron account. |
| PAS_PATRONSRPCCONTROLLER_UNABLETOSECURERECORD | Patron record cannot be secured. Record has one or more of the following: items checked out, hold/ILL requests, claimed or lost items, or is on the 'Patrons to include' list in the Collection Agency Setup dialog. |
| PAS_PATRONSTATUSNAMEANDBARCODE | Patron Status ({0}-{1}) |
| PAS_PATRONUNABLETODELETEWARNING | {0} patron record(s) were not deleted |
| PAS_PATRONTABLEINSERTFAILED | failed to insert entry in Patrons table |
| PAS_PATRONTITLEINVALIDTITLE | Invalid Title |
| PAS_PATRONTITLELENGTHERROR | Title cannot exceed 8 characters. |
| PAS_PATRONTITLEREQUESTSEXCEEDED_CONTINUE | Patron ({0} {1}) has exceeded request limit for the title. <i>Title: {2}</i> |
| PAS_PATRONVALIDATIONERRORTITLE | Patron validation error found |
| PAS_PATRONVERIFYBLOCKTITLE | Verify patron block |
| PAS_PATRONWITHIDNOTFOUND | Patron with ID {0} not found. |
| PAS_PAYMENTMETHODINVALID | Payment method is invalid |
| PAS_PAYMENTSMUSTBESAMECCORDER | A refund is not possible. All payments must be from the same credit card transaction. |
| PAS_PENDINGPOLINEITEMDESC | pending purchase order line |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|-----------------------------------|--|
| | item |
| PAS_PERMISSIONIDINVALID | {0} is not a valid Polaris permission ID. |
| PAS_PERMISSIONIDLISTERROr | List of permission IDs must contain valid integers. |
| PAS_PERMISSIONIDLISTREQUIRED | Please provide a comma delimited list of permission IDs. |
| PAS_PERMISSIONNOTGRANTED | PermissionNotGranted |
| PAS_PERMISSIONOWNEDBY | Owned by {0} |
| PAS_PERMISSIONREFRESH_NOT_ALLOWED | Clearing another user's permissions is not allowed. |
| PAS_PERMITOVERNIGHTLOAN | Permit overnight loan? |
| PAS_PHONE1INVALIDFORMAT | Please re-enter data for Phone 1 in a valid phone call format. |
| PAS_PHONE2INVALIDFORMAT | Please re-enter data for Phone 2 in a valid phone call format. |
| PAS_PHONE3INVALIDFORMAT | Please re-enter data for Phone 3 in a valid phone call format. |
| PAS_PHONECARRIERMISSING | Please select a wireless carrier for the text messaging phone. |
| PAS_PHONEINVALIDTITLE | Invalid phone number |
| PAS_PHYSICALCONDITIONLENGTHERROR | Physical condition cannot exceed 255 characters. |
| PAS_PICKUPBRANCHNOEXIST | Pickup branch does not exist. |
| PAS_PICKUPNOTBRANCHTYPEERROR | Pickup branch cannot be at the system or library level. |
| PAS_PLACEHOLDOPTIONTEXT | Do you want to place this request? |
| PAS_PLACEITEMINTRANSIT | Do you want to put this item {0} to {1} ({2})? |
| PAS_PLACEITEMINTRANSITPROMPT | Barcode: {0} |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|---|---|
| | <p><i>Title: {1}</i></p> <p>This item does not belong to this branch.</p> <p>Do you want to put it In-Transit to {2} ({3})?</p> |
| PAS_PLACEITEMINTRANSITTITLE | Place item in-transit |
| PAS_PLACEREQUESTMATLIMITSNOTEXCEEDED | (Not all material limits were exceeded). |
| PAS_PLACEREQUESTNOTSUPPLIED | If placed, the request status will be Not-supplied. |
| PAS_PLACEREQUESTPROMPT | Do you want to place this request? |
| PAS_PO_RECORDLOCKEDBY | Purchase order record is locked by {0}. |
| PAS_PO_RELEASE_ALERT | Purchase Order Release Alert |
| PAS_PO_RELEASE_CANCELED | Purchase order release canceled. |
| PAS_PO_RELEASE_DUPLICATE_SEGMENTS_ERR | The following lines have duplicate segment data: |
| PAS_PO_RELEASE_LINE_BIBDIPUNCHECKED_ERR | The linked bibliographic record's "Display In PAC" box is unchecked |
| PAS_PO_RELEASE_LINE_MISSINGISBN_ERR | Missing ISBN/ISSN |
| PAS_PO_RELEASE_LINENUMBER_ERR | Line Number {0} |
| PAS_PO_RELEASE_MISSING_BIB_DATA_ERR | The following lines are missing bibliographic data: |
| PAS_PO_RELEASE_PRECHECK_LIBNAME_ERR | The purchase order cannot be released without a library name. |
| PAS_PO_RELEASE_PRECHECK_NUMBER_ERR | The purchase order cannot be released without an order number. |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|---|---|
| PAS_PO_RELEASE_EDI_INSTRUCTION | This supplier accepts EDI orders. After releasing the purchase order, select 'Send' from the 'Actions' menu to send the order via EDI. |
| PAS_PO_RELEASE_FUND_ENCUMBER_ERR | Fund expenditure error(s) occurred. |
| PAS_PO_RELEASE_ITEM_NOTEMPL_ERR | On-order items cannot be generated automatically for {0} because no matching item template was found for that branch, or that branch and template code. |
| PAS_PO_RELEASE_ITEMCREATION_ERR | Errors occurred during creation of item records: |
| PAS_PO_RELEASE_ITEMCREATION_UNKNOWN_ERR | An error occurred during creation of item records. |
| PAS_PO_RELEASE_ITEMTEMPLATEERRORS | Item templates were not found or are missing required fields. |
| PAS_PO_RELEASE_ITEMTEMPLATEERRORS_INSTRUCTIONS | Click 'Cancel' to create or correct the on-order template(s) for this branch and then re-release the order. Click 'Continue' to release the order without generating on-order item records for the problem templates. |
| PAS_PO_RELEASE_ITEMTEMPLATEERRORS_MISSINGFIELDS | The following item templates are missing required fields: |
| PAS_PO_RELEASE_ITEMTEMPLATEERRORS_TITLE | Item Template Errors |
| PAS_PO_RELEASE_LINE_BIBDIPUNCHECKED_ERR | The linked bibliographic record's "Display In PAC" box is unchecked |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|--|--|
| PAS_PO_RELEASE_LINE_MISSINGISBN_ERR | Missing ISBN/ISSN |
| PAS_PO_RELEASE_LINENUMBER_ERR | Line Number {0} |
| PAS_PO_RELEASE_MISSING_BIB_DATA_ERR | The following lines are missing bibliographic data: |
| PAS_PO_RELEASE_NOTPERMITTED_CREATEITEMSFROMACQ_ERR | <p>You do not have permission to create item records from Acquisitions.</p> <p>The operation will be canceled.</p> |
| PAS_PO_RELEASE_POSTPROC_ERR | Purchase order was released, but an error occurred during post processing. |
| PAS_PO_RELEASE_PRECHECK_LIBNAME_ERR | The purchase order cannot be released without a library name. |
| PAS_PO_RELEASE_PRECHECK_NUMBER_ERR | The purchase order cannot be released without an order number. |
| PAS_PO_RELEASE_PRECHECK_ORDERTYPE_ERR | The purchase order cannot be released without an order type. |
| PAS_PO_RELEASE_PRECHECK_PAYMETHOD_ERR | The purchase order cannot be released without a payment method. |
| PAS_PO_RELEASE_PRECHECK_SUPADDR_ERR | The purchase order cannot be released without an ordering address for the supplier. |
| PAS_PO_RELEASE_PRECHECK_SUPNAME_ERR | The purchase order cannot be released without a supplier name. |
| PAS_PO_RELEASE_PROVBIBRECERRORS | <p>On-order items will not be created for the above line numbers.</p> <p>Release this purchase order anyway?</p> |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|--|---|
| PAS_PO_RELEASE_PROVBIBRECORDS_TITLE | Provisional Bibliographic Record Errors |
| PAS_PO_RELEASE_SEGNUM_DUPE_ERR | Segment Number {0} and {1} are duplicates |
| PAS_PO_RELEASE_SUCCESS | The order was released successfully. |
| PAS_POLARISAPICONROLLER_BARCODE | barcode |
| PAS_POLARISAPICONROLLER_NOTFOUND | {0} not found. |
| PAS_POLARISAPICONROLLER_OBJECTDOESNOTEXIST | Object does not exist. |
| PAS_POLARISAPICONROLLER_USERNAME | username |
| PAS_POLARISAPICONROLLER_WERESORRY | We're sorry. Something went wrong. Help us improve your experience by sending us the error details. |
| PAS_POLARISAPICONROLLER_WITHBARCODENOTFOUND | {0} with {1} {2} not found. |
| PAS_POLARISAPICONROLLER_WITHIDNOTFOUND | {0} with ID {1} not found. |
| PAS_POLINE_ITEM_DELETE_FAILED_ID_INVALID | Delete failed. Invalid poline segment id {0}. |
| PAS_POLINE_ITEM_DELETE_FAILED_LINKED_INV | Delete failed. There are invoice line item segment(s) linked to this line item segment. |
| PAS_POLINE_ITEM_DELETE_FAILED_STATUS_INVALID | Delete failed. Invalid poline segment status for id {0}. |
| PAS_POLINE_ITEM_LAST_SEGMENT | Cannot delete the poline item {0} last segment. |
| PAS_POLINE_ITEM_SEGMENT_LIST_INVALID | Invalid segment id list for po line item with id {0}. |
| PAS_POLINE_ITEM_STATUS_INVALID | Purchase order line item status is not pending. |
| PAS_POLINE_ITEM_TOTAL_SEGMENTS | Cannot delete all the segments |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|--|--|
| | for the poline item {0}. |
| PAS_POLINEITEMDESC | purchase order line item |
| PAS_PONUM_LENGTH_EXCEEDSSUPPLIERLIMIT | This supplier cannot accept orders where the PO number exceeds {0} characters. Change the PO number and select the Release option again. |
| PAS_POSTALADDRESSMODIFYNOTALLOWED | User is not allowed to modify postal address information. |
| PAS_POSTALCODECOUNTRYCOMBOINVALID | The Postal Code / Country combination is not valid. Please re-enter data in {0} format. |
| PAS_POSTALCODEFIELDNAME | Postal code |
| PAS_POSTALCODESINSERTFAILED | failed to insert entry in PostalCodes table |
| PAS_POSTALCODESINSERTFAILED_CITY | City is required; failed to insert entry in PostalCodes table |
| PAS_POSTALCODESINSERTFAILED_CODEFORMAT | PostalCode is not a valid format; failed to insert entry in PostalCodes table |
| PAS_POSTALCODESINSERTFAILED_CODELENGTH | PostalCode is the wrong length; failed to insert entry in PostalCodes table |
| PAS_POSTALCODESINSERTFAILED_COUNTRY | CountryID is invalid; failed to insert entry in PostalCodes table |
| PAS_POSTALCODESINSERTFAILED_STATE | State is required; failed to insert entry in PostalCodes table |
| PAS_POSTNOTICE_INVALIDDELIVERYOPTION | Invalid delivery option. |
| PAS_POSTNOTICE_INVALIDNOTICETYPE | Invalid notification type. |
| PAS_PPPPVALUENULL | PPPPValue reference cannot be null |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|--|---|
| PAS_PRINTOPTIONSCONTROLLER_INVALIDOPTION | '{0}' is not a valid print option type. |
| PAS_PRINTOPTIONSCONTROLLER_LISTREQUIRED | Missing print options list. |
| PAS_PRINTOPTIONSCONTROLLER_UPDATEFAILED | Update failed. |
| PAS_PROCEDURECANCELLED | Procedure canceled |
| PAS_PROCESSINGAMOUNTINVALID | Please enter a processing amount between 0.01 and 2,000,000.00. |
| PAS_PROCESSINGTXNCODEINVALID | Please supply a valid processing transaction code. |
| PAS_PROCESSINGTXNCODENOTALLOWED | Please supply an allowable processing transaction code. |
| PAS_PROMOTIONDESC | promotion |
| PAS_PUBLICATIONYEAR | PublicationYear |
| PAS_PUBLICNOTELENGTHERROR | Public note cannot exceed 255 characters. |
| PAS_PUBLISHER | Publisher |
| PAS_PUBLISHERLENGTHERROR | Publisher cannot exceed 100 characters. |
| PAS_PURCHASEORDER_CLM_MAX | Maximum claims allowed is 5. |
| PAS_PURCHASEORDER_DOESNOT_EXIST | Purchase order with id {0} does not exist |
| PAS_PURCHASEORDER_DUP_ERROR | This order number is already in use for this library. Enter a different number/suffix combination. |
| PAS_PURCHASEORDER_ERR_CLM_FIRST | Days after 1st claim |
| PAS_PURCHASEORDER_ERR_CLM_FOURTH | Days after 4th claim |
| PAS_PURCHASEORDER_ERR_CLM_HDR | Claiming: |
| PAS_PURCHASEORDER_ERR_CLM_RELEASE | Days after release |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|---|---|
| PAS_PURCHASEORDER_ERR_CLM_SECOND | Days after 2nd claim |
| PAS_PURCHASEORDER_ERR_CLM_THIRD | Days after 3rd claim |
| PAS_PURCHASEORDER_ERR_CLM_WAIT | Cancel wait period |
| PAS_PURCHASEORDER_FUNDSLOCKED_STATUS | Funds can only be altered on orders with a status of 'Pending'. |
| PAS_PURCHASEORDER_INVALID_CHARGETYPE | Charge type {0} is not valid |
| PAS_PURCHASEORDER_INVALID_CLM_MAX | Maximum claims allowed is 5 |
| PAS_PURCHASEORDER_INVALID_DISC_RATE | Discount rate is invalid. |
| PAS_PURCHASEORDER_INVALID_FIELD_MSG | Unable to save this record without the following fields: |
| PAS_PURCHASEORDER_INVALID_FUND | Fund with ID {0} not found for the branch {1} |
| PAS_PURCHASEORDER_INVALID_ORG | Ordering library |
| PAS_PURCHASEORDER_INVALID_PONUMBER | Purchase order number |
| PAS_PURCHASEORDER_INVALID_PYMNT_ORDR | This payment method and order type combination is not allowed. |
| PAS_PURCHASEORDER_INVALID_STATUS | Purchase order status is not pending. |
| PAS_PURCHASEORDER_INVALID_STATUS_UPDATE | Purchase order status is Closed |
| PAS_PURCHASEORDER_INVALID_SUPID | Supplier |
| PAS_PURCHASEORDER_INVALID_TAX | Sales tax is invalid |
| PAS_PURCHASEORDER_NOTE_LENGTHINVALID | Invalid Purchase order note length. |
| PAS_PURCHASEORDER_NUMBER_LENGTH_INVALID | Invalid Purchase number length. |
| PAS_PURCHASEORDER_NUMBER_SUFFIX_LENGTHINVALID | Purchase order Number Suffix length is invalid. |
| PAS_PURCHASEORDER_PLANNAME_LENGTHINVALID | Purchase order Plan name length is invalid. |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|----------------------------------|---|
| PAS_PURGECRITERIADESC | purge criteria |
| PAS_QUESTIONMARKS | ??? |
| PAS_QUICKCIRCCOUNTREQUIRED | A quick-circ item barcode has been detected. Please specify the number of items you are checking out. |
| PAS_QUICKCIRCITEMCANNOTFILLHOLD | Quick-circ item cannot fill hold requests. |
| PAS_QUICKCIRCITEMCOMMENT | Quick-circ item. |
| PAS_QUICKCIRCTITLE | Quick-circ |
| PAS.REACTIVATEHOLDREQUEST | Do you want to reactivate the hold request for this patron? Name: {0} Barcode: {1} |
| PAS.REACTIVATEHOLDTITLE | Reactivate hold |
| PAS.READINGHISTORYNOTFOUND | Reading history ID of {0} not found for patron ID {1} |
| PAS.RECEIPT_HOLD_SLIP_HEADER | HOLD SLIP |
| PAS.RECEIPTASSIGNEDBRANCHLABEL | Assigned branch: |
| PAS.RECEIPTAUTHORLABEL | Author: |
| PAS.RECEIPTCALLNOLABEL | Call no.: |
| PAS.RECEIPTCHECKOUTHEADER | Check Out Receipt |
| PAS.RECEIPTCOLLECTIONLABEL | Collection: |
| PAS.RECEIPTDELIVERYOPTIONINVALID | Receipt delivery option is invalid. Must be Email, Print or Txt. |
| PAS.RECEIPTDUELABEL | Due: |
| PAS.RECEIPTITEMLABEL | Item: |
| PAS.RECEIPTITEMSOUTHEADER | Items Out Receipt |
| PAS.RECEIPTMATERIALLABEL | Material: |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|--|---|
| PAS_RECEIPTNEWLINE | \r\n |
| PAS_RECEIPTPAYMENTHEADER | Payment Receipt |
| PAS_RECEIPTRENEWALSLEFTLABEL | Renewals left: |
| PAS_RECEIPTTITLELABEL | Title: |
| PAS_RECEIPTTOTALITEMSLABEL | Total items: |
| PAS_RECORDDELETEDSUCCESSFULLY | The record was deleted successfully. |
| PAS_RECORDNOTFOUND | Record ID {0} not found. |
| PAS_RECORDMUSTBEINDELETEDSTATE | Unable to undelete record. This record does not have a deleted status. |
| PAS_RECORDNAMEOWNERTYPEDUPLICATE | Record Set name/owner/type combination already used. |
| PAS_RECORDNOTSAVED | The record was not saved. |
| PAS_RECORDSAVEDPROVISIONALLY | The record status has been changed to Provisional. |
| PAS_RECORDSAVEFAILEDBECAUSE | Record save failed because: |
| PAS_RECORDSET_CONFLICTINGAPPENDREPL | {0} Record Set conflicts with another Record Set append or replace option |
| PAS_RECORDSET_CONFLICTNEWEXISTING | {0} Record Set record set conflict with New and Existing |
| PAS_RECORDSET_EXISTINGNAMEINVALID | {0} Record Set Existing name not provided |
| PAS_RECORDSET_INAVLIDOWNERNAME | {0} Record Set OwnerName is invalid |
| PAS_RECORDSET_INVALIDAPPENDORREPLACE | {0} Record Set AppendOrReplace is invalid |
| PAS_RECORDSET_INVALIDEXISTINGRECORDSET | {0} Record Set invalid Existing Record Set |
| PAS_RECORDSET_INVALIDKIND | Invalid record set ImportRecordSetKind |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|--|--|
| PAS_RECORDSET_INVALIDOWNERID | {0} Record Set OwnerID is invalid |
| PAS_RECORDSET_INVALIDOWNERNAME | {0} Record Set OwnerName is invalid. |
| PAS_RECORDSET_NAMELENGTHINVALID | {0} Record Set Name length is invalid |
| PAS_RECORDSET_NEWNAMEINVALID | {0} Record Set New name not provided |
| PAS_RECORDSETAUTHORITYDEL | Authority Deleted |
| PAS_RECORDSETAUTHORITYFINAL | Authority Final |
| PAS_RECORDSETAUTHORITYPROV | Authority Provisional |
| PAS_RECORDSETBIBDEL | Bibliographic Deleted |
| PAS_RECORDSETBIBFINAL | Bibliographic Final |
| PAS_RECORDSETBIBPROV | Bibliographic Provisional |
| PAS_RECORDSETCONTAINSID | This record set already contains record ID {0}. |
| PAS_RECORDSETCONTENTSFAILEDSTARTINDEXBAD | Unable to return record set contents when the start index is greater than the total number of records. |
| PAS_RECORDSETCREATORIDINVALID | CreatorID {0} is not valid. |
| PAS_RECORDSETDELETEINVALIDOBJECTTYPE | Invalid object type ({0}) for record set deletion. |
| PAS_RECORDSETDESC | record set |
| PAS_RECORDSETDOESNOTEXIST | {0} Record Set does not exist. |
| PAS_RECORDSETID_INVALID | Record Set ID is invalid |
| PAS_RECORDSETIDINVALID | Recordset ID is invalid |
| PAS_RECORDSETDELETEINVALIDOBJECTTYPE | Invalid object type ({0}) for record set deletion. |
| PAS_RECORDSETDESC | record set |
| PAS_RECORDSETDOESNOTEXIST | {0} Record Set does not exist. |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|--------------------------------------|--|
| PAS_RECORDSETID_INVALID | Record Set ID is invalid |
| PAS_RECORDSETIDINVALID | Recordset ID is invalid |
| PAS_RECORDSETINCORRECTTYPE | {0} Record Set is the incorrect type. |
| PAS_RECORDSETINTERSECTINGIDSREMOVED | Intersecting IDs found in add and remove lists have been filtered out. |
| PAS_RECORDSETINVALIDNEWRECORDSET | {0} Record Set Name/Owner combination already exists. New custom string |
| PAS_RECORDSETINVALIDOWNERID | {0} Record Set OwnerID is invalid. |
| PAS_RECORDSETINVALIDOWNERNAME | {0} Record Set OwnerName is invalid. |
| PAS_RECORDSETITEMFINAL | Item Final |
| PAS_RECORDSETITEMPROV | Item Provisional |
| PAS_RECORDSETLINKSBREAKABLE | Record Set Links (Breakable) |
| PAS_RECORDSETLINKSBREAKABLEMESSAGE | The following links will be broken if you continue deleting record set [{0}]: |
| PAS_RECORDSETLINKSUNBREAKABLE | Record Set Links (Unbreakable) |
| PAS_RECORDSETLINKSUNBREAKABLEMESSAGE | Deletion of record set [{0}] is not possible due to the following unbreakable link(s): |
| PAS_RECORDSETMODIFIERIDINVALID | ModifierID {0} is not valid. |
| PAS_RECORDSETNAMEEMPTY | Name field is blank. Please supply a name before saving the record set. |
| PAS_RECORDSETNAMEREQUIRED | Record set name field is required. |
| PAS_RECORDSETNOTCREATED | Record set not created. |
| PAS_RECORDSETNOTFOUND | Record set with id {0} not |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|---|--|
| | found. |
| PAS_RECORDSETOBJECTREQUIRED | RecordSet object is required. |
| PAS_RECORDSETOBJECTTYPEINVALID | Record Set is not Item Record Set |
| PAS_RECORDSETORGOWNERIDINVALID | OrganizationOwnerID {0} is not a valid organization id. |
| PAS_RECORDSETPERMISSIONERROR | You do not have the proper ownership rights to perform this operation |
| PAS_RECORDSETSAVEFAILED_MISSINGCREATOR | Record Set save failed due to missing creator. |
| PAS_RECORDSETSTATUSDELETED | {0} Record Set status is Deleted. Action cannot be taken on this record set. |
| PAS_RECORDSETTYPEINVALID | Invalid record set object type ({0}). |
| PAS_RECORDSETTYPEWITHIDNOTFOUND | {0} record set with id {1} not found. |
| PAS_RECORDSETUSEDBYORGDELETEERROR | Used by {0} organization(s): SA patron deletion record set. |
| PAS_RECORDSETUSEDBYORGEXDELETEERROR | Used by {0} organizations: SA patron deletion exception record set. |
| PAS_RECORDSTATUSIDINVALID | Record status ID is invalid. |
| PAS_RECORDSTATUSIDREQUIRED | RecordStatusID is required. |
| PAS_RECORDUNDELETEDSUCCESSFULLY | The record was undeleted successfully. |
| PAS_RECORDUNDELETEFAILED | Record undelete failed |
| PAS_RECSET_EXPORTOFUSEROWNED_NOTALLOWED | Export of user owned record set is not allowed. |
| PAS_REENTERPHONEDATA | Please re-enter data for Phone {0} in a valid phone call format. |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|-------------------------------------|--|
| PAS_REENTERPHONEDATATXT | Please re-enter data for Phone {0} in a valid TXT message format. |
| PAS_REENTERPHONENUMBERFORTXTMSGS | Please re-enter data for Phone {0} in a valid TXT message format. |
| PAS_REESTABLISHLINKSTITLE | Re-establish links |
| PAS_REGDATEINVALIDTITLE | Invalid registration date |
| PAS_REGISTRATIONEXPIREDTITLE | Registration is expired |
| PAS_REMINDERNOTICESISEMAILCONTINUE | Reminder notices option is e-mail. Do you want to continue? |
| PAS_REMOVEBLOCK | Remove block |
| PAS_RENEW | Renew |
| PAS_RENEWALACTION | Renewal |
| PAS_RENEWALCHECKOUTFAILED | The item {0} is no longer out to this patron and cannot be renewed. |
| PAS_RENEWALCHECKOUTSTOPPED | Renewal/Check-out is stopped by user. |
| PAS_RENEWALLIMITEXCEEDED | Renewal limit exceeded |
| PAS_RENEWALLIMITINVALID | Renewal limit must be greater than or equal to zero. |
| PAS_RENEWALLIMITREQUIRED | Renewal limit is required. |
| PAS_RENEWALSUCCESS | Renewal successful |
| PAS_RENEWCHARGEABLEOVERDUEITEMTITLE | Renew chargeable overdue item |
| PAS_RENEWCONTINUE | This item is already checked out to this patron. Do you want to renew? |
| PAS_RENEWITEMTITLE | Renew item |
| PAS_RENEWPROCEDURECANCELLED | Renew procedure canceled |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|---|---|
| PAS_REPLACEMENTAMOUNTINVALID | Please enter a replacement amount between 0.01 and 2,000,000.00. |
| PAS_REPLACEMENTTXNCODEINVALID | Please supply a valid replacement transaction code. |
| PAS_REPLACEMENTTXNCODENOTALLOWED | Please supply an allowable replacement transaction code. |
| PAS_REPLPROCOVDREQUIRED | At least one replacement, processing or overdue charge is required. |
| PAS_REPLYDATAINVALID | Reply Data contains invalid data. |
| PAS_REQUESTACTIVATIONDATEDOESNOTEXIST | Activation date is required |
| PAS_REQUESTACTIVATIONDATEINPAST | Activation date cannot be in the past |
| PAS_REQUESTALREADYFILLED | This item cannot fill this request, because the request has already been filled by another item. |
| PAS_REQUESTBIBORITEMDOESNOTEXIST | Item or Bibliographic Record must be specified |
| PAS_REQUESTBODYISREQUIRED | Request body is required. |
| PAS_REQUESTBODYNOTOBJECT | Request body cannot be converted to object. |
| PAS_REQUESTCANNOTBEFILLED | Request cannot be filled |
| PAS_REQUESTDOESNOTEXIST | Request {0} does not exist |
| PAS_REQUESTDOESNOTEXISTEXCEPTION | This item is associated with a title request or group request that has been filled. The item is no longer needed for the request. |
| PAS_REQUESTDOESNOTEXISTORBELONGTOPATRON | Request {0} does not exist or does not belong to current pat- |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|---------------------------------------|---|
| | ron. |
| PAS_REQUESTECONTENTRESTRICTED | Title: {0} Holds for eContent records are restricted. To place a hold on this record, you must use the PAC. |
| PAS_REQUESTEXPIRATIONBEFOREACTIVATION | Expiration date must be after Activation date |
| PAS_REQUESTEXPIRATIONDATEDOESNOTEXIST | Expiration date is required |
| PAS_REQUESTHELD DIFFITEM | Request {0} has already been held for a different item |
| PAS_REQUESTNOINPUT | Incomplete or invalidly formatted input data supplied |
| PAS_REQUESTORIGINDOESNOTEXIST | The patron is expired. |
| PAS_REQUESTPATRONIDDOESNOTEXIST | PatronID is required |
| PAS_REQUESTPICKUPBRANCHINVALID | Invalid pickup branch |
| PAS_REQUESTSHIPPED DIFFITEM | Request {0} has already shipped for a different item |
| PAS_REQUESTSHIPPEDHELD DIFFITEM | Request {0} has already been shipped or held for a different item |
| PAS_REQUESTSUCCESSFULLYREACTIVATED | Request successfully reactivated |
| PAS_REQUESTSWILLBECOME | These requests will become {0}. |
| PAS_REQUESTTRAPEXCEPTION | This item cannot fill this request, because the request has already been filled by another item. |
| PAS_REQUESTUNLOCKEDTITLEDOESNOTEXIST | Title field required for unlocked requests |
| PAS_REQUIREDFIELDSMISSING | Required fields are missing: |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|---|---|
| PAS_REQUIREDFIELDSMISSINGSTATEMSG | This country, {0} requires a state. Please populate the State field. |
| PAS_REQUIREDFIELDSMISSINGSTATETITLE | Missing State |
| PAS_REQUIREDFIELDSMISSINGTITLE | Missing required fields |
| PAS_REQUIREDFIELDSMUSTBEFILLEDIN | The following required fields must be filled in: |
| PAS_REROUTINGHOLD | Rerouting from: {0} to: {1} |
| PAS_RESERVEASSIGNEDBRANCHNOEXIST | Reserve assigned branch does not exist. |
| PAS_RESERVEASSIGNEDCOLLECTIONNOEXIST | Reserve assigned collection does not exist. |
| PAS_RESERVEASSIGNEDCOLLECTIONNOTALLOWED | Reserve assigned collection now allowed for reserve assigned branch. |
| PAS_RESERVEDITEMRECORD | This {0} is a reserved item record. |
| PAS_RESERVEITEMLIMITTOLIBUSE | Item: {0}, Title: {1} is a reserve item LIMITED TO LIBRARY USE. |
| PAS_RESERVEITEMPATRONEXCEEDLIMIT | {0} ({1}) has exceeded the total number of reserve items permitted. |
| PAS_RESERVEITEMSELECTEDTOCIRC | Item: {0}, Title: {1} is a reserve item linked to multiple courses. Course {2} was credited with the circulation. |
| PAS_RESERVESHELFLOCATIONNOTALLOWED | Shelf location now allowed for reserve assigned branch. |
| PAS_RESETDUEDATE_REASONDOESNOTEXIST | ReasonID {0} does not exist. |
| PAS_RESETDUEDATE_REASONREQUIRED | Please indicate a reason for modifying this due date. |
| PAS_RESOLVELOSTBILLEDITEMREPLYDATAINVALID | ResolveLostBilledItemReplyDat- |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|----------------------------------|--|
| | a contains invalid data. |
| PAS_RESOURCEENTITY_NOLINKTEXT | {0} has no link text entered. |
| PAS_RESOURCEENTITYERRORS | Resource entity errors were found |
| PAS_RESTRICTEDTITLE | Restricted Title |
| PAS_ROUTELISTDESC | route list |
| PAS_RoutingSlipReportTitle | Route Slip |
| PAS_SASAVINGERRORMSG | Error saving the system administration value for {0}. |
| PAS_SAVECANCELLED | Save canceled |
| PAS_SAVEPROVISIONALLY | Save Provisionally |
| PAS_SAVEPROVISIONALRECORDASFINAL | The bibliographic record you specified is a provisional record. Please save the provisional record as final before linking another record to it. |
| PAS_SAVERECORDERROR | Save record error |
| PAS_SCK_BIB_BOUNDWITHGROUP | This bibliographic record is in a bound-with group. It cannot link to a standing order part. Please select another bibliographic record. |
| PAS_SCK_BIB_ISSERIAL | This bibliographic record is coded as a serial. Continue? |
| PAS_SCK_BIBISSERIAL_TITLE | Record Coded as Serial |
| PAS_SCK_BIBNOTFINAL_LINKERR | This bibliographic record has a status that is not 'Final'. It cannot link to a Standing Order Part Record. Please select another bibliographic record or save it as 'Final'. |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|---|---|
| PAS_SCK_CHECKIN_FAILED | Serial record check in failed. |
| PAS_SCK_CHECKIN_RECORD_DELETED | The record has been deleted from the database. |
| PAS_SCK_CHECKIN_SUCCESS_MSG | The record has been checked in. |
| PAS_SCK_COMBINE_DLG_TITLE | Combine Issues |
| PAS_SCK_COMBINE_INVALID_ID_ERROR | No items have been selected. |
| PAS_SCK_COMBINE_ORDER_ERROR | Only subscription issues can be combined. |
| PAS_SCK_COMBINE_PUB_ERROR | These two issue records cannot be combined since they are linked to different publication patterns. |
| PAS_SCK_COMBINE_STATUS_ERROR | Issue records with a status of "received" or "claimed" cannot be combined. |
| PAS_SCK_COMBINE_SUCCESS_MSG | Combine issues was successful. |
| PAS_SCK_CREATE_BIB_DLG_TITLE | Create Part Bibliographic Record |
| PAS_SCK_CREATE_BIB_ERROR_TITLE | Missing Fields |
| PAS_SCK_CREATE_BIB_FAILED | Failed to create new bib record. |
| PAS_SCK_CREATE_BIB_FIELDS_ERROR | The following fields must be completed before saving this Bibliographic Record: {0} |
| PAS_SCK_CREATE_BIB_PUBDATE_ERROR | Operation failed. Please enter the four digit year of publication. |
| PAS_SCK_CREATE_ITEM_DLG_TITLE | Create Item for Issue/Part |
| PAS_SCK_CREATE_ITEM_PRICE_INVALID | Unit price cannot exceed \$9,999.99. |
| PAS_SCK_CREATE_ITEM_PRICE_TITLE_INVALID | Invalid unit price |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|------------------------------------|--|
| PAS_SCK_CREATE_ITEM_Reminder_Msg | Do you need to input a barcode for the new item? |
| PAS_SCK_CREATE_ITEM_Reminder_Title | Empty Item for Issue/Part |
| PAS_SCK_DUPLICATE_BARCODE | This barcode {0} is already in use. An item record will be generated without a barcode. |
| PAS_SCK_ISSUE_ID_INVALID | IssuePart ID is invalid |
| PAS_SCK_ISSUE_STATUS_INVALID | Issue with Received status cannot be checked in. |
| PAS_SCK_ISSUES_COMBINE_FAILED | An error occurred combining issues. |
| PAS_SCK_ISSUES_COMBINE_MIN_FAILED | Select two issues to combine. |
| PAS_SCK_LINKED_ROUTELIST_Msg | {0} is linked to one or more route lists. Please access the route list to print a route slip. |
| PAS_SCK_LINKED_ROUTELIST_TITLE | Print Route Slip |
| PAS_SCK_NO_ITEMPLATE_Msg | No matching item template was found for {0} |
| PAS_SCK_NO_ITEMPLATE_TITLE | Item Template |
| PAS_SCK_NO_TEMPLATE_Msg | No matching item template was found for {0} |
| PAS_SCK_PART_STATUS_INVALID | The following record has already been checked in, it cannot be checked in again: {0} |
| PAS_SCK_QUICK_CIRC_ITEM_Msg | This barcode {0} belongs to a quick-circ item. An item record will be generated without a barcode. |
| PAS_SCK_QUICK_ITEM_TITLE | Quick-circ item found |
| PAS_SCK_RECORDLOCKEDBY | Serial check in record is locked by {0}. |
| PAS_SCK_SERIALISSUEORPARTNOTFOUND | Serial issue or part with ID {0} |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|---------------------------------------|---|
| | not found. |
| PAS_SCK_SUBSCP_STATUS_PROMPT_MSG | The subscription issue is linked to a subscription that was canceled. Do you want to continue? |
| PAS_SCK_SUBSCP_STATUS_PROMPT_TITLE | Subscription Status |
| PAS_SCK_TEMPLATE_MISSING_VALUES | The following fields are missing from the item record template for {0}: {1} |
| PAS_SCK_TEMPLATE_MISSING_VALUES_TITLE | Missing Item Template Values |
| PAS_SCK_UNCHECKIN_HARD_LINKS | You cannot undo check-in because the linked item has other links or a circulation status that prevents its deletion. Check the item's links and status. |
| PAS_SCK_WARN_UNCHECKIN_EXPECTED | You cannot undo check-in because the record has not yet been checked in. |
| PAS_SCKRECORDPROCEDURECANCELLED | Serial check in procedure canceled. |
| PAS_SELECTACTIONFORCHARGE | Please select an action for each charge. |
| PAS_SELECTCHARGEONLY | Please select 'Charge' type only |
| PAS_SELECTCHARGEREASON | Please select a reason for the charge |
| PAS_SELECTDEPOSITONLY | Please select 'Deposit' type only |
| PAS_SELECTRECEIPTOPTION | Please select a valid eReceipt option. |
| PAS_SELECTIONLISTLINEITEMDESC | selection list line item |
| PAS_SELECTMOBILECARRIER | Please select a mobile phone carrier. |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|---------------------------------|---|
| PAS_SELECTMULTIPLEREQUESTS | Please select more than one request. |
| PAS_SELECTPHONEFORTXTMSGS | Please select a valid phone number to receive text messages. |
| PAS_SELECTSINGLEGROUP | Please select one group only. |
| PAS_SERIAL_ENUM_INVALID_FORMAT1 | Enter a number between {0} and {1}. |
| PAS_SERIAL_ENUM_INVALID_FORMAT2 | Enter the Start value in Arabic numbers, without punctuation, when the enumeration format is equal to Number, Numeral or Roman. |
| PAS_SERIAL_ENUM_INVALID_FORMAT3 | This issue's enumeration contains a value greater than {0}. Do you want to continue saving this issue? |
| PAS_SERIAL_ENUM_INVALID_FORMAT4 | Enter only one upper or lower case letter in the enumeration Start value field. |
| PAS_SERIAL_ENUM_INVALID_FORMAT5 | This issue's enumeration should contain a letter between '{0}' and '{1}'. Do you want to continue saving this issue? |
| PAS_SERIAL_ENUM_INVALID_FORMAT6 | This issue's enumeration should contain a letter between '{0}' and '{1}'. Do you want to continue saving this issue? |
| PAS_SERIALHOLDINGSRECORDDESC | serial holdings record(s) |
| PAS_SERIALHOLDSTITLE | Serial Holds |
| PAS_SERIALISSUEORPARTNOTFOUND | Serial issue or part not found. |
| PAS_SERIALISSUEPARTDELETEFAILED | Serial issue/part {0} cannot be deleted. |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|---|--|
| PAS_SERIALMULTIPARTSELECTDESIGNATION | You have selected a serial or multi-part title. A request placed on the title will trap any available item. Would you like to: |
| PAS_SERIALMULTIPARTSELECTDESIGNATION_BULK | You have selected a serial or multi-part title. A request placed on the title will trap any available item at {0}. Would you like to: |
| PAS_SERIALMULTIVOLHOLDSTITLE | Serial/Multi Volume Holds |
| PAS_SERIALOTHERCOPIESAVAILABLE | Other copies of this item may be available. Do you want this specific item or the first available copy? |
| PAS_SERIALTITLESELECT | You have selected a serial title. A request placed on the title will trap any available item. Select one of the following: |
| PAS_SERIALTITLESELECTVOLUME | You have selected a serial title. A request placed on the title will trap any available item. Select one of the following: Select a volume ... |
| PAS_SERIES | Series |
| PAS_SERIESLENGTHERROR | Series cannot exceed 255 characters. |
| PAS_SHELFLOCATIONIDREQUIRED | ShelfLocationID field must also be supplied when AssignedBranchID is provided. |
| PAS_SHELFLOCATIONNOEXIST | Shelf location does not exist. |
| PAS_SHELFLOCATIONNOTALLOWED | Shelf location not allowed for assigned branch. |
| PAS_SHELFLOCATIONWITHIDNOTFOUND | ShelfLocation not found with ID |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|--|---|
| | {0} |
| PAS_SHELVINGSCHHEMEIDREQUIRED | ShelvingSchemeID is required. |
| PAS_SHELVINGSCHEMENOTVALID | Shelving scheme is not valid. |
| PAS_SHRBRANCHINVALID | {0} is invalid. Branch level organization ID is required. |
| PAS_SHRCOPYIDINVALID | Serial holding record {0} does not exist |
| PAS_SHRCOPYNOERROR | Invalid Copy no., enter a value between 1 and 99999. |
| PAS_SHRDELETE_ERR_MSG | Serial Holdings Record {0} cannot be deleted. |
| PAS_SHRDELETE_FAILED_MSG | Record failed to be deleted. |
| PAS_SHRDELETE_INVALID_COPYID | Invalid serial holdings record ID {0}. |
| PAS_SHRDELETE_LINKEDSSO_CONFIRM_MSG | . Do you still want to continue deleting this serial holdings record? |
| PAS_SHRDELETE_LINKEDSSO_EXISTS_MSG | There are one or more issues/-parts with a status of {0} |
| PAS_SHRDELETE_LINKEDSSO_RECEIVED_ERR_MSG | There are 'received' issue or part records linked to this serial holdings record. The delete operation failed. |
| PAS_SHRDELETE_LINKEDSSO_TITLE_DLG | Linked Issues/Parts |
| PAS_SHRDELETE_SHR_LOCKED | The record is being modified by {0} |
| PAS_SHRDUPULATEEXISTS | A copy already exists for this destination and collection. Please change the copy number, destination or collection. |
| PAS_SHRIBIBIDINVALID | Bibliographic Record |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|--|--|
| PAS_SHRICOPYNOINVALID | Copy No. |
| PAS_SHRIDESTINATIONINVALID | Destination |
| PAS_SHRIORDEREDATINVALID | Ordered at |
| PAS_SHRIORDERTYPEINVALID | Order Type |
| PAS_SHRIPOLINEITEMIDINVALID | Purchase Order Line Item |
| PAS_SHRSAVEERRMSG | Error occurred while modifying serial holding record. |
| PAS_SINGLESELECTONLY | Please select one item only. |
| PAS_SORTBYPROPERTYNAME_INVALIDFORRECORDSET | 'SortByPropertyName' is invalid for record set object type. |
| PAS_SP_ENUM_RETRIEVAL_ERROR | An error occurred retrieving last enum value. |
| PAS_SP_ISSUE_PREDICTION_FAILED | Serial issue prediction failed. |
| PAS_SP_NONE_CHRONENUM_MSG | Need at least one level of enumeration or chronology to predict! |
| PAS_SP_NONE_PREDICTED_MSG | You cannot generate more issues/parts with this pattern because the number of issues/parts to predict is 0, or the issue/part's chronology date would exceed the pattern's end date. |
| PAS_SP_PREDICT_LIST_DLG_MSG | The following issues/parts will be created: |
| PAS_SP_PREDICT_LIST_DLG_TITLE | Predict Issues/Parts |
| PAS_SP_PUB_PTTRN_CLOSED | Publication pattern ID {0} is not 'open' |
| PAS_SP_PUB_PTTRN_DETAILS_SUCCESS_MSG | Successfully returned publication pattern details |
| PAS_SP_PUB_PTTRN_DLG_TITLE | Select Publication Pattern |
| PAS_SP_PUB_PTTRN_DUP_MSG | There is already a template with |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|---------------------------------------|---|
| | this name, creator and frequency. |
| PAS_SP_PUB_PTTRN_FRQCY_MSG | No issues or parts can be predicted because the publication pattern has a frequency that does not allow it. |
| PAS_SP_PUB_PTTRN_INVALID | Publication pattern ID {0} is not associated with copy record ID {1} |
| PAS_SP_PUB_PTTRN_NOT_EXISTS_MSG | There are no open publication patterns for this serial holdings record. No issues/part can be predicted. |
| PAS_SP_PUB_PTTRN_NOT_OPEN_MSG | There are no open publication patterns for this serial holdings record. |
| PAS_SP_SUCCESS_MSG | Issue/part creation was successful. |
| PAS_SPECIALITEMCHECKINNOTELENGTHERROR | Special item check-in note cannot exceed 255 characters. |
| PAS_SPECIALLOANUNITSINVALID | Special loan units are invalid. Must be 0 (null), 1 (days), 2 (hours) or 3 (minutes) |
| PAS_SSODELETENOTPERMITTED | SSO isn't permitted to be deleted. |
| PAS_STAFFNOTES1LENGTHERROR | Staff notes 1 cannot exceed 255 characters. |
| PAS_STAFFNOTES2LENGTHERROR | Staff notes 2 cannot exceed 255 characters. |
| PAS_STARTINDEXINVALID | Invalid 'startIndex' value |
| PAS_STATEFIELDNAME | State |
| PAS_STATISTICAL_TRANSACTION_FAILED | Failed to write statistical transaction. |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|---|---|
| PAS_STATISTICALCODEIDREQUIRED | StatisticalCodeID field must also be supplied when AssignedBranchID is provided. |
| PAS_STATUSCHANGEDCONTINUEWITHSAVE | The circulation status of this item has been changed to {0}. Would you like to continue saving the record with this status? |
| PAS_STATUSFINALREESTABLISHLINKS | The record status has been changed to Final. Make sure to re-establish any necessary links. |
| PAS_STOREDPROCERROR | Unexpected error from {0} |
| PAS_STREETFIELDNAME | Street |
| PAS_STRING1 | Permission(s) not granted. |
| PAS_SUBSCRIPTIONRECORDDESC | Subscription Record |
| PAS_SUBSYSTEMTYPEINVALID | Invalid subsystem type. |
| PAS_SUPPLIEDILLSTATUSIDINVALID | Invalid ILL status ID ({0}) supplied. |
| PAS_SUPPLIER_ACCTNUMBER_LENGTHINVALID | Account Number length is invalid. |
| PAS_SUPPLIER_ADDRESSID_INVALID | Address ID is invalid. |
| PAS_SUPPLIER_ALTERNATIVENAME_LENGTHINVALID | Alternative Name is required. |
| PAS_SUPPLIER_AUTOCANCELINDICATOR_INVALID | Auto Cancel Waiting Period is invalid. |
| PAS_SUPPLIER_CANCELNOTICEINDICATOR_INVALID | Cancel Notice is invalid. |
| PAS_SUPPLIER_CANWTPER_INVALID | Cancel waiting period is invalid. |
| PAS_SUPPLIER_CLAIM_CONTACTPERSON_EMAIL | Claims Email |
| PAS_SUPPLIER_CLAIMEMAIL_MISSINGFORDELOPTEMAIL | Claims Email required for email claim notices. |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|--|---|
| PAS_SUPPLIER_CLAIMING_MISSINGFIELDS | Claims address and contact must be entered before saving with claim(s) setup. |
| PAS_SUPPLIER_CLAIMNOTICEIND_INVALID | Claims Notice is invalid. |
| PAS_SUPPLIER_CLAIMNOTICEINDICATOR_INVALID | Claims Notice is invalid. |
| PAS_SUPPLIER_CONTACTPERSONID_INVALID | Contact Person ID invalid. |
| PAS_SUPPLIER_DATAFORMATSACCEPTED_LENGTHINVALID | Data Formats Accepted length is invalid. |
| PAS_SUPPLIER_DAYSAFTERFIRSTCLAIM_INVALID | Days after 1st claim value is invalid. |
| PAS_SUPPLIER_DAYSAFTERFOURTHCLAIM_INVALID | Days after 4th claim value is invalid. |
| PAS_SUPPLIER_DAYSAFTERRELEASEEXPECTEDARRIVAL_INVALID | Days after release/expected arrival is invalid. |
| PAS_SUPPLIER_DAYSAFTERSECONDCLAIM_INVALID | Days after 2nd claim value is invalid. |
| PAS_SUPPLIER_DAYSAFTERTHIRDCLAIM_INVALID | Days after 3rd claim value is invalid. |
| PAS_SUPPLIER_DELIVERYOPTION_INVALID | Claims Notice delivery option is invalid. |
| PAS_SUPPLIER_EDISETUP_INVALID | The required EDI Setup fields must be completed before saving this Supplier. |
| PAS_SUPPLIER_ELECCOMMSETUP_INVALID | EDI Setup is invalid. |
| PAS_SUPPLIER_EXTERNALID_LENGTHINVALID | Supplier External ID length is invalid. |
| PAS_SUPPLIER_ID_INVALID | Supplier ID {0} is invalid. |
| PAS_SUPPLIER_INVALIDELECCOMMFLAG | Electronic Communications indicator is invalid. |
| PAS_SUPPLIER_MAXCLAIMS | Max Claims is invalid. |
| PAS_SUPPLIER_NAME_LENGTHINVALID | Supplier Name is required. |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|---|--|
| PAS_SUPPLIER_NOTE_LENGTHINVALID | Supplier Note length is invalid |
| PAS_SUPPLIER_ORDERING_CONTACTPERSON_EMAIL | Orders Email |
| PAS_SUPPLIER_OWNERID_INVALID | Supplier Owner ID is invalid. |
| PAS_SUPPLIER_PAYMENT_CONTACTPERSON_EMAIL | Payments Email |
| PAS_SUPPLIER_PLANNOTE_LENGTHINVALID | Supplier Plan Note length is invalid. |
| PAS_SUPPLIER_SAN_LENGTHINVALID | Supplier SAN length is invalid. |
| PAS_SUPPLIER_SAN_MISSING | Supplier's SAN is required for EDI ordering. |
| PAS_SUPPLIER_SANPREFIX_LENGTHINVALID | Supplier SAN Prefix length is invalid. |
| PAS_SUPPLIER_SANSUFFIX_LENGTHINVALID | Supplier SAN Suffix length is invalid. |
| PAS_SUPPRESSBIBNOMODIFYPERMISSION | You do not have permission to modify bibliographic record {0}. |
| PAS_SYSADMINATTRDOESNOTEXIST | Admin attribute for mnemonic '{0}' does not exist. |
| PAS_SYSADMINATTRREADONLY | Admin attribute for mnemonic '{0}' is read-only. |
| PAS_SYSADMINDOMAININVALID | Invalid system ({0}) administration domain supplied. |
| PAS_SYSADMINPREVENTED | System administration PPPP setting prevents this action. |
| PAS_SYSADMINPROVIDENONNULL | Must provide a non-null attribute value. |
| PAS_TAG | Tag |
| PAS_TEMPORARYSHELFLOCATIONLENGTHERROR | Temporary shelf location cannot exceed 25 characters. |
| PAS_TEST1 | test |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|--------------------------------------|--|
| PAS_TEXTPHONE1MISSING | Text messaging phone is Phone 1. Please enter a number for Phone 1. |
| PAS_TEXTPHONE2MISSING | Text messaging phone is Phone 2. Please enter a number for Phone 2. |
| PAS_TEXTPHONE3MISSING | Text messaging phone is Phone 3. Please enter a number for Phone 3. |
| PAS_TEXTPHONECARRIERMISSING | Please select a mobile phone carrier. |
| PAS_TEXTPHONECARRIERMISSINGTITLE | No carrier selected |
| PAS_TEXTPHONEMISSING | Notification option is TXT Messaging. Please select a phone number to receive text messages. |
| PAS_THEREWASAPROBLEM | There was a problem. {0}. |
| PAS_TITLE | Title |
| PAS_TITLEBLOCKED | Title is blocked |
| PAS_TITLEHOLDABLE | Title: {0} {1}{2} |
| PAS_TITLEHOLDABLE_BULK | Title: {0} Branch(es): {1} {2} {3} |
| PAS_TITLEISREQUIRED | Title information is required to complete this transaction. |
| PAS_TITLELABEL | Title: |
| PAS_TITLELENGTHERROR | Title cannot exceed 255 characters. |
| PAS_TITLEORGROUPREQUESTALREADYFILLED | This item is associated with a title request or group request |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|---------------------------------|---|
| | that has been filled. The item is no longer needed for the request. |
| PAS_TOKENGENERATIONERROR | Error generating access token. |
| PAS_TOTAL | total |
| PAS_TOTALILLIMITEXCEEDEDMESSAGE | Patron ({0}) has exceeded the maximum number of ILL requests permitted. Title: {1} Do you want to place this ILL request? |
| PAS_TOTALILLIMITEXCEEDEDTITLE | Exceeded total ILL request limit |
| PAS_TRANSACTIONAT | At |
| PAS_TRANSACTIONAMOUNTINVALID | Please enter an amount between 0.01 and 2,000,000.00. |
| PAS_TRANSFERFORHOLDTITLE | Transfer for hold |
| PAS_TRANSFERHOLDTITLE | Transfer hold |
| PAS_TRANSFERILLITEMFORPATRON | Item is an INTER-LIBRARY LOAN for: {0} Barcode: {1} Transfer this item to pickup library {2} for hold? |
| PAS_TRANSFERILLITEMTITLE | Transfer ILL item |
| PAS_TRANSFERITEMFORHOLD | Transfer this item to {0} for hold? |
| PAS_TRANSFERITEMTITLE | Transfer item |
| PAS_TRANSFERNEXTHOLDTITLE | Transfer for next hold |
| PAS_TRANSFERREDTOFILLHOLD | The item has been transferred to fill a hold request. |
| PAS_TRANSFERTOWITHABBR | To {0} ({1}) |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|--------------------------------------|---|
| PAS_TXNALREADYBILLED | The selected item has already been billed. |
| PAS_TXNAMOUNTDIFFTHANBALANCE | TxnAmount cannot be different than total Balance. TxnAmount: {0}, Total Balance: {1} |
| PAS_TXNAMOUNTGREATERTHANBALANCE | TxnAmount cannot be greater than total Balance. TxnAmount: {0}, Total Balance: {1} |
| PAS_TXNAMOUNTINVALID | Transaction amount must be greater than 0 |
| PAS_TXNAMOUNTPAYALLINVALID | Bad Amount Pay All |
| PAS_TXNCODECHARGEPAYWAIVE | TxnCodeID should be charge/pay/waive |
| PAS_TXNCODEINVALID | Invalid TxnCode |
| PAS_TXNIDDOESNOTEXIST | TxnID {0} does not exist |
| PAS_TXNIDINVALID | TxnID {0} is invalid |
| PAS_TXNWITHZEROBALANCE | Transaction has a zero balance and will not proceed |
| PAS_TXTMESSAGINGNOTENABLED | Text messaging is not enabled at patron's library |
| PAS_TXTMSGPHONEENTERNUMBER | Text messaging phone is Phone {0}. Please enter a number for Phone {0}. |
| PAS_TYPEDITEM | {0} item |
| PAS_UNABLETOAUTHENTICATECREDENTIALS | We are unable to authenticate your credentials at this time. |
| PAS_UNABLETOCHANGETOMLINKEDTODIGITAL | You cannot change the Type of Material (TOM) for this bibliographic record because it is linked to one or more digital resources. |
| PAS_UNABLETOCLOSEERMSSESSION | Unable to release an ERMS ses- |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|--------------------------------------|--|
| | sion token. Please contact your system administrator. |
| PAS_UNABLETOCONVERTTOILL | Unable to convert to ILL. |
| PAS_UNABLETOCREATEBIBWITHDELETED05 | You cannot create a bibliographic record with the LDR/05 = d (deleted). Select another value in LDR/05 and save the record. |
| PAS_UNABLETODELETEILLIBIBRECORDERROR | Unable to delete. This record was created for ILL. It will be deleted automatically by the system when the ILL request is deleted. |
| PAS_UNABLETODELETEILLITEMRECORDERROR | This item was created for ILL and will automatically be deleted by the system when the ILL request is deleted. |
| PAS_UNABLETOFLUSHERMSCACHE | Unable to flush cached ERMS access control information. Please contact your system administrator. |
| PAS_UNABLETOGROUPREQUEST | Title [{0}]: The request was not grouped. |
| PAS_UNABLETOGROUPREQUESTSTATUS | Title [{0}]: The request status is {1}. The request cannot be grouped. |
| PAS_UNABLETOOPENERMSSSESSION | Unable to acquire an ERMS session token. Please contact your system administrator. |
| PAS_UNABLETOOPENFILE | Unable to open file. Check the path and filename. |
| PAS_UNABLETORECEIVE | Unable to receive. |
| PAS_UNABLETOREGROUPREQUESTS | All requests are grouped. The requests cannot be grouped |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|--|---|
| | again. |
| PAS_UNABLETOUNDELETEBIBRECORDRESOURCEERROR | A duplicate resource entity was detected. The resource entity will be converted to an 856 tag. |
| PAS_UNABLETOUNDELETERECORDILLERROR | Unable to undelete record. This record was created for ILL. |
| PAS_TXNWITHZEROBALANCE | Transaction has a zero balance and will not proceed |
| PAS_TXTMESSAGINGNOTENABLED | Text messaging is not enabled at patron's library |
| PAS_TXTMSGPHONEENTERNUMBER | Text messaging phone is Phone {0}. Please enter a number for Phone {0}. |
| PAS_TYPEDITEM | {0} item |
| PAS_UNABLETOAUTHENTICATECREDENTIALS | We are unable to authenticate your credentials at this time. |
| PAS_UNABLETOCHANGETOMLINKEDTODIGITAL | You cannot change the Type of Material (TOM) for this bibliographic record because it is linked to one or more digital resources. |
| PAS_UNABLETOCLOSEERMSSESSION | Unable to release an ERMS session token. Please contact your system administrator. |
| PAS_UNABLETOCONVERTTOILL | Unable to convert to ILL. |
| PAS_UNABLETOCREATEBIBWITHDELETED05 | You cannot create a bibliographic record with the LDR/05 = d (deleted). Select another value in LDR/05 and save the record. |
| PAS_UNABLETODELETEILLIBIBRECORDERROR | Unable to delete. This record was created for ILL. It will be deleted automatically by the |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|--|--|
| | system when the ILL request is deleted. |
| PAS_UNABLETODELETEILLITEMRECORDError | This item was created for ILL and will automatically be deleted by the system when the ILL request is deleted. |
| PAS_UNABLETOFLUSHERMSCACHE | Unable to flush cached ERMS access control information. Please contact your system administrator. |
| PAS_UNABLETOGROUPREQUEST | Title [{0}]: The request was not grouped. |
| PAS_UNABLETOGROUPREQUESTSTATUS | Title [{0}]: The request status is {1}. The request cannot be grouped. |
| PAS_UNABLETOOPENERMSSession | Unable to acquire an ERMS session token. Please contact your system administrator. |
| PAS_UNABLETOOPENFILE | Unable to open file. Check the path and filename. |
| PAS_UNABLETORECEIVE | Unable to receive. |
| PAS_UNABLETOREGROUPREQUESTS | All requests are grouped. The requests cannot be grouped again. |
| PAS_UNABLETOUNDELETEBIBRECORDRESOURCEERROR | A duplicate resource entity was detected. The resource entity will be converted to an 856 tag. |
| PAS_UNABLETOUNDELETERECORDILLERROR | Unable to undelete record. This record was created for ILL. |
| PAS_UNBREAKABLEPARENTSDesc | (unbreakable) |
| PAS_UNCLAIMDATECLOSEDTITLE | Closed Day |
| PAS_UNCLAIMEDDATECLOSED | Unclaimed date is a closed date. It will be moved to next |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|--|---|
| | open date. |
| PAS_UNCLAIMEDDATEERROR | Unclaimed date cannot be in the past. |
| PAS_UNDELETECANCELED | Undelete record was canceled. |
| PAS_UNDELETEDELETEDRECORD | The bibliographic record you specified is a deleted record. Please undelete the deleted record before linking another record to it. |
| PAS_UNEXPECTEDERROR | An unexpected error has occurred. |
| PAS_UNEXPECTEDPARENTCHILDLINKERROR | An unexpected parent-child linkage error has occurred. |
| PAS_UNEXPECTEDSTATUSTITLE | Unexpected Status |
| PAS_UNLINKEDRECORDSETNAMEEXCEEDSLENGTH | Unlinked record set name cannot exceed 60 characters |
| PAS_UNLOCKERROR | Error unlocking object ID {0}. {1} |
| PAS_UPDATEBIBRECORDPROCEDURECANCELLED | Update bib record procedure canceled. |
| PAS_UPDATEHOLD_CHANGE_BRANCH_TITLE | Change Pickup Branch |
| PAS_UPDATEHOLDCHANGEBRANCHTITLE | Change Pickup Branch |
| PAS_UPDATEHOLDSUCESS | The hold request has been updated. |
| PAS_UPDATEITEMRECORD | Update item record |
| PAS_UPDATEITEMRECORDNOCHANGES | No changes have been made to this record. Do you want to save it anyway? |
| PAS_UPDATEITEMRECORDPROCEDURECANCELLED | Update item record procedure canceled. |
| PAS_USERACCOUNTCLOSED | User account is closed |
| PAS_USERACCOUNTLOCKED | User account is locked |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|--|--|
| PAS_USERACCOUNTSUSPENDED | User account is suspended |
| PAS_USERDEFINEDFIELD | User-defined field {0} |
| PAS_USERDOESNOTEXIST | Polaris user {0} does not exist |
| PAS_USERIDINVALID | User ID is invalid |
| PAS_USERIDINVALIDDATA | Polaris user {0} is not valid |
| PAS_USERINPUTMISSINGTITLE | Missing contact information |
| PAS_USERNAME | Username may not be the same as barcode |
| PAS_USERNAMEEXISTS | Username already exists |
| PAS_USERNAMENULL | Username is null |
| PAS_USEROBJECTNULL | User object is null |
| PAS_VALIDATIONNULLRETURNED | ValidationRepository.ObjectExists: Null value returned |
| PAS_VALIDATIONOBJECTEXISTSTYPENOTSUPPORTED | ValidationRepository.ObjectExists: ObjectType ID {0} not supported |
| PAS_VALIDATIONREADFAILURE | ValidationRepository.ObjectExists: Read failure |
| PAS_VALIDATIONSTRUCTURALISSUEREPOR | Validation and Structural Issue Report |
| PAS_VALUEEMPTYSTRING | Value is empty string |
| PAS_VALUEEXCEEDSMAXLENGTH | Value exceeds maximum length of {0} |
| PAS_VALUENOTGREATERTHAN | Value is not greater than {0} |
| PAS_VALUENOTINRANGE | Value is not in range of {0} to {1} |
| PAS_VALUENOTLESSTHAN | Value is not less than {0} |
| PAS_VENDORACCOUNTDELETEFAILED | There was a problem. {0}. Vendor account not deleted. |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|---|---|
| PAS_VENDORACCOUNTDELETEFAILEDUNPURGEDBIBS | The account has not been deleted, there may be unpurged bibliographic records preventing deletion of this vendor account. |
| PAS_VERIFYASSIGNEDHOMEBRANCH | Verify assigned / home branch settings |
| PAS_VOLUMEISSUELENGTHERROR | Volume and issue cannot exceed 255 characters. |
| PAS_VOLUMENUMBER | VolumeNumber |
| PAS_VOLUMENUMBERLENGTHERROR | Volume number cannot exceed 60 characters. |
| PAS_WAIVENULLERROR | waive data cannot be null |
| PAS_WIDOWEDAUTHRECORDSOPENTITLE | Authority record(s) open |
| PAS_WIDOWEDBIBRECORDSOPENTITLE | Bibliographic record(s) open |
| PAS_WIDOWEDDELETERECORDOPENDETAIL | [{0}] {1} |
| PAS_WIDOWEDRECORDSETCREATED | Record Set {0} ({1}) has been created. The following record options are available: |
| PAS_WIDOWEDRECORDSOPENMSG | The following record(s) are currently open and will not be deleted. |
| PAS_WIDOWPROCERRORS | Record(s) are locked |
| PAS_WORKFLOWANSWERFORREQUESTNOTFOUND | Workflow answer record with request id {0} not found. |
| PAS_WORKFLOWANSWERNOTFOUND | Workflow answer record with answer id {0} not found. |
| PAS_WORKFLOWOVERDUEFINEPROMPTTITLE | Overdue Fine |
| PAS_WORKFLOWPROCEDURECANCELLED | Procedure canceled. |
| PAS_WORKFLOWREQUESTISNULL | WorkflowRequest is null. |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|------------------------------------|--|
| PAS_WORKFLOWREQUESTNOTFOUND | Workflow request record with GUID {0} not found. |
| PAS_WORKFLOWRESOLVEBILLEDITEMTITLE | Resolve billed item |
| PAS_WORKFLOWRESOLVELOSTITEMTITLE | Resolve lost item |
| PAS_WORKSTATIONDOESNOTEXIST | Polaris workstation {0} does not exist |
| PAS_WORKSTATIONIDINVALID | Workstation ID is invalid |
| PAS_WORKSTATIONNOTFOUND | Workstation with id {0} was not found |
| PAS_WORKSTATIONORGSNOLEAPLICENSE | No workstations are associated with organizations licensed for LEAP circulation. |

Polaris ExpressCheck Strings Reference

The following table lists ExpressCheck strings. We renamed "Mnemonics" to "String Identifiers" so you can better match terms between documentation and the interface.

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|--------------------------------------|---|
| EC_TEXT_FORGOTPASSWORD_1010 | The e-mail could not be sent. Please contact the library for assistance. |
| EC_TEXT_FORGOTPASSWORD_EMAIL_HOURS | Click on the following link to set/reset your password: Reset Password Link: {0} This link can be used to reset your password, and will expire in {1} hours. If the link is expired, request a new one: {2} If you did not request to reset your password, please ignore this message. Sincerely, Your Library System Administrator |
| EC_TEXT_FORGOTPASSWORD_EMAIL_MINUTES | Click on the following link to set/reset your password: Reset Password Link: {0} This link can be used to reset your password, and will expire in {1} minutes. If the link is expired, request a new one: {2} If you did not request to reset your password, please ignore this message. Sincerely, Your Library System Administrator |

Polaris MobilePAC Strings Reference

The following table lists Mobile PAC strings.

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|---|---|
| MP_ACCOUNTLOGON_RESET_SUCCESS | Your password has been reset. |
| MP_CRUMBS_RESETPWD | Reset Password |
| MP_HOLD_REQ_AVAIL_ERROR | Hold Requests are not allowed for this title |
| MP_MSG_FORGOTPASSWORD_EMAIL_HOURS | Click on the following link to set/reset your password: Reset Password Link: {0} This link can be used to reset your password, and will expire in {1} hours. If the link is expired, request a new one: {2} If you did not request to reset your password, please ignore this message. Sincerely, Your Library System Administrator |
| MP_MSG_FORGOTPASSWORD_EMAIL_MINUTES | Click on the following link to set/reset your password: Reset Password Link: {0} This link can be used to reset your password, and will expire in {1} minutes. If the link is expired, request a new one: {2} If you did not request to reset your password, please ignore this message. Sincerely, Your Library System Administrator |
| MP_MSG_FORGOTPASSWORD_INFO_BARCODE_RESET | Your reset password link has expired. Please submit your Barcode below to request a new one. |
| MP_MSG_FORGOTPASSWORD_INFO_USERNAME_RESET | Your reset password link has expired. Please submit your Username or Barcode below to request a new one. |

Polaris Notice Strings Reference

The following table lists English language strings for Polaris print, email, and text message (text to mobile phone) notices and related messages, as well as Borrow by Mail package materials. We renamed "Mnemonics" to "String Identifiers" so you can better match terms between documentation and the interface.

If you edit text message notices, keep the following rules in mind:

- **Character limit** - Individual messages are limited to 160 characters. If you enter more characters, the text will be carried into a second message, provided the patron's carrier supports this feature.
- **URLs** - You can include a URL in the message, but note that the URL takes up message space and the link may not be active, depending on the patron's carrier.
- **Languages** - Text messaging does not support Unicode, so text message notices in languages with diacritics are not rendered accurately.

| STRING IDENTIFIERS | DEFAULT MESSAGE | CONTEXT |
|-----------------------|---|--|
| BBM_MAILER | <p>A \$[AMOUNT] per item delivery charge has been added to your record. The due date has been extended to include delivery time. To return item you may reuse our mailer and the label provided below. You pay return postage. Or, to save postage, return item with mailer to any library. Please return material before the due date to avoid overdue fines. You may renew online or by phoning your library. To review your account, go to your library website and click on MyLibraryAccount. You may mail checks to the address below or pay delivery charge at any library. Please be sure to include your library card number on your check.</p> | Borrow by Mail - package insert body text. For English, do not edit [AMOUNT]; the system supplies the charge. For a foreign language translation, you must specify the charge as text. |
| BBM_MAILER_HEADER | Your Library Borrow-By-Mail | Borrow by Mail - package insert header |
| BBM_NOTICE_EMAIL_SUBJ | Borrow-By-Mail Error Notice | Borrow by Mail - Email error notice subject |
| BBM_NOTICE_EMAIL_TEXT | <p>The items you requested to be sent to you via our Borrow-By-Mail service have arrived. Unfortunately, there is a problem with your library account. Please check your account online or call the library. Once your account has been updated please remember to ask the staff to reactivate your request or, you may also reactivate the requests online using your library account. Please call the library if you have any questions about your</p> | Borrow by Mail - Email error notice text |

| STRING IDENTIFIERS | DEFAULT MESSAGE | CONTEXT |
|----------------------------|--|---|
| | account. | |
| BBM_NOTICE_HEADER | Borrow-By-Mail Error Notice | Borrow by Mail - Print error notice header |
| BBM_NOTICE_SMS_TEXT | The item you requested via our Borrow-by-Mail services cannot be delivered. Please check your account online or call the library. | Borrow by Mail - Text message error notice text |
| BBM_NOTICE_TEXT | The items you requested to be sent to you via our Borrow-By-Mail service have arrived. Unfortunately, there is a problem with your library account. Please check your account online or call the library. Once your account has been updated please remember to ask the staff to reactivate your request or, you may also reactivate the requests online using your library account. Please call the library if you have any questions about your account. | Borrow by Mail - Print error notice text |
| COURSERESERVE_EMAILSUBJECT | Course Reserve Summary | Course reserve email report for instructors (requested from Patron Account page in PAC) - message subject |
| COURSERESERVE_FOOTER | Attached are your current course reserve statistics. Please note any additions or deletions and return this notice to the library. | Course reserve email report for instructors (requested from Patron Account page in PAC) - |

| STRING IDENTIFIERS | DEFAULT MESSAGE | CONTEXT |
|-----------------------------------|--|--|
| | | message footer |
| COURSERESERVE_HEADER | Attached are your current course reserve statistics. Please note any additions or deletions and return this notice to the library. | Course reserve email report for instructors (requested from Patron Account page in PAC) - message header |
| COURSERESERVE_NOTICETYPE | Course Reserves Notice | Course reserve email report for instructors (requested from Patron Account page in PAC) |
| COURSERESERVE_REPLYTOEMAILADDRESS | nobody@nowhere.com | Course reserve email report for instructors (requested from Patron Account page in PAC) - message reply-to address |
| COURSERESERVE_RETURNEMAILADDRESS | nobody@nowhere.com | Course reserve email report for instructors (requested from Patron Account page in PAC) - message return address |
| LBL_AMOUNT | Amount | Column label used as needed in print and email notices and reports |

| STRING IDENTIFIERS | DEFAULT MESSAGE | CONTEXT |
|--------------------|-----------------|--|
| LBL_ASSIGNEDBRANCH | Assigned Branch | Column label used as needed in print and email notices and reports |
| LBL_AUTHOR | Author | Column label used as needed in print and email notices and reports |
| LBL_BARCODE | Barcode | Column label used as needed in print and email notices and reports |
| LBL_CALLNO | Call No. | Column label used as needed in print and email notices and reports |
| LBL_CHECKINDATE | Check-in Date | Column label used as needed in print and email notices and reports |
| LBL_CHECKOUTDATE | Check-out Date | Column label used as needed in print and email notices and reports |
| LBL_CHECKOUTFROM | Check-out From | Column label used as needed in print and email notices and reports |

| STRING IDENTIFIERS | DEFAULT MESSAGE | CONTEXT |
|--------------------|-----------------|--|
| LBL_CLAIMDATE | Claim Date | Column label used as needed in print and email notices and reports |
| LBL_COURSE | Course | Column label used as needed in print and email notices and reports |
| LBL_DATE | Date | Column label used as needed in print and email notices and reports |
| LBL_DUE? | Due? | Column label used as needed in print and email notices and reports |
| LBL_DUEDATE | Due Date | Column label used as needed in print and email notices and reports |
| LBL_EMAILADDRESS | E-mail Address | Column label used as needed in print and email notices and reports |
| LBL_FORMAT | Format | Column label used as needed in print and email notices and |

| STRING IDENTIFIERS | DEFAULT MESSAGE | CONTEXT |
|----------------------------|------------------------|---|
| | | reports |
| LBL_FROM | From | Column label used as needed in print and email notices and reports |
| LBL_HELDTILL | Held-Till | Column label used as needed in print and email notices and reports |
| LBL_HOMEADDRESS | Home Address | Column label used as needed in print and email notices and reports |
| LBL_INSTRUCTOR | Instructor | Column label used as needed in print and email notices and reports |
| LBL_ITEM_REQUESTED | Item requested | Column label used in Borrow by Mail failure notice |
| LBL_LASTRENEWALDATE | Last Renewal Date | Column label used as needed in print and email notices and reports |
| LBL_MANBILL_ADDITIONALINFO | Additional information | Column label used as needed in print and email notices and reports (manual) |

| STRING IDENTIFIERS | DEFAULT MESSAGE | CONTEXT |
|-----------------------------------|-----------------------------|--|
| | | bill) |
| LBL_MANBILL_CHARGINGLIBRARYBRANCH | Charging library/branch | Column label used as needed in print and email notices and reports (manual bill) |
| LBL_MANBILL_TOTALMSCCHARGES | Total Miscellaneous Charges | Column label used as needed in print and email notices and reports (manual bill) |
| LBL_MATERIALBARCODE | Material/Barcode | Column label used as needed in print and email notices and reports |
| LBL_NCKOS | Checkouts | Column label used as needed in print and email notices and reports |
| LBL_NEWDUEDATE | New Due Date | Column label used as needed in print and email notices and reports |
| LBL_NOTICE | Notice | Column label used as needed in print and email notices and reports |
| LBL_NPATRONS | Patrons | Column label used as needed |

| STRING IDENTIFIERS | DEFAULT MESSAGE | CONTEXT |
|--------------------|-----------------|--|
| | | in print and email notices and reports |
| LBL_NRENEWALS | # of Renewals | Column label used as needed in print and email notices and reports |
| LBL_OVERDUECHARGE | Overdue Charge | Column label used as needed in print and email notices and reports |
| LBL_PHONENUMBER | Phone Number | Column label used as needed in print and email notices and reports |
| LBL_PROCESSINGFEE | Processing Fee | Column label used as needed in print and email notices and reports |
| LBL_REASON | Reason | Column label used as needed in print and email notices and reports |
| LBL_RENEWALS | Renewals | Column label used as needed in print and email notices and reports |
| LBL_REPLACEMENT | Replacement | Column label used as needed |

| STRING IDENTIFIERS | DEFAULT MESSAGE | CONTEXT |
|-------------------------|---|--|
| | | in print and email notices and reports |
| LBL_REPLACEMENTCOST | Replacement Cost | Column label used as needed in print and email notices and reports |
| LBL_RESERVESTARTENDDATE | Reserve Start / End Date | Column label used as needed in print and email notices and reports |
| LBL_TITLE | Title | Column label used as needed in print and email notices and reports |
| LBL_TOTAL | Total | Column label used as needed in print and email notices and reports |
| LBL_TOTALAMOUNTOWED | Total Amount Owed | Column label used as needed in print and email notices and reports |
| LBL_TOTALDUE | Total Due | Column label used as needed in print and email notices and reports |
| LBL_TOTALRESERVECKOS | Total number of checkouts for all items / course: | Column label used as needed |

| STRING IDENTIFIERS | DEFAULT MESSAGE | CONTEXT |
|--------------------------|---|--|
| | | in print and email notices and reports |
| LBL_TOTRESERVEITEMS | Total number of items on reserve for the course: | Column label used as needed in print and email notices and reports |
| LBL_TXNDATE | Txn Date | Column label used as needed in print and email notices and reports |
| NOTICE_EBOOKREQAVAILBODY | The ebook you requested, {0}, is available from your 3M Cloud library account until {1}. | Email and text message request available (ebooks) - text. System supplies data for {0} and {1} - do not edit these characters. |
| NOTICE_EBOOKREQAVAILSUBJ | Your ebook is available | Email and text message request available (ebooks) - subject |
| NT_BILL_EM_HEADER | BILLING NOTICE | Email bill notice - header |
| NT_BILL_EM_TEXT | THIS IS A BILL. Your account has been charged for failure to return the following items. Please remit payment or contact the library as soon as possible. | Email bill notice - introductory text |
| NT_BILL_M_HEADER | BILLING NOTICE | Print bill notice - |

| STRING IDENTIFIERS | DEFAULT MESSAGE | CONTEXT |
|----------------------|---|--|
| | | header |
| NT_BILL_M_TEXT | THIS IS A BILL. Your account has been charged for failure to return the following items. Please remit payment or contact the library as soon as possible. | Print bill notice - introductory text |
| NT_BILL_SMS_TEXT | Money is owed on your library account. Please call the library or check your account on line. | Text message bill - text |
| NT_CANCEL_EM_HEADER | Your request has been cancelled | Email cancelled request notice - header |
| NT_CANCEL_EM_TEXT | Your request for: | Email cancelled request notice - introductory text |
| NT_CANCEL_M_HEADER | Your request has been cancelled | Print cancelled request notice - header |
| NT_CANCEL_M_TEXT | Your request for: | Print cancelled request notice - introductory text |
| NT_CANCEL_SMS_TEXT | Your request has been cancelled for title: [TITLE]. | Text message cancelled request notice - text. System supplies title; do not edit or translate [TITLE]. |
| NT_COMBINE_EM_HEADER | Library notice | Email combined notice - header |
| NT_COMBINE_EM_TEXT | As of [DATE], our files show that the following are charged to your account and overdue. Please return them as soon as possible. Thank you. | Email combined notice - introductory text. System supplies |

| STRING IDENTIFIERS | DEFAULT MESSAGE | CONTEXT |
|---------------------|---|---|
| | | date; do not edit or translate [DATE]. |
| NT_COMBINE_M_HEADER | Library notice | Print combined notice - header |
| NT_COMBINE_M_TEXT | As of [DATE], our files show that the following are charged to your account and overdue. Please return them as soon as possible. Thank you. | Print combined notice - introductory text. System supplies date; do not edit or translate [DATE]. |
| NT_COMBINE_SMS_TEXT | Please see contact the library or check your account on line. | Text message combined notice - text |
| NT-COMM_M_HEADER | Your organization's information may be out of date. | Stale Community records notice |
| NT_COMM_M_TEXT | According to our records, your organization's information has not changed since [DATE]. Please verify that the information contained in the library's online catalog is correct and contact us if you have any questions. | Stale Community records notice. System supplies date; do not edit or translate [DATE]. |
| NT_EMAIL_FOOTER | If you do not wish to receive this information via email, please reply to this message or contact the library. | Email notice - generic footer |
| NT_FINE_EM_HEADER | FINE NOTICE | Email fine notice - header |
| NT_FINE_EM_TEXT | Our records show an outstanding fine balance on your account. Please contact the library as soon as possible to resolve these fines. | Email fine notice - introductory text |
| NT_FINE_M_HEADER | FINE NOTICE | Print fine notice - header |

| STRING IDENTIFIERS | DEFAULT MESSAGE | CONTEXT |
|-----------------------|--|--|
| NT_FINE_M_TEXT | Our records show an outstanding fine balance on your account. Please contact the library as soon as possible to resolve these fines. | Print fine notice - introductory text |
| NT_FINE_SMS_TEXT | Money is owed on your library account. Please call the library or check your account on line. | Text message fine notice - text |
| NT_HOLD_EM_HEADER | Requested items are ready for you | Email request pickup notice - header |
| NT_HOLD_EM_TEXT | The following items are being held for you at the library. Please pick the items up on or before the date indicated. | Email request pickup notice - introductory text |
| NT_HOLD_M_HEADER | Requested items are ready for you | Print request pickup notice - header |
| NT_HOLD_M_TEXT | The following items are being held for you at the library. Please pick the items up on or before the date indicated. | Print request pickup notice - introductory text |
| NT_HOLD_SMS_TEXT | The item you requested [TITLE] is available for pickup at branch [BRANCH] until [DATE]. | Text message request pickup notice - text. System supplies title, branch, and date; do not edit or translate [TITLE], [BRANCH], or [DATE]. |
| NT_MANBILL_EMAIL_BODY | Please pay the following miscellaneous charges on your library account. See the individual charges for details. | Email manual bill - text |

| STRING IDENTIFIERS | DEFAULT MESSAGE | CONTEXT |
|--------------------------|--|---|
| NT_MANBILL_EMAIL_HEADER | Miscellaneous Charges (Bill) | Email manual bill - header |
| NT_MANBILL_POSTCARD | Your library account was billed \$[AMOUNT] for [NUMCHARGES] charges. Please call the library or check your account online, | Postcard manual bill - text. System supplies [AMOUNT] and [NUMCHARGES] - do not edit these characters. |
| NT_MANBILL_PRINT_BODY | Please pay the following miscellaneous charges on your library account. See the individual charges for details. | Print manual bill - text |
| NT_MANBILL_PRINT_HEADER | Miscellaneous Charges (Bill) | Print manual bill - header |
| NT_MANBILL_SMS | Your library account has been charged [AMOUNT] ([FEEREASON]). Please call the library or check your account online. | Text message manual bill - text. System supplies [AMOUNT] and [FEE REASON]. Do not edit these characters. |
| NT_MISSINGPART_EM_HEADER | Missing library item | Email missing part notice - header |
| NT_MISSINGPART_EM_TEXT | An item was returned to the [BRANCH] missing a part(s). Please return the part(s) to the library within 48 hours to avoid fines. | Email missing part notice - text |
| NT_MISSINGPART_M_HEADER | Missing library item | Print missing part notice - header |
| NT_MISSINGPART_M_TEXT | An item was returned to the | Print missing |

| STRING IDENTIFIERS | DEFAULT MESSAGE | CONTEXT |
|-------------------------|--|--|
| | [BRANCH] missing a part(s). Please return the part(s) to the library within 48 hours to avoid fines. | part notice - text |
| NT_MISSINGPART_PH_TEXT | An item was returned to the [BRANCH] missing a part(s). Please return the part(s) to the library within 48 hours to avoid fines. | System use only. Do not edit. |
| NT_MISSINGPART_TXT_TEXT | Missing library item. [TITLE] was returned to the library with parts missing. Please return the part(s) to the library within 48 hours to avoid fines. | Text message missing parts notice - text |
| NT_MSG_SECURED_NOPAY | Your account has been secured; please contact the library for information on how to clear your account. | |
| NT_OVD_EM_HEADER | OVERDUE NOTICE | Email overdue notice - header |
| NT_OVD_EM_TEXT | As of the date shown our files show that the following items charged to your account are overdue. Please return these items as soon as possible. | Email overdue notice - introductory text |
| NT_OVD_M_HEADER | OVERDUE NOTICE | Print overdue notice - header |
| NT_OVD_M_TEXT | As of the date shown our files show that the following items charged to your account are overdue. Please return these items as soon as possible. | Print overdue notice - introductory text |
| NT_OVD_SMS_TEXT | Library items are overdue. Please call the library or check your account online. | Text message overdue notice - text. Overdues 1, 2, 3 use the same message. |
| NT_OVD2ND_EM_HEADER | NOTICE | Email overdue |

| STRING IDENTIFIERS | DEFAULT MESSAGE | CONTEXT |
|--------------------------------|--|--|
| OVERDUE | | notice 2 - header |
| NT_OVD2ND_EM_TEXT | As of the date shown our files show that the following items charged to your account are overdue. Please return these items as soon as possible. | Email overdue notice 2 - introductory text |
| NT_OVD2ND_M_HEADER | OVERDUE NOTICE | Print overdue notice 2 - header |
| NT_OVD2ND_M_TEXT | As of the date shown our files show that the following items charged to your account are overdue. Please return these items as soon as possible. | Print overdue notice 2 - introductory text |
| NT_OVD3RD_EM_HEADER OVERDUE | NOTICE | Email overdue notice 3 - header |
| NT_OVD3RD_EM_TEXT | As of the date shown our files show that the following items charged to your account are overdue. Please return these items as soon as possible. | Email overdue notice 3 - introductory text |
| NT_OVD3RD_M_HEADER | OVERDUE NOTICE | Print overdue notice 3 - header |
| NT_OVD3RD_M_TEXT | As of the date shown our files show that the following items charged to your account are overdue. Please return these items as soon as possible. | Print overdue notice 3 - introductory text |
| NT_REMINDER_EXPIRE_EM_HEADER | Your library membership will expire soon | Email expiration reminder - header |
| NT_REMINDER_EXPIRE_EM_TEXT | Your library membership will expire in 10 day(s). You can renew your membership by calling the library during | Email expiration reminder - text |

| STRING IDENTIFIERS | DEFAULT MESSAGE | CONTEXT |
|--------------------------------|--|---|
| | business hours. | |
| NT_Reminder_Expire_SMS_Text | Your library registration will expire in 10 days. Please contact the library to renew your registration. | Text message expiration reminder - text |
| NT_Reminder_Inactive_EM_Header | Visited your library lately? | Email inactivity reminder - header |
| NT_Reminder_Inactive_EM_Text | Our records show you have not used your library membership recently. Please call the library so we can update your records. | Email inactivity reminder - text |
| NT_Reminder_Inactive_SMS_Text | Visited your library lately? Please call or visit your library to update your library membership. | Text message inactivity reminder - text |
| NT_Reminder_Other_EM_Header | Other items checked out to you: | Email almost overdue reminder - other items checked out |
| NT_Reminder_OVD_EM_Header | A reminder from your library | Email almost overdue reminder - header |
| NT_Reminder_OVD_EM_Text | JUST A REMINDER. The following items are due back to the library on the dates indicated. Please return or renew these items at your convenience. | Email almost overdue reminder - text |
| NT_Reminder_OVD_SMS_Text | Just a reminder: library items checked out to you will be due soon. Contact the library or check your account on-line. | Text message almost overdue reminder - text |
| NT_Reminder_Renew_EM_Header | We have automatically renewed the following items and they are now due | Email almost overdue/auto- |

| STRING IDENTIFIERS | DEFAULT MESSAGE | CONTEXT |
|------------------------------|---|---|
| | back on the date indicated below. | renew reminder - header |
| NT_Reminder_Renew_SMS_Header | Just a reminder: library items checked out to you have been automatically renewed. Contact the library or check your account on-line. | Text message almost over-due/auto-renew reminder - header |
| NT_ROUTE_EM_HEADER | Routed Material | Email routing notice - header |
| NT_ROUTE_EM_TEXT | The following items will be routed to you. | Email routing notice - introductory text |
| NT_ROUTE_M_HEADER | Routed Material | Print routing notice - header |
| NT_ROUTE_M_TEXT | The following items will be routed to you. | Print routing notice - introductory text |
| NT_SERIALCLAIM_EM_TEXT | In accordance with our records, we are claiming the following issue(s). Please supply as soon as possible or respond to the contact listed below. | Email serial claim notice - introductory text |
| NT_SERIALCLAIM_M_TEXT | In accordance with our records, we are claiming the following issue(s). Please supply as soon as possible or respond to the contact listed below. | Print serial claim notice - introductory text |
| NT_SMS_HEADER | Message from your library | Text message - generic header |
| NVAVER_BLOCKTEXT | NVA - Verification Sent | Not currently used |
| NVAVER_PATRONCODEID | 11,12,16,17 | Not currently used |
| NVAVER_REASON | Address Verification | Not currently |

| STRING IDENTIFIERS | DEFAULT MESSAGE | CONTEXT |
|------------------------------|---|---|
| | | used |
| NVAVER_TEXT | Please bring this notice to the library to verify your address. | Not currently used |
| TXT_ALMOSTOVERDUE_OTHERITEMS | Other items checked out to you: | Almost overdue reminder - text where other items are checked out to patron |
| TXT_BILLEDPATRON_STATEMENT1 | Please see the attached summary of all out standing charges on your library account | Patron billing statement report, used as needed. |
| TXT_BILLEDPATRON_STATEMENT2 | Our records show that the following items have been billed to your account | Patron billing statement report, used as needed. |
| TXT_BILLEDPATRON_STATEMENT3 | No balance due on this account. | Patron billing statement report, used as needed. |
| TXT_CANCELEDREQUEST_DETAILS | [TITLE], placed on [DATE], cannot be filled. [REASON]. | Cancelled request notice text (print, email). System supplies title, date, and reason; do not edit or translate [TITLE], [DATE], or [REASON]. |
| TXT_CANCELEDREQUEST_FOOTER | For assistance or for more information, please contact the library. | Cancelled request notice text (print, email) - closing paragraph. |
| TXT_CANCELREASON_ | The request was cancelled | Cancelled |

| STRING IDENTIFIERS | DEFAULT MESSAGE | CONTEXT |
|---------------------------|---|---|
| CANCELLED | | request notice text (print, email) - reason |
| TXT_CANCELREASON_EXPIRED | The request has expired | Cancelled request notice text (print, email) - reason |
| TXT_CANCELREASON_UNFILLED | The library was unable to fill the request | Cancelled request notice text (print, email) - reason |
| TXT_FINE_MINORPATRON | You are receiving this notice on behalf of [MINOR]. | Fine notice (print, email) text where notice is sent to guardian of minor patron. System supplies [MINOR] - do not edit these characters. |
| TXT_LOSTBILLEDITEMS | Lost/billed items | Fine notice (print, email) text for lost/billed item charges |
| TXT_OTHERCHARGES | Other charges: | Fine notice (print, email) text for other charges |
| TXT_OVERDUE_CLAIMEDITEMS | The library is unable to locate the following items currently checked out to you: | Overdue notice (print, email) text where claimed items are included in notice |

Polaris PowerPAC Strings Reference

The following table lists PowerPAC strings.

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|-------------------------------|--|
| PACML_COMMUNITY_AALHDR | Ask-a-Librarian box link: |
| PACML_COMMUNITY_AALMSG | Display an Ask-a-Librarian box link, where visitors can send reference questions to the library from your site. |
| PACML_COMMUNITY_AALWINHDR | Create an Ask-a-Librarian box link: |
| PACML_DASH_CHILDFICTIONSERIES | Children's Fiction Series |
| PACML_DASH_CHILDILLUSTRATED | Children's Illustrated |
| PACML_DASH_DONATION | Make a Donation |
| PACML_DASH_EARLYMIDDLE | Early and Middle Grade Readers (sys cust) |
| PACML_DASH_HARDFICTION | Hardcover Fiction |
| PACML_DASH_HARDNONFICTION | Hardcover Non-Fiction |
| PACML_DASH_MASSMARKET | Mass Market |
| PACML_DASH_MOSTCIRCAUTHORS | Most Circ'd Authors |
| PACML_DASH_MOSTCIRCSUBJECTS | Most Circ'd Subjects |
| PACML_DASH_MOSTCIRCTITLES | Most Circ'd Titles |
| PACML_DASH_NEWTITLES | New Titles |
| PACML_DASH_ONORDERITEMS | On-Order Items |
| PACML_DASH_PAPERFICTION | Trade Paperback Fiction |
| PACML_DASH_PAPERNONFICTION | Trade Paperback Non-Fiction |
| PACML_DASH_YOUNGADULT | Young Adult |
| PACML_FORGOTPASSWORD_1014 | Your reset password link is invalid or has expired. Please submit your Username or Barcode below to request a new one. |
| PACML_FORGOTPASSWORD_1015 | Your reset password link is invalid or |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|------------------------------------|---|
| | has expired. Please submit your Barcode below to request a new one. |
| PACML_FORGOTPASSWORD_CONFIRM | Confirm Password: |
| PACML_FORGOTPASSWORD_EMAIL_HOURS | Click on the following link to set/reset your password: Reset Password Link: {0} This link can be used to reset your password, and will expire in {1} hours. If the link is expired, request a new one: {2} If you did not request to reset your password, please ignore this message. Sincerely, Your Library System Administrator |
| PACML_FORGOTPASSWORD_EMAIL_MINUTES | Click on the following link to set/reset your password: Reset Password Link: {0} This link can be used to reset your password, and will expire in {1} minutes. If the link is expired, request a new one: {2} If you did not request to reset your password, please ignore this message. Sincerely, Your Library System Administrator |
| PACML_FORGOTPASSWORD_INST | Please create a new password. You will then be directed to log in. |
| PACML_FORGOTPASSWORD_NEW | New Password: |
| PACML_FORGOTPASSWORD_SHOW | Show password |
| PACML_FORGOTPASSWORD_TITLE | Reset Password |
| PACML_JETPAY_DONATION_NOTE | Thank you for your Donation. |
| PACML_JETPAY_PAYMENT_NOTE | Thank you for your payment. |
| PACML_JETPAY_TRANSACTION_ERR | There is a problem with your payment. Please contact the library for assistance. |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|---------------------------------|--|
| PACML_LOGON_PASSWORDRESET | Your password has been reset. |
| PACML_PRIVACY_POLICY | This site uses cookies and other technologies to provide you with an optimal experience. By continuing use of this website you are agreeing to use of our cookies. To learn more, see our privacy policy and services privacy policy . |
| PACML_PROCESSINGFEES_JETPAY_ERR | JetPay fee is \$0.00 or there was a JetPay API error. You will see the fee when you are at the JetPay site. |
| PACML_SUMMARYLESS | Less |
| PACML_SUMMARYMORE | More |
| PACPROF_COOKIE_ACCEPT_BUTTON | Accept |

Polaris Fusion Strings Reference

The following table lists Polaris Fusion English language strings and where they appear in the Fusion product. You can use this information to find and customize specific language strings. We renamed "Mnemonics" to "String Identifiers" so you can better match terms between documentation and the interface.

Note: For more information about Polaris Fusion, see Polaris Fusion online Help.

| STRING IDENTIFIERS | DEFAULT MESSAGE | CONTEXT |
|------------------------------------|--|---|
| FUSIONML_ACCESSFAILUEMSG | The access token you have provided is either expired or invalid. Please contact the library for assistance. | ACL request form |
| FUSIONML_ACCREQCANCELLEDMSG | Access request cancelled, you may close this window. | Request access form |
| FUSIONML_ACCREQPLACEDMSG | Access request placed, you may close this window. | Request access form |
| FUSIONML_ACLREQINFORMATIONTOPATRON | A library staff member will determine your eligibility to access this resource. If the library grants your request, you may access this resource from the library's catalog. | Request access form |
| FUSIONML_ADDITEMSHOPPINGCART | Add item to your shopping cart | Add to shopping cart form |
| FUSIONML_AGREESTRING | Yes, I agree | Add to shopping cart, request access, and content |

| STRING IDENTIFIERS | DEFAULT MESSAGE | CONTEXT |
|-------------------------------------|---|--|
| | | delivery forms |
| FUSIONML_ALREADYINSHOPPINGCART | This item is already in your shopping cart. | Add to shopping cart form |
| FUSIONML_CANCELBUTTONTEXT | Cancel request | Request access form |
| FUSIONML_CLOSEACCESSREQWINDOWMSG | Access request placed, you may close this window. | Request access form |
| FUSIONML_CLOSESHOPPINGCARTWINDOWMSG | The item has been added to your shopping cart, you may close this window. | Add to shopping cart form |
| FUSIONML_CLOSEWINDOWBUTTONLABEL | Close window | Request access form, shopping cart, and ACL Request form |
| FUSIONML_CONTACTINFORMATION | Please contact the library for more information | (Optional) Add to shopping cart, request access, and content delivery forms |
| FUSIONML_COPYRIGHTINFORMATION | This item is copyright protected | (Optional) Add to shopping cart, request access, and content delivery forms |

| STRING IDENTIFIERS | DEFAULT MESSAGE | CONTEXT |
|--------------------------------|--|--|
| FUSIONML_DISAGREESTRING | No, I do not agree. | Add to shopping cart, request access, and content delivery forms |
| FUSIONML_DOWNLOADBUTTONTEXT | Download | ACL request form |
| FUSIONML_DOWNLOADSREMAININGMSG | Downloads remaining: | |
| FUSIONML_FILENAME_GRIDLABEL | File name | Add to shopping cart and request access forms in the file information grid |
| FUSIONML_FILETYPE_GRIDLABEL | File type | Add to shopping cart and request access forms in the file information grid |
| FUSIONML_FILINFOLAB | File information | File information label |
| FUSIONML_MISSINGREQELEMENTS | The following element(s) are missing from your patron account: | Request access form (Required information missing) |

| STRING IDENTIFIERS | DEFAULT MESSAGE | CONTEXT |
|-------------------------------------|--|--|
| | | message) |
| FUSIONML_MISSINGGREQELEMENTSPROCEED | Use the patron account tab to update your patron information, before proceeding. | Request access form (Required information missing message) |
| FUSIONML_PATRONTEXTCOMMUNICATIONLAB | Additional information (if any) | |
| FUSIONML_PATRONACCTINFOMSG | Your library account currently includes the following information about you | Request access form |
| FUSIONML_PATRONADDRESS_GRIDLABEL | Address | Request access form (Required information missing message) |
| FUSIONML_PATRONEMAIL_GRIDLABEL | E-mail address | Request access form (Required information missing message) |
| FUSIONML_PATRONNAME_GRIDLABEL | Name | Request access form, Patron information area |
| FUSIONML_PATRONPHONE_GRIDLABEL | Telephone number | Request access form (Required information missing message) |

| STRING IDENTIFIERS | DEFAULT MESSAGE | CONTEXT |
|-------------------------------|--|---|
| FUSIONML_PENDINGACCESSREQUEST | You already have a pending request for this resource. A library staff member will determine your eligibility to access this resource. If the library grants your request, you may access this resource from the libraries catalog. | Duplicate access request message |
| FUSIONML_PRICE_GRIDLABEL | Price | Add to shopping cart and request access forms in the file information grid |
| FUSIONML_PRIVACYPOLICYLINK | This is the libraries privacy policy | (Optional) Privacy policy link, Add to shopping cart, request access and content delivery forms |
| FUSIONML_REQACCESS | Request access | Request access form |
| FUSIONML_REQREASONDROPLAB | Select a reason for your request | Request access form |
| FUSIONML_REQUIREPURCHASELABEL | After the library determines your eligibility to access to this resource, purchase may be required. No charges will be added to your library account as a result of this access request. | Request access form |

| STRING IDENTIFIERS | DEFAULT MESSAGE | CONTEXT |
|----------------------------|---|---|
| FUSIONML_SHOPPINGCARTINSTR | After adding this item to your shopping cart, use the shopping cart link to complete your purchase. No charges will be added to your library account unless you decide to purchase this item. | Request access form |
| FUSIONML_TERMSOFUSE | This item may be copyright protected. If so, fair use printing and downloading are allowed for educational purposes only. Distribution, particularly for commercial purposes, requires permission from the copyright owner. This material is restricted and subject to the libraries' terms of use. For more information on these terms, contact the library. | (Optional) Terms of use. Add to shopping cart, request access, and content delivery forms |
| FUSIONML_TERMSOFUSE_AGREE | Do you agree to follow the library's terms of use? | Terms of use agreement. Add to shopping cart, request access, and content delivery forms |
| FUSIONML_TITLE_GRIDLABEL | Title | Add to shopping cart and request access forms in the file information grid |

See also

- [Comparing and Editing Language Strings](#)

Inbound Telephony Strings Reference

The following table lists English language strings for Polaris inbound telephony (Polaris Phone Attendant). You can use this information to find and customize specific language strings. See [Comparing and Editing Language Strings](#).

Note: For more information about setting up inbound telephony, see Polaris staff client online Help.

| STRING IDENTIFIERS | DEFAULT MESSAGE | CONTEXT |
|-------------------------|---|--|
| PA_LANGUAGE_MENU | press 1 for english, press 2 for spanish. | Cached .wav file for main menu language message (Spanish licensed only) - if you are overriding this message with a human voice message, override this file. |
| PA_LANGUAGE_MENU_FOR | for | Not used |
| PA_LANGUAGE_MENU_OPTION | For %s, press %d . | Main menu language message (Spanish licensed only). For human voice override, use PA_LANGUAGE_MENU |
| PA_LANGUAGE_MENU_PRESS | press | Not used |
| PA_MENU_CONTINUERENEW | To accept the charge and continue with the renewal, press 1. To cancel the renewal, press 2. | Renew single item - item is overdue |
| PA_MENU_ENDOFLIST | To hear the list again, press 1. To return to the main menu, press star. To quit, press zero. | End list message (Patron Account menu options 4, 5, 6) |

| STRING IDENTIFIERS | DEFAULT MESSAGE | CONTEXT |
|--------------------------------------|--|--|
| PA_MENU_ENDOFLIST_ITEMSOUT | To hear the list again, press 1. To renew all items, press 6. To return to the main menu, press star. To quit, press zero. | Items out - end message |
| PA_MENU_INVALIDLOGIN | To enter your barcode and password again, press 1. To return to the main menu, press star. To quit, press zero. | Log-in failure message |
| PA_MENU_LOGIN_ALPHA_NUMERIC_PASSWORD | Please enter your password using the number key appropriate to the letter. Press 0 for all special characters. | Password message when alpha-numeric passwords are enabled. |
| PA_MENU_LOGINBARCODE | Please enter your patron barcode and press the pound key when complete. | Log-in message 1 (barcode) |
| PA_MENU_LOGINPASSWORD | Please enter your password and press the pound key when complete. | Log-in message 2 (password) |
| PA_MENU_MAIN | To log in to renew or get library account information, press 1. To hear the library's hours, press 2. To hear other announcements, press 3. At anytime, you may | Main menu |

| STRING IDENTIFIERS | DEFAULT MESSAGE | CONTEXT |
|--------------------------|--|--|
| | press star to quit. | |
| PA_MENU_PATRONMAIN | <p>To hear an activity summary, press 1.</p> <p>To hear a list of all items out with an option to renew, press 2.</p> <p>To renew a specific item, press 3.</p> <p>To hear a list of overdue items, press 4.</p> <p>To hear a list of all requests, press 5.</p> <p>To hear a list of items held, press 6.</p> <p>To hear an account statement, press 7.</p> <p>To hear accrued fines, press 8.</p> <p>At anytime, you may press star to quit.</p> | Patron Account menu (after log-in) |
| PA_MENU_RENEWANOTHERITEM | <p>To enter another barcode, press 1.</p> <p>To return to the main menu, press star.</p> <p>To quit, press zero.</p> | Renew another single item |
| PA_MENU_RENEWDETAILS | <p>To hear a detailed list of the renewed items, press 1.</p> <p>To return to your list of items out, press 2.</p> | Review renewed items |
| PA_MENU_RENEWITEM | Enter the barcode of the item you would like to renew, followed by the pound key. | Renew single item (follows Patron Account menu option 3) |

| STRING IDENTIFIERS | DEFAULT MESSAGE | CONTEXT |
|--------------------------|---|---------------------------------------|
| PA_TEXT_ANNOUNCEMENTS | There are no special announcements at this time. | No announcements (main menu option 3) |
| PA_TEXT_ERROR | I received an unexpected problem accessing your account. Please notify the library. I will return you to the main menu. | Log-in error |
| PA_TEXT_GREETING | Thank you for calling the library automated renewal system. If you do not have a touch tone phone, please call your local county library branch. To continue, please select one of the following options. | Greeting message |
| PA_TEXT_INVALIDCHOICE | Invalid menu option. | Menu key error |
| PA_TEXT_LIBRARYHOURS | The library is open Monday thru Friday from 8am to 9pm. Saturday from 9am to 7pm. Closed on Sundays. | Library hours (main menu option 2) |
| PA_TEXT_MAXLOGINATTEMPTS | You have attempted to login too many times. If you are having problems logging in, please contact the library. | Log-in error |
| PA_TEXT_NORESPONSE | No response has been received. Good bye. | Error - no patron input |
| PA_TEXT_OPTIONDISABLED | I'm sorry, this option has been disabled. | Menu option disabled |

| STRING IDENTIFIERS | DEFAULT MESSAGE | CONTEXT |
|--|--|--|
| PA_TEXT_PATREC_ACCOUNTSTATEMENT_CHARGES | You have outstanding charges of \$%3.2f. | Patron account statement, charges. System supplies amount \$%3.2f - do not edit these characters. |
| PA_TEXT_PATREC_ACCOUNTSTATEMENT_CREDITS | You have a credit in the amount of \$%3.2f. | Patron account statement, credit. System supplies amount \$%3.2f - do not edit these characters. |
| PA_TEXT_PATREC_ACCOUNTSTATEMENT_DEPOSITS | You have a deposit in the amount of \$%3.2f. | Patron account statement, deposit. System supplies amount \$%3.2f - do not edit these characters. |
| PA_TEXT_PATREC_ACCRUED_ITEM_COUNT | You have %d items overdue. | Patron account statement, multiple items overdue. System supplies count %d - do not edit these characters. |
| PA_TEXT_PATREC_ACCRUED_ITEM_ONE | You have one item overdue. | Patron account statement, one item overdue. |
| PA_TEXT_PATREC_ACCRUED_ITEMS_NONE | You have no items overdue. | Patron account statement, no items overdue. |
| PA_TEXT_PATREC_ACCRUEDFINE | estimated fine is \$%3.2f | Estimated fine on one item. System supplies amount \$%3.2f - do not edit these characters. |
| PA_TEXT_PATREC_ACCRUEDFINE_NONE | You have no accrued fines | Patron account statement, no fines. |
| PA_TEXT_PATREC_ACTIVITYSUMMARY_BALANCE | You have outstanding charges of \$%3.2f and a credit of \$%3.2f. | Patron account statement, charges and credit. System supplies amount \$%3.2f - do not edit these characters. |
| PA_TEXT_PATREC_ACTIVITYSUMMARY_HELD | and %d held items. | Patron account activity summary, multiple held items. System supplies number of items %d. Do not edit these |

| STRING IDENTIFIERS | DEFAULT MESSAGE | CONTEXT |
|--|--------------------|---|
| | | characters. |
| PA_TEXT_PATREC_ACTIVITYSUMMARY_HELD_NONE | and no held items. | Patron account activity summary, no held items. |
| PA_TEXT_PATREC_ACTIVITYSUMMARY_HELD_ONE | and 1 held item. | Patron account activity summary, one held item. |
| PA_TEXT_PATREC_ACTIVITYSUMMARY_ITEMSOUT | %d items out. | Patron account activity summary, multiple items out. System supplies number of items %d. Do not edit these characters. |
| PA_TEXT_PATREC_ACTIVITYSUMMARY_ITEMSOUT_NONE | No items out. | Patron account activity summary, no items out. |
| PA_TEXT_PATREC_ACTIVITYSUMMARY_ITEMSOUT_ONE | 1 item out. | Patron account activity summary, one item out. |
| PA_TEXT_PATREC_ACTIVITYSUMMARY_OVERDUE | %d items overdue. | Patron account activity summary, multiple items overdue. System supplies number of items %d. Do not edit these characters. |
| PA_TEXT_PATREC_ACTIVITYSUMMARY_OVERDUE_NONE | No items overdue. | Patron account activity summary, no items overdue. |
| PA_TEXT_PATREC_ACTIVITYSUMMARY_OVERDUE_ONE | 1 item overdue. | Patron account activity summary, one item overdue. |
| PA_TEXT_PATREC_ACTIVITYSUMMARY_REQUESTS | %d hold requests, | Patron account activity summary, multiple hold requests. System supplies number of requests %d. Do not edit these characters. |

| STRING IDENTIFIERS | DEFAULT MESSAGE | CONTEXT |
|--|--|---|
| PA_TEXT_PATREC_ACTIVITYSUMMARY_REQUESTS_NONE | No hold requests, | Patron account activity summary, no hold requests. |
| PA_TEXT_PATREC_ACTIVITYSUMMARY_REQUESTS_ONE | 1 hold request, | Patron account activity summary, one hold request. |
| PA_TEXT_PATREC_ACTIVITYSUMMARY_START | Our records show that you have, | Patron account activity summary start (Patron Account menu option 1) |
| PA_TEXT_PATREC_ADDITIONAL_ACCRUEDFINE | Additional charges are due for lost or claimed items. Please contact the library for more information. | Played when patron has opted to hear estimated fines on overdue items and there are uncharged fines on lost or claimed items. |
| PA_TEXT_PATREC_AUTHORNOTAVAILABLE | Author not available. | Items out list (Patron Account menu option 1), item title type error |
| PA_TEXT_PATREC_BRANCH | Belongs to %s. | Items out list (Patron Account menu option 1), item's assigned branch. System supplies library names %s - do not edit these characters. |
| PA_TEXT_PATREC_BY | by %s. | Used when building author details for items out, items overdue and items held. System supplies author name %s - do not edit these characters. Example: The Firm by Grisham, John |
| PA_TEXT_PATREC_DUEDATE | Due on %s. | Items out list (Patron Account menu option 1), item due date. System supplies date %s - do not edit |

| STRING IDENTIFIERS | DEFAULT MESSAGE | CONTEXT |
|----------------------------------|--|---|
| | | these characters. |
| PA_TEXT_PATREC_EXPIRATIONWARNING | Our records show that your library registration will expire soon. Please contact the library to renew your registration. | Expiration warning (after log-in) |
| PA_TEXT_PATREC_EXPIRED | Our records show that your library registration has expired. Please contact the library to renew your registration. | Error - expired account (after log-in) |
| PA_TEXT_PATREC_HELDCOUNT | You have %d held items. | Held items list (Patron Account menu option 6), multiple held items. System supplies number of items %d - do not edit these characters. |
| PA_TEXT_PATREC_HELDCOUNT_NONE | You have no held items. | Held items list (Patron Account menu option 6), no held items. |
| PA_TEXT_PATREC_HELDCOUNT_ONE | You have 1 held item. | Held items list (Patron Account menu option 6), one held items |
| PA_TEXT_PATREC_HOLDUNTILDATE | until %s. | Held items list (Patron Account menu option 6), held until date. System supplies date %s - do not edit these characters. |
| PA_TEXT_PATREC_ITEMSOUTCOUNT | You have %d items checked out. | Items out list (Patron Account menu option 1), multiple items out. System supplies number of items %d - do not edit these characters. |

| STRING IDENTIFIERS | DEFAULT MESSAGE | CONTEXT |
|-----------------------------------|---|--|
| | | acters. |
| PA_TEXT_PATREC_ITEMSOUTCOUNT_NONE | You have no items checked out. | Items out list (Patron Account menu option 1), no items out. |
| PA_TEXT_PATREC_ITEMSOUTCOUNT_ONE | You have 1 item checked out. | Items out list (Patron Account menu option 1), one item out. |
| PA_TEXT_PATREC_MATERIALTYPE | Format is %s. | Items out list (Patron Account menu option 1), item format. System supplies format %s - do not edit these characters. |
| PA_TEXT_PATREC_OVERDUE | Please note, this item is overdue. | Items out list (Patron Account menu option 1), overdue item. |
| PA_TEXT_PATREC_OVERDUECOUNT | You have %d items overdue. | Overdue list (Patron Account menu option 4), multiple items. System supplies number of items %d - do not edit these characters. |
| PA_TEXT_PATREC_OVERDUECOUNT_NONE | You have no items overdue. | Overdue list (Patron Account menu option 4), no items. |
| PA_TEXT_PATREC_OVERDUECOUNT_ONE | You have 1 item overdue. | Overdue list (Patron Account menu option 4), one item. |
| PA_TEXT_PATREC_PICKUPBRANCH | Available for pickup at %s. | Held items list (Patron Account menu option 6), pick-up library. System supplies library name %s - do not edit these characters. |
| PA_TEXT_PATREC_RENEW | To renew an item, press 5, while the title is read. | Items out list (Patron Account menu option 1), renew single item option. |
| PA_TEXT_PATREC_RENEW_ALL | To renew all items, press 6. | Items out list (Patron Account menu option 1), |

| STRING IDENTIFIERS | DEFAULT MESSAGE | CONTEXT |
|---|--|--|
| | | renew all items option. |
| PA_TEXT_PATREC_RENEW_BLOCK_COLLAGENCY | Your renewal request has been stopped. Money is owed on your account. Please contact the library for more information. | Renewal block, patron - account in collection |
| PA_TEXT_PATREC_RENEW_BLOCK_CURCLAIMS | Your renewal request has been stopped. Please contact the library regarding claimed items. | Renewal block, patron - current claims |
| PA_TEXT_PATREC_RENEW_BLOCK_HOLD | This item cannot be renewed because it has been requested by another patron. | Renewal block, item - hold request |
| PA_TEXT_PATREC_RENEW_BLOCK_ITEMFREETEXT | Item cannot be renewed. | Renewal block, item - free-text block |
| PA_TEXT_PATREC_RENEW_BLOCK_ITEMLIBASSIGNED | Item cannot be renewed. | Renewal block, item - library-assigned block |
| PA_TEXT_PATREC_RENEW_BLOCK_ITEMNOTOUTTOPATRON | This item was not found on your check out list. | Single item renewal (Patron Account menu option 3), item not found error |
| PA_TEXT_PATREC_RENEW_BLOCK_LIMIT | Item cannot be renewed. | Renewal block, item - renewal limit |
| PA_TEXT_PATREC_RENEW_BLOCK_LONGOVERDUE | This item is overdue and cannot be renewed. | Renewal block, patron - long overdue item |
| PA_TEXT_PATREC_RENEW_BLOCK_LONGOVERDUEITEMS | Your renewal request has been stopped. Please contact the library regarding overdue items. | Renewal block, patron - long overdue items |
| PA_TEXT_PATREC_RENEW_ | Your renewal request | Renewal block, patron - unre- |

| STRING IDENTIFIERS | DEFAULT MESSAGE | CONTEXT |
|---|---|---|
| BLOCK_LOSTITEM | has been stopped. Please contact the library regarding lost items. | solved lost items |
| PA_TEXT_PATREC_RENEW_BLOCK_MONEYOWED | Your renewal request has been stopped. Money is owed on your account. Please contact the library for more information. | Renewal block, patron - money owed |
| PA_TEXT_PATREC_RENEW_BLOCK_OVERDUE | This item is overdue and cannot be renewed. | Renewal block, patron - overdue item |
| PA_TEXT_PATREC_RENEW_BLOCK_OVERDUEITEMS | Your renewal request has been stopped. Please contact the library regarding overdue items. | Renewal block, patron - overdue items |
| PA_TEXT_PATREC_RENEW_BLOCK_PATEXPDATE | Your registration will expire before item due date. Your account expiration date is %s. | Renewal block, patron - expiring registration. System supplies expiration date %s - do not edit these characters. |
| PA_TEXT_PATREC_RENEW_BLOCK_PATFREETEXT | Your renewal request has been stopped. Please contact the library regarding your account. | Renewal block, patron - free-text block |
| PA_TEXT_PATREC_RENEW_BLOCK_PATLIBASSIGNED | Your renewal request has been stopped. Please contact the library regarding your account. | Renewal block, patron - library-assigned block |
| PA_TEXT_PATREC_RENEW_BLOCK_PCODE | I'm sorry, renewal is not permitted. | Renewal block, patron - patron code |

| STRING IDENTIFIERS | DEFAULT MESSAGE | CONTEXT |
|--|--|---|
| PA_TEXT_PATREC_RENEW_BLOCK_TOTALCLAIMS | Your renewal request has been stopped. Please contact the library regarding claimed items. | Renewal block, patron - total claims |
| PA_TEXT_PATREC_RENEW_BLOCK_VERIFY | Your renewal request has been stopped. Please contact the library regarding your account. | Renewal block, patron - verify patron |
| PA_TEXT_PATREC_RENEW_CANCELLED | Renewal cancelled. | Response to key-press 2 (cancel) when an item is selected for renewal but is overdue |
| PA_TEXT_PATREC_RENEW_COMPLETE | Item has been renewed. Due date is %s. | Items out list (Patron Account menu option 1), renewal confirmation. System supplies due date %s - do not edit these characters. |
| PA_TEXT_PATREC_RENEW_COMPLETE_CHARGE | Item has been renewed. Your account has been charged \$%3.2f. Due date is %s. | Items out list (Patron Account menu option 1), renewal confirmation for overdue item. System supplies charge amount \$%3.2f and due date %s - do not edit these characters. |
| PA_TEXT_PATREC_RENEW_EBOOK | Renewals are not permitted for electronic items | Items out list (Patron Account menu option 1), renew specific ebook item; renew all, soem are ebook items. |
| PA_TEXT_PATREC_RENEW_ITEMNOTFOUND. | This item was not found on your check out list. | Renew specific item (Patron Account menu option 3), error message |
| PA_TEXT_PATREC_RENEW_ | This item is overdue. | Renew specific item, over- |

| STRING IDENTIFIERS | DEFAULT MESSAGE | CONTEXT |
|---|---|---|
| OVERDUE | Your account will be charged \$%3.2f. | due item. System supplies charge amount \$%3.2f - do not edit these characters. |
| PA_TEXT_PATREC_RENEW_WAIT | Please wait while we process your renewals. | Wait message |
| PA_TEXT_PATREC_RENEWITEM_CHARGE | Your account will be charged \$%3.2f to renew this item. | System supplies charge amount \$%3.2f - do not edit these characters. |
| PA_TEXT_PATREC_RENEWITEM_OVDANDCHARGES | Overdue and renewal charges will apply. Your account will be charged \$%3.2f. | System supplies charge amount \$%3.2f - do not edit these characters. |
| PA_TEXT_PATREC_RENEWITEMS_ACCOUNT_CHARGED | Your account has been charged. Select the account option for a summary of charges. | Items out list (Patron Account menu option 1), renew all, some overdue. Charge confirmation. |
| PA_TEXT_PATREC_RENEWITEMS_BLOCKED | It is not possible to renew these items at this time. Please call the library for assistance. | Items out list (Patron Account menu option 1), renew all, error. |
| PA_TEXT_PATREC_RENEWITEMS_CHARGE | Your account will be charged \$%3.2f to renew these items. | System supplies charge amount \$%3.2f - do not edit these characters. |
| PA_TEXT_PATREC_RENEWITEMS_COMPLETE_ALL | All items have been renewed. | Items out list (Patron Account menu option 1), renew all, confirmation. |
| PA_TEXT_PATREC_RENEWITEMS_COMPLETE_SOME | %d items could not be renewed. | Items out list (Patron Account menu option 1), renew all, some not renewed. System supplies number of items %d - do not |

| STRING IDENTIFIERS | DEFAULT MESSAGE | CONTEXT |
|---|---|--|
| | | edit these characters. |
| PA_TEXT_PATREC_RENEWITEMS_LIST | %s was renewed. Due date is %s. | Items out list (Patron Account menu option 1), renew specific item, confirmation. System supplies due date \$s - do not edit these characters. |
| PA_TEXT_PATREC_RENEWITEMS_LIST_NOTRENEWED | %s was not renewed. | Items out list (Patron Account menu option 1), renew all, title not renewed. System supplies title %s - do not edit these characters. |
| PA_TEXT_PATREC_RENEWITEMS_NONE | The system was unable to renew any items. Please call the library for assistance. | Items out list (Patron Account menu option 1), renew all error message. |
| PA_TEXT_PATREC_RENEWITEMS_OVERDUES | Some items are overdue. Your account will be charged \$%3.2f. | Items out list (Patron Account menu option 1), renew all, some overdue. System supplies charge amount \$%3.2f - do not edit these characters. |
| PA_TEXT_PATREC_REQUESTCOUNT | You have %d requests. | Request list (Patron Account menu option 5), multiple requests. System supplies number of requests %d - do not edit these characters. |
| PA_TEXT_PATREC_REQUESTCOUNT_NONE | You have no requests. | Request list (Patron Account menu option 5), no requests. |
| PA_TEXT_PATREC_REQUESTCOUNT_ONE | You have 1 request. | Request list (Patron Account menu option 5), one request. |
| PA_TEXT_PATREC_ | , requested on %s, | Request list (Patron |

| STRING IDENTIFIERS | DEFAULT MESSAGE | CONTEXT |
|--|--|---|
| REQUESTDATE | | Account menu option 5), request date (follows title info). System supplies date %s - do not edit these characters. |
| PA_TEXT_PATREC_REQUESTSTATUS | has a status of %s. | Request list (Patron Account menu option 5), request status (follows request date). System supplies status %s - do not edit these characters. |
| PA_TEXT_PATREC_SKIP | At anytime, you may press 2, to skip to the next item. | Items out list (Patron Account menu option 1), skip item. |
| PA_TEXT_PATREC_TOTAL_ACCRUEDFINE | As of today the estimated accrued fines are \$%3.2f | Estimated fines total. System supplies amount \$%3.2f - do not edit these characters. |
| PA_TEXT_PATRONNOTFOUND | I'm sorry, I could not find a matching record. | Log-in error |
| PA_TEXT_PATRREC_MATERIALTYPENOTAVAILABLE | Format not available. | Items out list (Patron Account menu option 1), item material type error |
| PA_TEXT_PATRREC_TITLENOTAVAILABLE | Title not available. | Items out list (Patron Account menu option 1), item title type error |
| PA_TEXT_QUIT | Thank you. Good Bye | Final message (after star key-press) |

Outbound Telephony Strings Reference

The following table lists English language strings for Polaris outbound telephony (telephone notification). You can use this information to find and customize specific language strings.

Note: For more information about setting up outbound telephony, see Polaris staff client online Help.

| STRING IDENTIFIERS | DEFAULT MESSAGE | CONTEXT |
|------------------------|--|--|
| PN_BBM_ERROR_MESSAGE | The item you requested to be sent to you via our Borrow-By-Mail service have arrived. Unfortunately, there is a problem with your library account. Please check your account online or call the library. | Borrow by Mail - error notice |
| PN_CANCEL_CONCLUSION | If you would still like these items, please place a new hold request. | Canceled hold request notice: message end |
| PN_CANCEL_COUNTA | records indicate that you have | Used when the patron is being notified of more than one canceled hold request. Example: PN_CANCEL_COUNTA [computer generated number] PN_CANCEL_COUNTBPLURAL |
| PN_CANCEL_COUNTBPLURAL | hold requests that are now cancelled. | Used when the patron is being notified of |

| STRING IDENTIFIERS | DEFAULT MESSAGE | CONTEXT |
|--------------------------|--|--|
| | | more than one canceled hold request. Example: PN_CANCELSCOUNTA [computer generated number] PN_CANCELSCOUNTBPLURAL |
| PN_CANCELSCOUNTBSINGULAR | hold request that has been cancelled. | Not used at this time. |
| PN_CANCELSCOUNTSINGULAR | Our records indicate that you have a hold request that is now cancelled. | Used when the patron is being notified of a single canceled hold request. |
| PN_CANCELSCINTRO | Our records indicate that you have hold requests that have been cancelled. | Canceled hold request notice: message start |
| PN_CENT | Cent. | Used when notifying the patron of overdue fees. Example: 1 cent |
| PN_CENTS | Cents. | Used when notifying the patron of overdue fees. Example: 2 cents |
| PN CLAIMS CONCLUSION | Please return the missing parts as soon as possible. | Missing parts notice - end of message |
| PN CLAIMSCOUNTA | Our records indicate that you returned | Missing parts notice - before count (multiple items) |
| PN CLAIMSCOUNTBPLURAL | items with parts missing. | Missing parts notice - after count (multiple items) |
| PN CLAIMSCOUNTSINGULAR | Our records indicate that you returned an item with parts missing. | Missing parts notice - single item |

| STRING IDENTIFIERS | DEFAULT MESSAGE | CONTEXT |
|-------------------------|---|---|
| PN CLAIMS_INTRO | Our records indicate that you returned items with parts missing. | Missing parts notice - introduction |
| PN_DOLLAR | Dollar | Used when notifying the patron of overdue fees. Example: 1 dollar |
| PN_DOLLARS | Dollars | Used when notifying the patron of overdue fees. Example: 2 dollars |
| PN_GENERIC_ALSO | also, | Used when the patron is called for more than one type of notice. It concatenates phrases. Example: also, our records indicate... |
| PN_GENERIC_AND | and, | Used when notifying the patron of overdue fees and pickup libraries. Example: 2 dollars and 50 cents |
| PN_GENERIC_NOTAVAILABLE | I'm sorry. This function is not available at this time. Please try again later. | Not used at this time. |
| PN HOLDS_CONCLUSION | Please pick up these items as soon as possible. | Hold request notice: final |
| PN HOLDS_COUNTA | Our records indicate that you have | Used when the patron is being notified of more than one held item. Example: PN_HOLDS_COUNTA [computer generated number] PN_HOLDS_COUNTBPLURAL |

| STRING IDENTIFIERS | DEFAULT MESSAGE | CONTEXT |
|--------------------------|--|--|
| PN_HOLDSD_COUNTBPLURAL | items being held for you. | Used when the patron is being notified of more than one held item. Example: PN_HOLDSD_COUNTA [computer generated number] PN_HOLDSD_COUNTBPLURAL |
| PN_HOLDSD_COUNTBSINGULAR | item being held for you. | Not used at this time. |
| PN_HOLDSD_COUNTSINGULAR | Our records indicate that you have an item being held for you. | Used when the patron is being notified of a single held item |
| PN_HOLDSD_INTRO | Our records indicate that you have items being held for you. | Hold request notice: message start |
| PN_HOLDSD_PICKUPLIBRARY | These items can be picked up at the following locations. | Hold request notice: pickup locations (system supplies branch names) |
| PN_MAIN_CONCLUSION | Thank you. | Final message of the notification |
| PN_MAIN_INTRO | Hello. This is your local library calling. | Main opening message, part 1 |
| PN_MAIN_INTRO_NAME_FOR | for | Main opening message, part 2 (system supplies patron name) |
| PN_MENU_BBM_DETAILS | Press 5 for more details on your books by mail request | Borrow by mail request details option |
| PN_MENU_CANCELDETAILS | Press 4 for more details on your cancels. | Canceled hold request notice: menu option for details |
| PN_MENU_CLAIMDETAILS | Press 6 for more details on your claims. | Claim details option |

| STRING IDENTIFIERS | DEFAULT MESSAGE | CONTEXT |
|--------------------------|--|--|
| PN_MENU_ENDCALL | Or press 9 to end this call. | End call option. |
| PN_MENU_HOLDDETAILS | Press 3 for more details on your holds. | Hold request notice: menu option for details |
| PN_MENU_INVALIDRESPONSE | That is not a valid response. | Error - invalid key-press |
| PN_MENU_NORESPONSE | No response received, terminating call. | Error - no patron input |
| PN_MENU_OVERDUEDETAILS | Press 2 for more details on your overdues. | Overdue notice: menu option for details |
| PN_MENU_RECALLDETAILS | Press 5 for more details on your recalls. | Not used. |
| PN_MENU_REPLY | Press 1 to replay this message. | Replay message option |
| PN_NO_DETAILS | No Detail Information is available. | Used when overdue, held item or canceled request details are requested that do not exist |
| PN_OVERDUES_CONCLUSION | Please return these items as soon as possible. | Overdue notice: message end |
| PN_OVERDUES_CONCLUSTION | Please return these items as soon as possible. | Not used. |
| PN_OVERDUES_COUNTA | Our records indicate that you have | Used when the patron is being notified of more than one overdue item. Example: PN_OVERDUES_COUNTA [computer generated number] |
| PN_OVERDUES_COUNTBPLURAL | overdue items. | Used when the patron is being notified of more than one overdue |

| STRING IDENTIFIERS | DEFAULT MESSAGE | CONTEXT |
|----------------------------|---|---|
| | | item. Example: PN_OVERDUES_COUNTA [computer generated number] |
| PN_OVERDUES_COUNTBSINGULAR | overdue item. | Not used. |
| PN_OVERDUES_COUNTSINGULAR | Our records indicate that you have an overdue item. | Used when the patron is being notified of a single overdue item |
| PN_OVERDUES_FEES | You have accrued fines in the amount of | Used when notifying the patron of overdue fees. Example: You have accrued fines in the amount of [computer generated dollar amount]... |
| PN_OVERDUES_INTRO | Our records indicate that you have overdue items. | Overdue notice: message start |
| PN_RECALS_CONCLUSION | Please return these items as soon as possible. | Not used. |
| PN_RECALS_COUNTA | Our records indicate that you have | Not used. |
| PN_RECALS_COUNTBPLURAL | items that are now being recalled. | Not used. |
| PN_RECALS_COUNTBSINGULAR | item that is now being recalled. | Not used. |
| PN_RECALS_INTRO | Our records indicate that you have items that are now being recalled. | Not used. |
| PN_ROUTING_MULTIPLE | Several serial publications have been routed to you. For more information | Routing notice (multiple items) |

| STRING IDENTIFIERS | DEFAULT MESSAGE | CONTEXT |
|-----------------------------------|---|---|
| | please contact the library. | |
| PN_ROUTING_SINGLE | A serial Publication has been routed to you. For more information please contact the library. | Routing notice (1 item) |
| PN_TEXT_HELD_BRANCH | Can be picked up at %s | Hold request notice - pickup library. System supplies name of library %s - do not edit these characters. |
| PN_TEXT_PATREC_AUTHORNOTAVAILABLE | Author not available. | Used when building details for an overdue item or canceled hold request message and the author field is empty |
| PN_TEXT_PATREC_BRANCH | Belongs to %s. | Used when building details for an overdue item message. System supplies organization name %s - do not edit these characters. Example: Belongs to Main Library |
| PN_TEXT_PATREC_BY | by %s. | Used when building author details for an overdue item, canceled hold request or held item message. System supplies author name %s - do not edit these characters. Example: The Firm by Grisham, John |
| PN_TEXT_PATREC_CLAIMDATE | Claimed on %s. | System supplies date |

| STRING IDENTIFIERS | DEFAULT MESSAGE | CONTEXT |
|---|-----------------------|---|
| | | %s - do not edit these characters. |
| PN_TEXT_PATREC_CLAIMTYPE | Claim type is %s. | System supplies claim type %s - do not edit these characters. |
| PN_TEXT_PATREC_DUEDATE | Due on %s. | Used when building due date details for an overdue item message. System supplies date %s - do not edit these characters. Example: Due on Tuesday, January 5th, 2016 |
| PN_TEXT_PATREC_HOLDUNTILDATE | until %s. | Hold request notice - held until date. System supplies date %s - do not edit these characters. |
| PN_TEXT_PATREC_MATERIALTYPE | Format is %s. | Used when building material type details for an overdue item, canceled hold request, or held item message. System supplies format %s - do not edit these characters. |
| PN_TEXT_PATREC_MATERIALTYPENOTAVAILABLE | Format not available. | Used when building material type details for a held item message and the material type field is empty. |
| PN_TEXT_PATREC_TITLENOTAVAILABLE | Title not available. | Used when building details for an overdue item or canceled hold request message and |

| STRING IDENTIFIERS | DEFAULT MESSAGE | CONTEXT |
|--------------------|----------------------|---|
| | | the title field is empty. |
| PN_TEXT_QUIT | Thank you. Good Bye. | Used when the user quits by pressing '9' or if too many invalid menu options were supplied. |
| PN_TEXT_UNKNOWN | Unknown | Not used at this time. |

See also

- [Comparing and Editing Language Strings](#)

Polaris Receipt Strings Reference

The following table lists English language strings for Polaris eReceipts (email and text message receipts). You can use this information to find and customize specific language strings.

Note: For more information about setting up eReceipts, see Polaris staff client online Help.

| STRING IDENTIFIERS | DEFAULT MESSAGE | CONTEXT |
|--------------------------------|---|---|
| RECEIPT_CHECKOUT_EMAIL_SUBJECT | Checked-out from your library | Email check-out receipts: subject |
| RECEIPT_CHECKOUT_EMAIL_INTRO | The following items were checked out by you on [DATE] from [BRANCH] | Email check-out receipts: introduction. System supplies [DATE] and [BRANCH] - do not edit these characters. |
| RECEIPT_EMAIL_FOOTER | Please do not reply to this message. | Email check-out receipts: footer |
| RECEIPT_RENEWAL_EMAIL_SUBJECT | You renewed library items | Email renewal receipts: subject |
| RECEIPT_RENEWAL_EMAIL_INTRO | Items renewed on [DATE]. | Email renewal receipts: introduction. System supplies [DATE] - do not edit these characters. |
| RECEIPT_CHECKOUT_TXT_ | Checked-out from your library | Text message check-out receipts: subject |

| STRING IDENTIFIERS | DEFAULT MESSAGE | CONTEXT |
|-----------------------------|---|---|
| SUBJECT | | |
| RECEIPT_TXT_FOOTER | Access your library account for additional information. | Text message check-out receipts: footer |
| RECEIPT_RENEWAL_TXT SUBJECT | You renewed library items | Text message renewal receipts: subject |
| RECEIPT_INNREACH_PICKUP | This item is available for pickup at the designated location. | Pickup notice for item requested through INN-Reach |
| RECEIPT_YOUSAVED | You just saved [Value] by using your library. You have saved [YTDValue] this past year and [LifetimeValue] since you began using the library! | Optional "You Saved" eReceipt message appended to checkout and (optionally) renewal receipts. Do not edit text in brackets. |

See also

- [Comparing and Editing Language Strings.](#)

Polaris ContentXChange Strings Reference

Polaris Community Profiles and ContentXChange are related but separately licensed products. Community profile information for participating organizations appears in Polaris PowerPAC. You can see these strings in context using the Web Admin Tool's PAC Tools.

ContentXChange widgets are displayed on the participating organizations' web sites. The following table lists English language strings for ContentXChange. You can use this information to find and customize specific language strings.

Note: For more information about setting up Community Profiles and ContentXChange, see Polaris staff client online Help.

| MNEMONIC | DEFAULT MESSAGE | CONTEXT |
|--------------------|--------------------|---------------------------|
| CXC_ ASKALIBRARIAN | Ask a librarian | Ask a Librarian widget |
| CXC_BLOG | Check out our Blog | Content drawer widget |
| CXC_CAL_ADDRESS | Address: | Calendar of Events widget |
| CXC_CAL_EMAIL | Email: | Calendar of Events widget |
| CXC_CAL_HDRTXT | Calendar of events | Calendar of Events widget |
| CXC_CAL_HOSTED | Hosted by: | Calendar of Events widget |
| CXC_CAL_HOURS | Hours: | Calendar of Events widget |
| CXC_CAL_PHONE | Phone: | Calendar of Events widget |
| CXC_CAL_SUMMARY | Summary: | Calendar of Events widget |

| MNEMONIC | DEFAULT MESSAGE | CONTEXT |
|---------------------|---|--------------------------------------|
| CXC_CAL_URL | URL: | Calendar of Events widget |
| CXC_COPYRIGHT | Software Copyright © 2014 – Innovative Interfaces, Inc. | All widgets |
| CXC_DRAWER | Connect with us | Content drawer widget |
| CXC_EVTPRG | Events and programs | Personalized page - Calendar feature |
| CXC_FACEBOOKTXT | Find us on Facebook | Content drawer widget |
| CXC_GOOGLEPLUS | Add us to your circles on Google+ | Content drawer widget |
| CXC_LIBCONN | Connect with the library | Personalized Page |
| CXC_LIBRARY | Connect with the library | Library catalog search widget |
| CXC_LINKEDIN | Connect with us on Linked in | Content drawer widget |
| CXC_MAPITDIRECTIONS | Print directions | Personalized Page - Map It feature |
| CXC_MAPITFROM | From: | Personalized Page - Map It feature |
| CXC_MAPITFULLMAP | Return to Full Map | Personalized Page - Map It feature |
| CXC_MAPITGO | Go! | Personalized Page - Map It feature |
| CXC_MAPITSTR | Map it | Personalized Page - Map It feature |
| CXC_MAPITTO | To: | Personalized Page - Map It feature |
| CXC_MYSSPACE | Find us on MySpace | Content drawer widget |
| CXC_POWEREDBY | Powered by: | All widgets |
| CXC_PRODUCT | Polaris ContentXChange | Not used. |
| CXC_SEARCH | Search the Library | Library catalog search box widget |

| Mnemonic | Default Message | Context |
|----------------|----------------------|-----------------------------------|
| CXC_SEARCHBY | Search by: | Library catalog search box widget |
| CXC_SEARCHFOR | Search for: | Library catalog search box widget |
| CXC_TWITTERTXT | Follow us on Twitter | Content drawer widget |

See also

- [Identifying Polaris PowerPAC Language Strings by ID](#)
- [Comparing and Editing Language Strings](#)

Leap (Staff Web Client) Strings

You can modify or translate language strings in Leap, including: messages, field and button labels, workform header information, navigation option labels, menus, and other UI elements. We renamed "Mnemonics" to "String Identifiers" so you can better match terms between documentation and the interface.

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|--------------------------|---|
| ERMS_TKABORTLIMITREACHED | Execution stopped because a resource limit was reached. No results were returned. |
| ERMS_TK_ACCESS_DENIED | Access Denied |
| ERMS_TK_ADD_COND | Add Condition |
| ERMS_TK_APPLY_UPPER | APPLY |
| ERMS_TK_BIB_SUGGEST | Bibliographic Suggestions |
| ERMS_TK_BROWSING | Browsing... |
| ERMS_TK_CANCEL | Cancel |
| ERMS_TK_CANCELED | Canceled |
| ERMS_TK_CANCELING | Canceling... |
| ERMS_TK_CHANGE_DEF_DB | Change the default search database to |
| ERMS_TK_CLEAR_TEXT | Clear Text |
| ERMS_TK_CLOSE | Close |
| ERMS_TK_COL_DISP_POS | Column - Display Position |
| ERMS_TK_COL_FOLDED | Column - Folded |
| ERMS_TK_COL_PINNED | Column - Pinned |
| ERMS_TK_COL_SETTINGS | Column Settings |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|---------------------------|--|
| ERMS_TK_COL_VISIBLE | Column - Visible |
| ERMS_TK_COL_WIDTH | Column - Width |
| ERMS_TK_CONTEXT_EXPIRED | The underlying session token has expired. |
| ERMS_TK_COUNT | Count |
| ERMS_TK_DELETE | Delete |
| ERMS_TK_DELETE_SAVED_SRCH | Are you sure you want to delete this saved search? |
| ERMS_TK_DISPLAY_POS | Display Position |
| ERMS_TK_DISPLAY_POS_DESCR | The order of the column in the display. |
| ERMS_TK_DUPE_SAVED_SRCH | There's already a saved search with that name. Please enter a different name. |
| ERMS_TK_ENTER_NEW_SEARCH | Enter name of new saved search. |
| ERMS_TK_ERRORS | Error(s) |
| ERMS_TK_EXACT | Exact |
| ERMS_TK_FILTERED_TO | Filtered to |
| ERMS_TK_FOLDED | Folded |
| ERMS_TK_FOLDED_DESCR | Indicates whether a column will be folded into a secondary text line and displayed under each row's (standard) tabular data. |
| ERMS_TK_FROM | From |
| ERMS_TK_HEADING | Heading |
| ERMS_TK_INDEXOUTOFRANGE | Index was outside the bounds of the array. |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|--------------------------|--|
| ERMS_TK_INITIALIZING | Initializing... |
| ERMS_TK_INVALIDARG | One or more arguments are invalid. |
| ERMS_TK_INVALIDCAST | Cannot cast from source type to destination type. |
| ERMS_TK_INVALIDOPERATION | The requested operation cannot be performed. |
| ERMS_TK_INVALIDVALUE | is not a valid value for |
| ERMS_TK_ITEM_BARCODE | Item Barcode |
| ERMS_TK_ITEM_SUGGEST | Item Suggestions |
| ERMS_TK_KWD_ALL | Keyword (All) |
| ERMS_TK_KWD_ANY | Keyword (Any) |
| ERMS_TK_LOADING | Loading... |
| ERMS_TK_METHOD_PRE | Method |
| ERMS_TK_METHOD_SUFX | does not exist on |
| ERMS_TK_MODE | Mode |
| ERMS_TK_MOVE_DOWN | Move Down |
| ERMS_TK_MOVE_UP | Move Up |
| ERMS_TK_NAME | Name |
| ERMS_TK_NAME_DESCR | The column header or label text. |
| ERMS_TK_NARROW | Please choose one of the following to narrow your search for |
| ERMS_TK_NEW_SAVED_SEARCH | New Saved Search |
| ERMS_TK_NO_RESULTS | 0 result(s) |
| ERMS_TK_OF | of |
| ERMS_TK_OPTIONS | Options |
| ERMS_TK_PATRON_BARCODE | Patron Barcode |
| ERMS_TK_PATRON_SUGGEST | Patron Suggestions |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|--------------------------|--|
| ERMS_TK_PHRASE | Phrase |
| ERMS_TK_PINNED | Pinned |
| ERMS_TK_PINNED_DESCR | Indicates whether a column will move when a user scrolls the result list horizontally. |
| ERMS_TK_PREVIEW_QUERY | Preview Query |
| ERMS_TK_PROPERTY | Property |
| ERMS_TK_PROPERTY_DESCR | A brief description of the property. |
| ERMS_TK_QUALIFIER | Qualifier |
| ERMS_TK_QUALIFIER_BR_NBN | NBN |
| ERMS_TK_QUALIFIER_NAME | Qualifier Name |
| ERMS_TK_READY | Ready |
| ERMS_TK_RELATION | Relation |
| ERMS_TK_RELATIONAL_OP | Relational Operator |
| ERMS_TK_REMOVE_ALL_COND | Remove All Conditions |
| ERMS_TK_REMOVE_COND | Remove Condition |
| ERMS_TK_RENAME_SEARCH | Rename existing saved search. |
| ERMS_TK_RESET | Reset |
| ERMS_TK_RESTORE | Restore |
| ERMS_TK_RESTORE_RESET | Restore or reset the search. |
| ERMS_TK_RESULTS | result(s) |
| ERMS_TK_REVERT | Revert to system default column settings. |
| ERMS_TK_REVERT_SETTINGS | Revert to system default search and column settings. |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|---------------------------|---|
| ERMS_TK_SAVE | Save |
| ERMS_TK_SAVE_DEF_SETTINGS | Save Default Search Settings |
| ERMS_TK_SAVE_SEARCH | Save Search |
| ERMS_TK_SAVE_SEARCH_DB | Save as Default Search Database |
| ERMS_TK_SAVE_SETTINGS | Save the current search and column settings as the user's default. |
| ERMS_TK_SAVE_UPPER | SAVE |
| ERMS_TK_SAVED_SEARCH | Saved Search |
| ERMS_TK_SAVED_VALUE | Saved value |
| ERMS_TK_SEARCH | Search |
| ERMS_TK_SEARCH_DB | Search Database |
| ERMS_TK_SEARCH_FILTER | Search Filter |
| ERMS_TK_SEARCH_MODE | Search Mode |
| ERMS_TK_SEARCHING | Searching... |
| ERMS_TK_SEARCHING_FOR | Searching for |
| ERMS_TK_SHOW_PENDING | Show pending changes |
| ERMS_TK_SORTING | Sorting... |
| ERMS_TK_TO | To |
| ERMS_TK_UNEXPECTED | Unexpected ERMSToolkit error. |
| ERMS_TK_UNSAVED | unsaved |
| ERMS_TK_UPDATE_EXISTING | Update existing saved search, or enter another name to create a new saved search. |
| ERMS_TK_VISIBLE | Visible |
| ERMS_TK_VISIBLE_DESCR | Indicates whether the column is visible. |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|--|--|
| ERMS_TK_WIDTH | Width |
| ERMS_TK_WIDTH_DESCR | A numeric value that specifies the width in characters. The minimum width is 2 characters, and the maximum width is 255 characters. Valid values may include up to 3 digits after the decimal point. |
| ERMS_TK_XFER_DATA | Transferring data... |
| SW_CI_1STOVERDUE | 1st overdue |
| SW_CI_2NDOVERDUE | 2nd overdue |
| SW_CI_3RDOVERDUE | 3rd overdue |
| SW_CI_ABOUT | About |
| SW_CI_ABOUT_CLS | Close |
| SW_CI_ABOUT_DLG_APP_SETTINGS | Application Settings |
| SW_CI_ABOUT_DLG_HEADER | About Leap |
| SW_CI_ABOUT_DLG_LBL_COMPUTER_NAME | Computer name |
| SW_CI_ABOUT_DLG_LBL_ERMS_NETWORK_ADDRESS | ERMSNetworkAddress |
| SW_CI_ABOUT_DLG_LBL_LANGUAGE | language |
| SW_CI_ABOUT_DLG_LBL_LOCALE_NAME | localeName |
| SW_CI_ABOUT_DLG_LBL_ORG_ID | organizationId |
| SW_CI_ABOUT_DLG_LBL_POLARIS_ORG | Polaris branch |
| SW_CI_ABOUT_DLG_LBL_POLARIS_WKS | Polaris workstation |
| SW_CI_ABOUT_DLG_LBL_URL_ROOT | urlRoot |
| SW_CI_ABOUT_DLG_LBL_USER_DOMAIN | User domain |
| SW_CI_ABOUT_DLG_LBL_USER_ID | User ID |
| SW_CI_ABOUT_DLG_LBL_USER_IDENTITY | User Identity |
| SW_CI_ABOUT_DLG_LBL_USER_NAME | User name |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|--------------------------------------|--|
| SW_CI_ABOUT_DLG_LBL_VERSION | version |
| SW_CI_ABOUT_DLG_LBL_WKS_ID | workstationId |
| SW_CI_ABOUT_DLG_VERSION | Polaris Leap Web Application v |
| SW_CI_ACCNT_SUMMARY_CHARGES | Account Summary |
| SW_CI_ACCNT_SUMMARY_COLLECTIONAGENCY | Collection Agency |
| SW_CI_ACCNT_SUMMARY_TRANSACTION | Transaction Summary |
| SW_CI_ACCOUNT_SUMMARY_VIEW_LBL | View |
| SW_CI_ACCRUED_BTN_CLOSE | Close |
| SW_CI_ACCRUED_FINE_TEXT | Estimated Fines |
| SW_CI_ACTION_UNAVAILABLE | That action is currently unavailable. |
| SW_CI_ADD_BLOCKS_TXT | Add Block |
| SW_CI_ADJ | ADJ (Find Tool filter) |
| SW_CI_ALL | ALL (Find Tool filter) |
| SW_CI_ALERT_BTN_OK | OK |
| SW_CI_AMT_CREDIT | Amount to credit |
| SW_CI_AMT_REFUND | Amount to refund |
| SW_CI_AMT_WAIVE | Amount to waive |
| SW_CI_AND | AND (Find Tool filter) |
| SW_CI_ANY | ANY (Find Tool filter) |
| SW_CI_ASSOC_ADD_ALLOWME | Allow me to pick up holds for these patrons. |
| SW_CI_ASSOC_ADD_ALREADYEXISTS | An association already exists between these two patrons. |
| SW_CI_ASSOC_ADD_BLOCKME | Block me if these patron records are blocked. |
| SW_CI_ASSOC_ADD_BTN | New Association |
| SW_CI_ASSOC_ADD_CANCEL | CANCEL |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|---------------------------------|---|
| SW_CI_ASSOC_ADD_NOTE | Note |
| SW_CI_ASSOC_ADD_NOTFOUND | Barcode not found: |
| SW_CI_ASSOC_ADD_NOTTHEMSELVES | Patrons cannot be associated with themselves |
| SW_CI_ASSOC_ADD_SAVE | ADD |
| SW_CI_ASSOC_ADD_SAVEERROR | Error saving new patron associations |
| SW_CI_ASSOC_ADD_SCANHINT | Scan or enter patron barcode |
| SW_CI_ASSOC_ADD_SEARCHHINT | Scan or enter patron barcode |
| SW_CI_ASSOC_ADD_SELECTEDALREADY | Patron with barcode {0} has already been selected |
| SW_CI_ASSOC_ADD_SELECTEDLIST | Associated Patron(s) |
| SW_CI_ASSOC_ALLOW_BTN | Allow |
| SW_CI_ASSOC_BIB_DELETED | The associated bibliographic record has been deleted. |
| SW_CI_ASSOC_BLOCK_BTN | Block |
| SW_CI_ASSOC_DEL_BTNHELP | Delete |
| SW_CI_ASSOC_DEL_CONFIRM | Delete {0} patron associations? |
| SW_CI_ASSOC_DEL_NO | Cancel |
| SW_CI_ASSOC_DEL_YES | Continue |
| SW_CI_ASSOC_DISALLOW_BTN | Disallow |
| SW_CI_ASSOC_EXISTS | An association already exists with patron barcode(s) |
| SW_CI_ASSOC_MOD_ALLOWME | Allow me to pick up holds for these patrons. |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|----------------------------|---|
| SW_CI_ASSOC_MOD_BLOCKME | Block me if this patron record is blocked. |
| SW_CI_ASSOC_MOD_BTNHELP | Edit |
| SW_CI_ASSOC_MOD_CANCEL | CANCEL |
| SW_CI_ASSOC_MOD_NOTE | Note |
| SW_CI_ASSOC_MOD_SAVE | SAVE |
| SW_CI_ASSOC_MOD_SAVEERROR | Error saving modifications |
| SW_CI_ASSOC_MOD_SELECTED | Associated Patron |
| SW_CI_ASSOC_MOD_SELECTONE | Please select only one patron to modify |
| SW_CI_ASSOC_REMOVE | The patron's association to the selected patron(s) will be removed. |
| SW_CI_ASSOC_REMOVE_TTL | Remove association |
| SW_CI_ASSOC_UNBLOCK_BTN | Unblock |
| SW_CI_ASSOCIND_ALLOWME | ALLOW ME |
| SW_CI_ASSOCIND_ALLOWME_YES | Yes |
| SW_CI_ASSOCIND_BARCODE | PATRON BARCODE |
| SW_CI_ASSOCIND_BLOCKME | BLOCK ME |
| SW_CI_ASSOCIND_BLOCKME_YES | Yes |
| SW_CI_ASSOCIND_BRANCH | BRANCH |
| SW_CI_ASSOCIND_FILTER | Filter Associations |
| SW_CI_ASSOCIND_NAME | PATRON NAME |
| SW_CI_ASSOCIND_NOTE | NOTE |
| SW_CI_AUTH_BIB_FILTER | Filter bibs |
| SW_CI_AUTH_DELETE_AUTHS | There are [0] authority records linked to this authority record. would you like to: |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|----------------------------------|---|
| SW_CI_AUTH_DELETE_LINKED_BIBS | There are [0] bibliographic records linked to this authority record. would you like to: |
| SW_CI_AUTH_DELETE_OPTIONS_DELETE | Delete linked headings |
| SW_CI_AUTH_DELETE_OPTIONS_FLIP | Flip linked headings |
| SW_CI_AUTH_DELETE_OPTIONS_UNLINK | Unlink headings |
| SW_CI_AUTH_HDR_CATRULES | Descriptive cataloging rules |
| SW_CI_AUTH_HDR_CONTROL_NO | Control number |
| SW_CI_AUTH_HDR_KINDOFRCORD | Kind of record |
| SW_CI_AUTH_HDR_LINKBIBCOUNT | Linked bib count |
| SW_CI_AUTH_HDR_MAINADDED_ENTRY | Main or added entry use |
| SW_CI_AUTH_HDR_REC_STATUS | Record status |
| SW_CI_AUTH_HDR_SERIES_USE | Series use |
| SW_CI_AUTH_HDR_SUBJ_HEADING | Subject heading system |
| SW_CI_AUTH_HDR_SUBJ_USE | Subject use |
| SW_CI_AUTH_HDR_WRKFM_TITLE | Authority Record |
| SW_CI_AUTH_NAV_MARC | MARC |
| SW_CI_AUTHORITY_LOCKED | Authority record is locked by |
| SW_CI_AUTHOVRVW_CREATOR | CREATOR |
| SW_CI_AUTHOVRVW_CREATORDATE | CREATION DATE |
| SW_CI_AUTHOVRVW_FIRST_USE_DATE | FIRST USE DATE |
| SW_CI_AUTHOVRVW_IMPDATE | IMPORT DATE |
| SW_CI_AUTHOVRVW_IMPFILE | IMPORT FILE |
| SW_CI_AUTHOVRVW_INFO | Authority Record Properties |
| SW_CI_AUTHOVRVW_MODIFIER | MODIFIER |
| SW_CI_AUTHOVRVW_MODIFIERDATE | MODIFICATION DATE |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|--------------------------------|--|
| SW_CI_AUTHOVRVW_RECORDID | AUTHORITY RECORD ID |
| SW_CI_AUTHOVRVW_RECORDSTATUS | RECORD STATUS |
| SW_CI_AUTOWAIVE_PROPERTIES | Auto-waive Properties |
| SW_CI_BARCODE | Barcode |
| SW_CI_BIB_CONFIRM_CANCEL | Cancel |
| SW_CI_BIB_CONFIRM_MSG | You have made changes to this Bibliographic Record. Are you sure you want to close without saving? |
| SW_CI_BIB_CONFIRM_RFSH_MS | You have made changes to this Bibliographic Record. Are you sure you want to refresh without saving? |
| SW_CI_BIB_CONFIRM_YES | Discard Changes |
| SW_CI_BIB_CONFIRM_TITLE | Bibliographic Record Changed |
| SW_CI_BIB_CONSTITUENT_NO_ITEMS | Constituent bibliographic records cannot have item records linked to them. |
| SW_CI_BIB_HDR_BY | By |
| SW_CI_BIB_HDR_CONTROL_NO | Control number: |
| SW_CI_BIB_HDR_DISPLAY_PAC | Display in PAC |
| SW_CI_BIB_HDR_IS_CONSTITUENT | Constituent |
| SW_CI_BIB_HDR_IS_HOST | Host |
| SW_CI_BIB_HDR_IS_ILL | ILL |
| SW_CI_BIB_HDR_LINKS_PAC | PAC |
| SW_CI_BIB_HDR_NO_OVERLAY | Do not overlay |
| SW_CI_BIB_HDR_OWNER | Owner: |
| SW_CI_BIB_HDR_REC_STATUS | Record status: |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|---------------------------------|-----------------------------------|
| SW_CI_BIB_HDR_SAVE | Save button |
| SW_CI_BIB_HDR_WRKFM_TITLE | Bibliographic Record |
| SW_CI_BIB_HEADINGS_BIBCOUNT | Bib Count |
| SW_CI_BIB_HEADINGS_CTRLNUM | Control Number |
| SW_CI_BIB_HEADINGS_HEADING | Heading |
| SW_CI_BIB_HEADINGS_NAME | Name |
| SW_CI_BIB_HEADINGS_RECSTATUS | Record Status |
| SW_CI_BIB_HEADINGS_SEEALSOCOUNT | See Also Count |
| SW_CI_BIB_HEADINGS_SERIES | Series |
| SW_CI_BIB_HEADINGS_SUBJ | Subject |
| SW_CI_BIB_ITEM_ASSNGDBRNCH | Assigned Branch |
| SW_CI_BIB_ITEM_BARCODE | Barcode |
| SW_CI_BIB_ITEM_CALLNUM | Call Number |
| SW_CI_BIB_ITEM_COLLCTN | Collection |
| SW_CI_BIB_ITEM_CTRLNUM | Control Number |
| SW_CI_BIB_ITEM_FILTER | Filter items |
| SW_CI_BIB_ITEM_LASTACTIVITY | Last Activity |
| SW_CI_BIB_ITEM_MATTTYPE | Material Type |
| SW_CI_BIB_ITEM_RCDSTATUS | Record Status |
| SW_CI_BIB_ITEM_SHELFLOC | Shelf Location |
| SW_CI_BIB_ITEM_STATUS | Status |
| SW_CI_BIB_ITEM_VOLUME | Volume |
| SW_CI_BIB_LOCKED | Bibliographic record is locked by |
| SW_CI_BIB_NAV_ITEMS | Items |
| SW_CI_BIB_NAV_MARC | MARC |
| SW_CI_BIB_NAV_PREVIEW | Preview |
| SW_CI_BIB_NAV_RSRCS | Resources |
| SW_CI_BIB_NAV_STATS | Statistics |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|---------------------------------|---|
| SW_CI_BIB_NEWITEM | New Item |
| SW_CI_BIB_NO_HEADINGS | No authority headings exist for this record. |
| SW_CI_BIB_NO_RESOURCES | No resources currently exist for this record. |
| SW_CI_BIB_PAC_AVAIL | Availability |
| SW_CI_BIB_PAC_BRIEF | Brief |
| SW_CI_BIB_PAC_FULL | Full |
| SW_CI_BIB_PAC_LOADING | Loading... |
| SW_CI_BIB_PAC_SSL_NOTAVAIL | The PAC view is not currently available because SSL is not enabled in PowerPAC. |
| SW_CI_BIB_RES_ACCT_NAME | Account Name: |
| SW_CI_BIB_RES_ACTIVE | Active: |
| SW_CI_BIB_RES_ACTIVE_NO | No |
| SW_CI_BIB_RES_ACTIVE_YES | Yes |
| SW_CI_BIB_RES_COVER_IMG | Cover Image URL: |
| SW_CI_BIB_RES_CREATE_DATE | Creation Date: |
| SW_CI_BIB_RES_CREATOR | Creator: |
| SW_CI_BIB_RES_LINK_TXT | Link Text: |
| SW_CI_BIB_RES_MARC_DATA | Imported MARC Data: |
| SW_CI_BIB_RES_MODIFIER | Modifier: |
| SW_CI_BIB_RES MODIFY_DATE | Modification Date: |
| SW_CI_BIB_RES_NON_PUBLIC_NOTE | Non-Public Note: |
| SW_CI_BIB_RES_NOT_ACTIVE | Not active |
| SW_CI_BIB_RES_OBJECT_IDENTIFIER | Object Identifier: |
| SW_CI_BIB_RES_PUBLIC_NOTE | Public Note: |
| SW_CI_BIB_RES_RESOURCE_GRP | Resource Group: |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|--|---|
| SW_CI_BIB_RES_URL | URL: |
| SW_CI_BIB_STATS_AVAILABLE_DATE | First available date: |
| SW_CI_BIB_STATS HOLDS_NO | Number of holds: |
| SW_CI_BIB_STATS_IN_HOUSE_USE | Year-to-date in-house use: |
| SW_CI_BIB_STATS_ITEMS_NO | Number of items: |
| SW_CI_BIB_STATS_LIFE_CIRC | Lifetime circulation: |
| SW_CI_BIB_STATS_LIFETIME_IN_HOUSE_USE | Lifetime in-house use: |
| SW_CI_BIB_STATS_PREV_IN_HOUSE_USE | Previous year-to-date in-house use: |
| SW_CI_BIB_STATS_PREV_YEAR_TO_DATE_CIRC | Previous year-to-date circulation: |
| SW_CI_BIB_STATS_YEAR_TO_DATE_CIRC | Year-to-date circulation: |
| SW_CI_BILL | Bill |
| SW_CI_BILLSTATUS_PENDING | Pending |
| SW_CI_BILLSTATUS_YES | Yes |
| SW_CI_BLOCK_ASSOC | Associated patron blocks |
| SW_CI_BLOCKING_NTS_TEXT | Blocking Notes |
| SW_CI_BLOCKS_CREATIONDATE | Creation Date |
| SW_CI_BLOCKS_DESC | Block Description |
| SW_CI_BOGUS | Bogus Entry |
| SW_CI_BRNCH_WRKSTN_REQUIRED | Branch and Workstation selection is required. |
| SW_CI_BRIEF_ITEM_ENTRY_AUTHOR | Author |
| SW_CI_BRIEF_ITEM_ENTRY_BARCODE | Barcode |
| SW_CI_BRIEF_ITEM_ENTRY_CALLNUMBER | Call Number |
| SW_CI_BRIEF_ITEM_ENTRY_FINECODE | Fine Code |
| SW_CI_BRIEF_ITEM_ENTRY_FREETEXTBLOCK | Free Text Block |
| SW_CI_BRIEF_ITEM_ENTRY_LOANPERIOD | Loan Period |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|-------------------------------------|---|
| SW_CI_BRIEF_ITEM_ENTRY_MATERIALTYPE | Material Type |
| SW_CI_BRIEF_ITEM_ENTRY_OTFBLOCK | Set OTF Block |
| SW_CI_BRIEF_ITEM_ENTRY_TITLE | Title |
| SW_CI_BRIEFITM_TITLE_REQUIRED | Title information is required. Please enter a title in the Title field. |
| SW_CI_BTN_CANCEL | Cancel |
| SW_CI_BTN_CLOSE | Close |
| SW_CI_BTN_CONTINUE | Continue |
| SW_CI_BTN_MORE | More |
| SW_CI_BTN_NO | No |
| SW_CI_BTN_OK | OK |
| SW_CI_BTN_PAY | Pay |
| SW_CI_BTN_SKIP | Skip |
| SW_CI_BTN_YES | Yes |
| SW_CI_BUTTON_CANCEL | Cancel |
| SW_CI_BUTTON_MERGE | Merge |
| SW_CI_CAMERA_CAPTURE | Capture |
| SW_CI_CAMERA_FILE_NOT_VALID | The selected file is not a valid image file. |
| SW_CI_CAMERA_RETAKE | Retake |
| SW_CI_CANNOT_MERGESELF | A patron record cannot be merged with itself. |
| SW_CI_CHARGE_ADDED | Charge added successfully. |
| SW_CI_CHARGE_PAID | Charge paid successfully. |
| SW_CI_CHARGE_PROPERTIES | Charge Properties |
| SW_CI_CHCKIN_FREEDAY_WARNING | Please select a date in the past. |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|--------------------------------------|--------------------|
| SW_CI_CHKIN_MANAGE_DLG_MATERIALTYPE | Material type |
| SW_CI_CHCKINHDR_ASSIGNEDBRANCH | Assigned Branch |
| SW_CI_CHCKINHDR_BARCODE | Barcode |
| SW_CI_CHCKINHDR_CALLNUM | Call Number |
| SW_CI_CHCKINHDR_COLLECTION | Collection |
| SW_CI_CHCKINHDR_COMMENT | Comment |
| SW_CI_CHCKINHDR_DUEDATE | Due Date |
| SW_CI_CHCKINHDR_FINE | Fine Charged |
| SW_CI_CHCKINHDR_MATERIALTYPE | Material Type |
| SW_CI_CHCKINHDR_PATRONNAME | Patron Name |
| SW_CI_CHCKINHDR_SHELFLOC | Shelf Location |
| SW_CI_CHCKINHDR_STATUS | Status |
| SW_CI_CHCKINHDR_TITLE | Title |
| SW_CI_CHCKOUT_OVDFINE_CHRG | Charge |
| SW_CI_CHCKOUT_OVDFINE_DUE_DATE | Due date |
| SW_CI_CHCKOUT_OVDFINE_FINE | Fine |
| SW_CI_CHCKOUT_OVDFINE_ITEM_BARCODE | Item barcode |
| SW_CI_CHCKOUT_OVDFINE_PATRON_BARCODE | Patron barcode |
| SW_CI_CHCKOUT_OVDFINE_PATRON_NAME | Name |
| SW_CI_CHCKOUT_OVDFINE_TITLE | Title |
| SW_CI_CHCKOUTIND_ACTN | Action |
| SW_CI_CHCKOUTIND_BRCD | Barcode |
| SW_CI_CHCKOUTIND_BRNCH | Assigned Branch |
| SW_CI_CHCKOUTIND_CHCKOUT | Check Out |
| SW_CI_CHCKOUTIND_CHCKOUTITM | Check out an item: |
| SW_CI_CHCKOUTIND_CLLNO | Call Number |
| SW_CI_CHCKOUTIND_CLR | Clear |
| SW_CI_CHCKOUTIND_DUEON | Due Date |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|---|---|
| SW_CI_CHCKOUTIND_FIND | Find Tool |
| SW_CI_CHCKOUTIND_LOANPERIOD | Loan period: |
| SW_CI_CHCKOUTIND_MTRL | Material Type |
| SW_CI_CHCKOUTIND_RESET | Reset |
| SW_CI_CHCKOUTIND_SETSPL | Set special loan |
| SW_CI_CHCKOUTIND_SHLFLOC | Shelf Location |
| SW_CI_CHCKOUTIND_SPECIAL | Special... |
| SW_CI_CHCKOUTIND_SPLAPPLYITEM | Apply to next item only |
| SW_CI_CHCKOUTIND_SPLAPPLYPATRON | Apply to all items for this patron |
| SW_CI_CHCKOUTIND_SPLAPPLYSESSION | Apply to all check-outs |
| SW_CI_CHCKOUTIND_TTL | Title |
| SW_CI_CHECK_IN | Check in |
| SW_CI_CHECK_OUT | Check out |
| SW_CI_CHECKIN_ERR | Error checking in item. |
| SW_CI_CHK_RENEW_OVERDUE_AMT_EXCEEDED | Changed amount should not be larger than the outstanding. |
| SW_CI_CHK_RENEW_OVERDUE_LBL_ACTIONS | Actions |
| SW_CI_CHK_RENEW_OVERDUE_LBL_AMT | Amount |
| SW_CI_CHK_RENEW_OVERDUE_LBL_CHARGE | Charge |
| SW_CI_CHK_RENEW_OVERDUE_LBL_CHECKOUT | Checkout |
| SW_CI_CHK_RENEW_OVERDUE_LBL_OVERDUEFINE | Overdue Fine |
| SW_CI_CHK_RENEW_OVERDUE_LBL_PAYMENT_AMT | Payment amount |
| SW_CI_CHK_RENEW_OVERDUE_LBL_PAYMENT_METHODS | Payment method |
| SW_CI_CHK_RENEW_OVERDUE_LBL_TOTALFINE | Total Fine |
| SW_CI_CHK_RENEW_OVERDUE_NO_ACTION | Please select an action for each charge. |
| SW_CI_CHKIN_ACTIONS | Actions |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|--------------------------------------|--|
| SW_CI_CHKIN_BULK | Bulk |
| SW_CI_CHKIN_CLEAR_CANCEL | Cancel |
| SW_CI_CHKIN_CLEAR_CLEAR | Clear List |
| SW_CI_CHKIN_CLEAR_MESSAGE | Are you sure you want to clear the list of checked in items? This action cannot be undone. |
| SW_CI_CHKIN_CLEAR_SHOWAGAIN | Do not ask me again |
| SW_CI_CHKIN_CLEAR_TITLE | Clear checked in items |
| SW_CI_CHKIN_INHOUSE | In House |
| SW_CI_CHKIN_INVENTORY | Inventory |
| SW_CI_CHKIN_MANAGE_DLG_CIRC_STATUS | Circulation Status |
| SW_CI_CHKIN_MANAGE_DLG_COLLECTION | Collection |
| SW_CI_CHKIN_MANAGE_DLG_FREETEXTBLOCK | Free Text Block |
| SW_CI_CHKIN_MANAGE_DLG_HEADER | Manage Item Records |
| SW_CI_CHKIN_MANAGE_DLG_MANUALBLOCK | Library Assigned Block |
| SW_CI_CHKIN_MANAGE_DLG_MATERIALTYPE | Material Type |
| SW_CI_CHKIN_MANAGE_DLG_SHELFLOCATION | Shelf Location |
| SW_CI_CHKIN_MANAGE_ITEM_OBJECT_LOCK | Locked item {0} cannot be modified from check-in. |
| SW_CI_CHKIN_MANAGE_ITEM_SELECT | At least one option must be selected. |
| SW_CI_CHKIN_MANAGE_ITEM_SUCCESS | Item record(s) updated successfully. |
| SW_CI_CHKIN_MANAGE_NONPUBLICNOTE | Non-Public Note |
| SW_CI_CHKIN_MANAGEITEMREC | Manage Item Record |
| SW_CI_CHKIN_NAV_BULK | Bulk |
| SW_CI_CHKIN_NAV_INHSE | In House |
| SW_CI_CHKIN_NAV_INV | Inventory |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|--------------------------------|---|
| SW_CI_CHKIN_NAV_NRML | Normal |
| SW_CI_CHKIN_NO_BARCODE | Item cannot be checked in without a barcode. |
| SW_CI_CHKIN_NOMODIFY_ECONTENT | EContent item {0} cannot be modified from check-in. |
| SW_CI_CHKIN_NOMODIFY_ILL | ILL item {0} cannot be modified from check-in. |
| SW_CI_CHKIN_NOMODIFY_QUICKCIRC | Quick-circ item {0} cannot be modified from check-in. |
| SW_CI_CHKIN_NORMAL | Normal |
| SW_CI_CHKIN_REPLACE_BARCODE | Replace barcode |
| SW_CI_CHKIN_REPLACEBARCODE | Replace Barcode |
| SW_CI_CHKIN_RSLVCHRG | Resolve charges |
| SW_CI_CHKIN_SCAN | Scan or enter item barcode |
| SW_CI_CHKIN_TITLE | Check In |
| SW_CI_CHKIN_UNRSLVD_FINE | Cannot close Check In while unresolved fines exist. |
| SW_CI_CHKOUT_NO_BARCODE_ERR | Item cannot be checked out without a barcode. |
| SW_CI_CIIND_AMTNEW | New Fines |
| SW_CI_CIIND_AMTOLD | Old Fines |
| SW_CI_CIIND_AUTH | AUTHOR |
| SW_CI_CIIND_AUTORFID | Auto-RFID |
| SW_CI_CIIND_BRCD | Barcode |
| SW_CI_CIIND_BRNCH | BRANCH |
| SW_CI_CIIND_BTN_SAVE | Save |
| SW_CI_CIIND_CHKIN | Check In |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|---------------------------------|--|
| SW_CI_CIIND_CHCKINITM | Check in an item: |
| SW_CI_CIIND_CLLNO | CALL NO. |
| SW_CI_CIIND_DUEON | DUE ON |
| SW_CI_CIIND_FIND | Find Tool |
| SW_CI_CIIND_FRDYS | Free Days |
| SW_CI_CIIND_HIDE | Hide |
| SW_CI_CIIND_ITMCHCKIN | Check In |
| SW_CI_CIIND_PTASSFN | Pending patron account transactions |
| SW_CI_CIIND_PTNM | PATRON NAME |
| SW_CI_CIIND_PTPRST | Patron Present? |
| SW_CI_CIIND_PTPRSTN | No |
| SW_CI_CIIND_PTPRSTY | Yes |
| SW_CI_CIIND_RNWD | RENEWED |
| SW_CI_CIIND_RPLBC_ENTERNEW | Enter a new barcode for this item: |
| SW_CI_CIIND_RPLBC_INVALIDFORMAT | Invalid barcode format |
| SW_CI_CIIND_RPLBC_VALIDFORMAT | A valid item barcode must be supplied. |
| SW_CI_CIIND_SBMT | Submit |
| SW_CI_CIIND_TTL | TITLE |
| SW_CI_CIIND_TXNID | Txn ID |
| SW_CI_CIITMSRCH_AUTH | AUTHOR |
| SW_CI_CIITMSRCH_BRCD | BARCODE |
| SW_CI_CIITMSRCH_BRNCH | BRANCH |
| SW_CI_CIITMSRCH_NMBR | NUMBER |
| SW_CI_CIITMSRCH_RNWLS | RENEWALS |
| SW_CI_CIITMSRCH_TTL | TITLE |
| SW_CI_CIRHD_CHCKN | Check In |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|--------------------------------|--|
| SW_CI_CIRHD_CRCLTN | Circulation |
| SW_CI_CIRHD_ENT | Enter |
| SW_CI_CIRHD_NEWPAT | New Patron |
| SW_CI_CIRHD_PRINT | Print |
| SW_CI_CITYSTATE_CITY | City |
| SW_CI_CITYSTATE_COUNTY | County |
| SW_CI_CITYSTATE_POSTAL | Postal Code |
| SW_CI_CITYSTATE_STATE | State |
| SW_CI_CLAIM_COUNT_RESET | The total claim count was reset to 0. |
| SW_CI_CLAIM_COUNT_RESET_ERR | There was an error resetting the claims count. |
| SW_CI_CLAIM_ERR | Error processing claim. |
| SW_CI_CLEAR_ALL | Clear All |
| SW_CI_CLEARCACHE | Clear Cache |
| SW_CI_CLEAR_OVERRIDES | Clear Overrides |
| SW_CI_CLMIND_BRCD | BARCODE |
| SW_CI_CLMIND_CHCKIN | Check In |
| SW_CI_CLMIND_CLMDT | CLAIM DATE |
| SW_CI_CLMIND_DESCRPT | DESCRIPTION |
| SW_CI_CLMIND_DUEDT | DUE DATE |
| SW_CI_CLMIND_FLTRCLM | Filter Claims |
| SW_CI_CLMIND_SUMMARY_CURRENTCT | Current Claims: |
| SW_CI_CLMIND_SUMMARY_LOSTCT | Lost: |
| SW_CI_CLMIND_SUMMARY_TOTALCT | Total Claims: |
| SW_CI_CLMIND_TTL | TITLE |
| SW_CI_CLNT_SRVR_TIME_DSCRPNKY | Client/Server Time Discrepancy |
| SW_CI_CLOSE_BROWSER | By closing the browser |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|--|---|
| | you will lose any unsaved work, and any open records will remain locked. Are you sure you want to close Polaris Leap? |
| SW_CI_CLOSE_WORFORM_AND_RETURN_TO_SEARCH_RESULTS | Close Workform and Return to Search Results |
| SW_CI_COLLAGENCY_BTN_REMOVE | Remove |
| SW_CI_COLLAGENCY_SUMMARY_AMOUNTDUE | Amount Due |
| SW_CI_COLLAGENCY_SUMMARY_BALANCE | Balance |
| SW_CI_COLLAGENCY_SUMMARY_COLDATE | Collection Date |
| SW_CI_COLLAGENCY_SUMMARY_ORG | Organization |
| SW_CI_COLLAGENCY_SUMMARY_STATUS | Status |
| SW_CI_COLLAGENCY_TRANSHISTORY_AMOUNT | Amount |
| SW_CI_COLLAGENCY_TRANSHISTORY_BARCODE | Barcode |
| SW_CI_COLLAGENCY_TRANSHISTORY_BTN_CLOSE | Close |
| SW_CI_COLLAGENCY_TRANSHISTORY_DATE | Date |
| SW_CI_COLLAGENCY_TRANSHISTORY_LOCATION | Location |
| SW_CI_COLLAGENCY_TRANSHISTORY_REASON | Reason |
| SW_CI_COLLAGENCY_TRANSHISTORY_TITLE | Title |
| SW_CI_COLLAGENCY_TRANSHISTORY_TXNAMOUNT | Txn Amount |
| SW_CI_COLLAGENCY_TRANSHISTORY_TYPE | Type |
| SW_CI_COLLAGENCY_PAT_REMOVED | Patron is removed from collection agency report. |
| SW_CI_COLLAGENCY_PAT_REMOVED_ERR | Failed to remove patron from collection. |
| SW_CI_COLLAGENCY_REMOVE_PROMPT | Patron will no longer be reported in the collection reports and your collection agency will have |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|-----------------------------------|--|
| | to be informed that this patron is out of collection. Do you wish to continue? |
| SW_CI_COLLAGNCY_REMOVE_TTL | Remove from collection |
| SW_CI_COLLECTIONAGENCY_BTN_REMOVE | Remove |
| SW_CI_CONFIRM_CHANGE_TTL | Patron Record Changed |
| SW_CI_CONFIRM_TEXT | You have made changes to this record. Do you want to save the changes? |
| SW_CI_CONTCNCL_SELECT_OPTION | Please select an option. |
| SW_CI_CONTINUE_PROMPT_BARCODE | Barcode |
| SW_CI_CONTINUE_PROMPT_BRNCH | Branch |
| SW_CI_CONTINUE_PROMPT_DUPTTL | Duplicate Patrons |
| SW_CI_CONTINUE_PROMPT_NAME | Name |
| SW_CI_CONVW_ADDRCHKPSD | Address check date has passed |
| SW_CI_CONVW_BOUNDWITHTITLE | Bound-With Title |
| SW_CI_CONVW_CHNGPICKUP | Change Pickup Branch |
| SW_CI_CONVW_CLMSLMT | Claims limit reached |
| SW_CI_CONVW_CLOSEDDAY | Closed day |
| SW_CI_CONVW_DUPEHOLD | Duplicate hold requests exist |
| SW_CI_CONVW_DUPEPATRCD | Duplicate Patron Records |
| SW_CI_CONVW_EXCDMATLIM | Exceeded material type request limit |
| SW_CI_CONVW_EXCDTTLREQ | Exceeded total request limit |
| SW_CI_CONVW_INVLDDT | Invalid Date |
| SW_CI_CONVW_INVLDPHONE | Invalid phone number |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|--------------------------------|--|
| SW_CI_CONVW_INVLDPICKUP | Invalid Pickup Branch |
| SW_CI_CONVW_INVLDPOSTAL | Invalid postal code |
| SW_CI_CONVW_ITMBLKD | Item is blocked |
| SW_CI_CONVW_MISSINGCONTACT | Missing contact information |
| SW_CI_CONVW_NOADDR | No address entered |
| SW_CI_CONVW_NOCARRIER | No carrier selected |
| SW_CI_CONVW_PATBLKD | Patron is blocked |
| SW_CI_CONVW_PATREGCHRG | Patron registration charge |
| SW_CI_CONVW_REGEXP | Registration is expired |
| SW_CI_CONVW_REQNOFIL | Request cannot be filled |
| SW_CI_CONVW_TTLBLCKD | Title is blocked |
| SW_CI_CONVW_VERIFYBLKS | Verify blocks |
| SW_CI_CONVW_XFREITM | Transfer item |
| SW_CI_CREATE_UNLNKD_AUTHRECSET | Create Unlinked Authority Record Set |
| SW_CI_CREATE_UNLNKD_BIBRECSET | Create Unlinked Bibliographic Record Set |
| SW_CI_CREDENTIALS_EXPIRED | Your credentials have expired. Please sign in. |
| SW_CI_CREDENTIALS_NOTVALID | The user credentials are not valid. |
| SW_CI_CREDENTIALS_TITLE | Sign In |
| SW_CI_CREDENTIALS_VALID | The user credentials are valid. |
| SW_CI_CREDIT_AMT | Credit amount |
| SW_CI_CREDIT_PROPERTIES | Credit Properties |
| SW_CI_CTYST_SELECT_CITY | Please select a city. |
| SW_CI_DECLARE_LOST | Declare Lost |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|-------------------------------|--|
| SW_CI_DECLARE_LOST_TTL | Declare lost item |
| SW_CI_DELETE_ALL_SUCCESS | Block(s) have been removed successfully |
| SW_CI_DELETE_FAILURE | No Blocks were removed |
| SW_CI_DELETE_PATRON_ERR | Error deleting patron. |
| SW_CI_DELETE_REQUESTS_ERR | Error deleting request(s). |
| SW_CI_DELETE_SOME_SUCCESS | Some Blocks were not removed |
| SW_CI_DELETE_TXT | Delete |
| SW_CI_DENY_ITEM_TTL | Deny Item for Hold Request |
| SW_CI_DEPOSIT_PROPERTIES | Deposit Properties |
| SW_CI_DMN | Domain |
| SW_CI_DMNUSR | Domain\Username |
| SW_CI_DUEDATE_PAST | This due date is in the past! |
| SW_CI_ECONFIG_PROMPT_TXTMSGPH | Text Messaging Phone |
| SW_CI_ERMS_CONNECT_ERR | Unable to connect to ERMS. Contact your system administrator for assistance. |
| SW_CI_ESTIMATE_FINES | Estimate Fines |
| SW_CI_ESTIMATED_FINES_TTL | Estimated Fines |
| SW_CI_FAILED_ATTEMPTS | Three failed override attempts. Please try again. |
| SW_CI_FEE_CHRG_WAIVED | Charge waived successfully. |
| SW_CI_FEE_CREDIT_ADDED | Credit added successfully. |
| SW_CI_FEE_CREDIT_REFUNDED | Credit refunded suc- |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|-----------------------------|--|
| | cessfully. |
| SW_CI_FEE_ERR_ADD_CHRG | Error adding charge. |
| SW_CI_FEE_SELECT_CREDIT | Please select at least one credit transaction to refund. |
| SW_CI_FEE_SUMMARY_CHARGE | Charges: |
| SW_CI_FEE_SUMMARY_CREDIT | Credits: |
| SW_CI_FEE_SUMMARY_DEPOSIT | Deposits: |
| SW_CI_FEEIND_ADD | ADD |
| SW_CI_FEEIND_ADDCHARGE_FIND | Find Tool |
| SW_CI_FEEIND_ADDCHRG | Add charge |
| SW_CI_FEEIND_AMT | Amount: |
| SW_CI_FEEIND_AMT_GT_BLNC | Changed amount should not be larger than the balance. |
| SW_CI_FEEIND_AMT_GT_ZERO | Amount to pay should be larger than 0. |
| SW_CI_FEEIND_AMT2REFUND | Amount to refund: |
| SW_CI_FEEIND_AMT2WAIVE | Amount to waive: |
| SW_CI_FEEIND_AMTCAPS | AMOUNT |
| SW_CI_FEEIND_BAL | Balance: |
| SW_CI_FEEIND_BALCAPS | BALANCE |
| SW_CI_FEEIND_BILLED | BILLED |
| SW_CI_FEEIND_BRCD | BARCODE |
| SW_CI_FEEIND_CHARGENEW | Charge New |
| SW_CI_FEEIND_CHRGAMT | Charge Amount |
| SW_CI_FEEIND_CRD | Card |
| SW_CI_FEEIND_CREATECRDT | Create credit |
| SW_CI_FEEIND_CREDIT2ADD | Credit to add: |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|--------------------------------|--|
| SW_CI_FEEIND_CSH | Cash |
| SW_CI_FEEIND_DISTRIBUTED_WAIVE | Distributed waive |
| SW_CI_FEEIND_DT | DATE |
| SW_CI_FEEIND_FEE_REASON | Fee Reason |
| SW_CI_FEEIND_FLTRCOLLECTIONS | Filter Collections |
| SW_CI_FEEIND_FLTRFEES | Filter Charges |
| SW_CI_FEEIND_FLTRTRANS | Filter Transactions |
| SW_CI_FEEIND_HISTORY | History |
| SW_CI_FEEIND_INSUF_CREDIT | Insufficient credit |
| SW_CI_FEEIND_INSUF_PARTIAL_PAY | Patron has insufficient credit. Do you want to continue to do a partial payment? |
| SW_CI_FEEIND_INVALID_AMT | Please enter an amount between 0.01 and 2,000,000.00. |
| SW_CI_FEEIND_INVALID_NUMBER | Amount to pay is not a valid value. |
| SW_CI_FEEIND_ITEM_BARCODE | Item Barcode |
| SW_CI_FEEIND_ITEM_SEARCH | Item Search |
| SW_CI_FEEIND_ITMBRCD | Item Barcode |
| SW_CI_FEEIND_MANAGEALL | Manage All Fines |
| SW_CI_FEEIND_MTHD | Method: |
| SW_CI_FEEIND_NO_OVERPAYMENT | Overpayment not allowed when paying by credit card. |
| SW_CI_FEEIND_NOTIFY_HISTORY | There is no transaction history for this charge/credit. |
| SW_CI_FEEIND_NT | Note: |
| SW_CI_FEEIND_ORG | ORGANIZATION |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|---------------------------------|--------------------------------------|
| SW_CI_FEEIND_PAY_FROM_CREDIT | Pay from Credit |
| SW_CI_FEEIND_PAYFEE | Pay |
| SW_CI_FEEIND_PAYNEW | Pay New |
| SW_CI_FEEIND_PROPS | Properties |
| SW_CI_FEEIND_REFUND | REFUND |
| SW_CI_FEEIND_REFUNDCRDT | Refund credit |
| SW_CI_FEEIND_RSN | REASON |
| SW_CI_FEEIND_SCAN | Scan or enter item barcode |
| SW_CI_FEEIND_SELECT_ONE | Select one |
| SW_CI_FEEIND_SELECT_REASON | Please select a reason for a charge. |
| SW_CI_FEEIND_SUMMARY_BAL | Balance: |
| SW_CI_FEEIND_TRANS_HISTORY | Transaction History |
| SW_CI_FEEIND_TRANS_MENU_HISTORY | History |
| SW_CI_FEEIND_TRANS_PROPERTIES | Properties |
| SW_CI_FEEIND_TTL | TITLE |
| SW_CI_FEEIND_TYP | TYPE |
| SW_CI_FEEIND_WAIVE | waive |
| SW_CI_FEEIND_WAIVECHRG | Waive charge |
| SW_CI_FEEIND_WAIVENEW | Waive New |
| SW_CI_FEEIND_ZERO_AMOUNT | Please enter a valid amount. |
| SW_CI_FEEINFOVW_AMTDUE | Amount Due: |
| SW_CI_FEEINFOVW_BRCD | Barcode: |
| SW_CI_FEEINFOVW_CLLNMBR | Call Number: |
| SW_CI_FEEINFOVW_DESCRPT | Description: |
| SW_CI_FEEINFOVW_DUEON | Due On: |
| SW_CI_FEEINFOVW_FEETYP | Fee Type: |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|---------------------------|--|
| SW_CI_FEEINFOVW_MATTYP | Material Type: |
| SW_CI_FEEINFOVW_NT | Note: |
| SW_CI_FEEINFOVW_OUTSTNDNG | Outstanding: |
| SW_CI_FEEINFOVW_PAYFEE | pay |
| SW_CI_FEEINFOVW_VWBIBREC | View Bibliographic Record |
| SW_CI_FEEINFOVW_VWHLDINFO | View Hold Information |
| SW_CI_FEEINFOVW_VWITMREC | View Item Record |
| SW_CI_FILTER_HEADINGS | Filter Headings |
| SW_CI_FILTERED | Filtered |
| SW_CI_FIND | FIND |
| SW_CI_FINDTOOL_TITLE | Find Tool |
| SW_CI_FINES_PREVENT_CLOSE | Unresolved fines prevent Check In from being closed. |
| SW_CI_FORFEIT_PROPERTIES | Forfeit Properties |
| SW_CI_FREE_TXT_BLOCKS_TXT | Free Text |
| SW_CI_GET_ORGS_FAILED | We're sorry. We were unable to retrieve the list of organizations. |
| SW_CI_GET_WRKSTNS_FAILED | We're sorry. We were unable to retrieve the list of workstations. |
| SW_CI_HDR_OVERNIGHT_LOAN | Overnight Loan |
| SW_CI_HELP | Help |
| SW_CI_HLDIND_ACTFRM | Activation |
| SW_CI_HLDIND_ACTTO | Expiration |
| SW_CI_HLDIND_ADDTOGRP | Add to group |
| SW_CI_HLDIND_ASKLATER | Ask me later |
| SW_CI_HLDIND_AUTH | Author |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|--------------------------------------|---|
| SW_CI_HLDIND_BIB_CN_NO | Bib Control Number |
| SW_CI_HLDIND_BRCD | Barcode |
| SW_CI_HLDIND_BRRWBML | Borrow By Mail |
| SW_CI_HLDIND_CANCEL_ERR | Unable to cancel hold request. |
| SW_CI_HLDIND_CANCELED | Hold request cancelled successfully. |
| SW_CI_HLDIND_CLLNO | Call NO |
| SW_CI_HLDIND_CLS | Close |
| SW_CI_HLDIND_CNCL | Cancel |
| SW_CI_HLDIND_CNCLHLD | Cancel |
| SW_CI_HLDIND_CNSTTTLAUTH | Constituent Title/Author |
| SW_CI_HLDIND_CONAUTH | Constituent Author |
| SW_CI_HLDIND_CONFIRM_ACTION_DEL_MSG | The hold request will be permanently deleted. Do you want to continue? |
| SW_CI_HLDIND_CONFIRM_ACTION_DELS_MSG | The selected hold request(s) will be permanently deleted. Do you want to continue? |
| SW_CI_HLDIND_CONFIRM_ACTION_MSG | You have made changes to this Hold Request. Are you sure you want to continue without saving? |
| SW_CI_HLDIND_CONFIRM_CANCEL | Cancel |
| SW_CI_HLDIND_CONFIRM_DEL_TITLE | Delete hold request |
| SW_CI_HLDIND_CONFIRM_DEL_YES | Continue |
| SW_CI_HLDIND_CONFIRM_DELS_TITLE | Delete hold request(s) |
| SW_CI_HLDIND_CONFIRM_MSG | You have made changes to this Hold Request. Are you sure you want to close without saving? |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|-------------------------------|--|
| SW_CI_HLDIND_CONFIRM_RFSH_MSG | You have made changes to this Hold Request. Are you sure you want to refresh without saving? |
| SW_CI_HLDIND_CONFIRM_TITLE | Hold Request Changed |
| SW_CI_HLDIND_CONFIRM_YES | Discard Changes |
| SW_CI_HLDIND_CONTTL | Constituent Title |
| SW_CI_HLDIND_DELETE_ERR | Error deleting request. |
| SW_CI_HLDIND_DESCRIP | Description |
| SW_CI_HLDIND_DETAILS_REROUTE | Rerouted to |
| SW_CI_HLDIND_DLTHLD | Delete |
| SW_CI_HLDIND_DNYHLD | Deny |
| SW_CI_HLDIND_DT | Date |
| SW_CI_HLDIND_EDTN | Edition |
| SW_CI_HLDIND_FILLNOW | Fill Now |
| SW_CI_HLDIND_FILLNOW_ERR | Error processing request. |
| SW_CI_HLDIND_FILLNOW_SCAN | Scan/enter item barcode to fill now |
| SW_CI_HLDIND_FILLNOW_SCANERR | Please enter a barcode. |
| SW_CI_HLDIND_FLTRHLDs | Filter Holds |
| SW_CI_HLDIND_FRMT | Format |
| SW_CI_HLDIND_GRP | GROUP |
| SW_CI_HLDIND_HDR_TITLE | Hold Request |
| SW_CI_HLDIND_HISTORY | Request History |
| SW_CI_HLDIND_HLDUNTDT | HOLD UNTIL |
| SW_CI_HLDIND_ID | Request ID |
| SW_CI_HLDIND_ISBNISSN | ISBN/ISSN |
| SW_CI_HLDIND_ISSUE | Issue |
| SW_CI_HLDIND_ITEMONLY | This item only |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|-----------------------------|--|
| SW_CI_HLDIND_LCCN | LCCN |
| SW_CI_HLDIND_LOCKED | This record is being modified by [username]. |
| SW_CI_HLDIND_MULTHLDs | Multiple holds |
| SW_CI_HLDIND_NA | N/A |
| SW_CI_HLDIND_NAV_DETAILS | Details |
| SW_CI_HLDIND_NAV_HIS | History |
| SW_CI_HLDIND_NAV_NOTES | Notes |
| SW_CI_HLDIND_NAV_SATBY | Satisfied By |
| SW_CI_HLDIND_NONPBLCNTS | Non-public Notes |
| SW_CI_HLDIND_NOTES | Notes |
| SW_CI_HLDIND_NWHLDS | New Hold |
| SW_CI_HLDIND_ORIGIN | Origin |
| SW_CI_HLDIND_PACNTS | PAC Display Notes |
| SW_CI_HLDIND_PATBARCODE | Patron barcode |
| SW_CI_HLDIND_PATNAME | Patron name |
| SW_CI_HLDIND_PATNOTIFOPTN | Notification Option |
| SW_CI_HLDIND_PATNTS | Patron Notes |
| SW_CI_HLDIND_PATREGBRANCH | Registered at |
| SW_CI_HLDIND_PBLSHR | Publisher |
| SW_CI_HLDIND_PCKUPBRNCH | Pickup Branch |
| SW_CI_HLDIND_PCKUPFRM | Pickup |
| SW_CI_HLDIND_PGS | Pages |
| SW_CI_HLDIND_PLCHLD | Place Hold |
| SW_CI_HLDIND_QUEUE | QUEUE |
| SW_CI_HLDIND.REACTIVATE_ERR | Error reactivating request. |
| SW_CI_HLDIND.REACTVTHLD | Reactivate |
| SW_CI_HLDIND.REMOVE | Remove (Patron Holds, |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|-------------------------------|---------------------------------------|
| | button hover text) |
| SW_CI_HLDIND_REQUESTDT | Request Date |
| SW_CI_HLDIND_REROUTETO | Rerouted to |
| SW_CI_HLDIND_RETURN | Return |
| SW_CI_HLDIND_RMVFRMGRP | Remove from group |
| SW_CI_HLDIND_SATISFIEDBY | Request Satisfied By |
| SW_CI_HLDIND_SERIES | Series |
| SW_CI_HLDIND_SRLCPY | Serial Copy |
| SW_CI_HLDIND_STATUSDT | Status Date |
| SW_CI_HLDIND_STFFDSPLYNTS | Staff Display Notes |
| SW_CI_HLDIND_SVCHNGS | Save |
| SW_CI_HLDIND_TBACTDATE | ACTIVATION DATE |
| SW_CI_HLDIND_TBACTION | ACTION |
| SW_CI_HLDIND_TBASSGNBRNCH | Assigned Branch |
| SW_CI_HLDIND_TBAUTH | AUTHOR |
| SW_CI_HLDIND_TBCLLNMBR | CALL NUMBER |
| SW_CI_HLDIND_TBFRMT | FORMAT |
| SW_CI_HLDIND_TBITEMBARCODE | ITEM BARCODE |
| SW_CI_HLDIND_TBITMBRCD | Item Barcode |
| SW_CI_HLDIND_TBPCPKUPBRNCH | PICKUP BRANCH |
| SW_CI_HLDIND_TBREASON | NOT SUPPLIED REASON |
| SW_CI_HLDIND_TBSTTS | STATUS |
| SW_CI_HLDIND_TBTTL | TITLE |
| SW_CI_HLDIND_TBUSER | USER |
| SW_CI_HLDIND_TRCKNGNMBR | Tracking Number |
| SW_CI_HLDIND_TTL | Title |
| SW_CI_HLDIND_UNCLAIMED_DT_ERR | Unclaimed date cannot be in the past. |
| SW_CI_HLDIND_UNCLAIMEDDT | Unclaimed |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|-------------------------------|--|
| SW_CI_HLDIND_UNLCKRQST | Unlock Request |
| SW_CI_HLDIND_UPDATE_ERR | Error updating request. |
| SW_CI_HLDIND_UPDATED | The hold request has been updated. |
| SW_CI_HLDIND_VOLUME | Volume |
| SW_CI_HLDSEL_PROMPT_PATRON | Patron |
| SW_CI_HOLD | Hold |
| SW_CI_HOLD_ADDED_TO_GROUP | Added to group successfully. |
| SW_CI_HOLD_CREATED | The hold request has been created. |
| SW_CI_HOLD_ITEM_NOT_FOUND | No matching item record was found. |
| SW_CI_HOLD_NOT_SAVED | Hold Not Saved |
| SW_CI_HOLD_NOT_SELECTED | Eligible hold request not selected. |
| SW_CI_HOLD_REMOVED_FROM_GROUP | Removed from group(s) successfully. |
| SW_CI_HOLD_REQUESTS | Hold requests |
| SW_CI_HOLD_REQUESTS_TTL | Hold Requests |
| SW_CI_HOLD_SELECT_PATRON | Please select a patron. |
| SW_CI_HOLD_UPDATED | The hold request has been updated. |
| SW_CI_HOLDDENY_ALL | Deny all available items at this branch |
| SW_CI_HOLDDENY_BTNCANCEL | Cancel |
| SW_CI_HOLDDENY_BTNDENY | Deny Hold |
| SW_CI_HOLDDENY_DESCRIPTION | Denying an item for a hold request will prevent the pending item from ever satisfying the hold |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|---------------------------------------|--|
| | request. Do you want to continue? |
| SW_CI_HOLDDENY_LABEL | Deny reason: |
| SW_CI_HOLDDENY_NONSELECTED | No 'Pending' requests selected |
| SW_CI_HOLDIND_LOCKED | The record is being modified by [username]. |
| SW_CI_HOLDNEW_ADD_TITLES | Add Titles |
| SW_CI_HOLDNEW_ORSPATRON | Outreach Services Patron |
| SW_CI_HOLDNEW_PROMPTSELECTDESIGNATION | Select a designation ... |
| SW_CI_HOLDNEW_PROMPTSELECTVOLUME | Select a volume ... |
| SW_CI_HOLDNEW_WARNPROMOTEITEMANY | First available copy |
| SW_CI_HOLDNEW_WARNPROMOTEITEMITEM | This item only |
| SW_CI_HOLDNEW_WARNPROMOTEITEMMSG | Other copies of this item may be available. Do you want this specific item or the first available copy? |
| SW_CI_HOLDNEW_WARNPROMOTEITEMTTL | Serial/Multi Volume Holds |
| SW_CI_HOLDNEW_WARNSELECTDESIGNATION | Please select a designation from the list below. |
| SW_CI_HOLDNEW_WARNSELECTVOLUME | Please select a volume from the list below. |
| SW_CI_HOLDNEW_WARNSERIALTITLEANY | Request any available item |
| SW_CI_HOLDNEW_WARNSERIALTITLEITEM | Request a specific item |
| SW_CI_HOLDNEW_WARNSERIALTITLEMSG | You have selected a serial title. A request placed on the title will trap any available item. Select one of the fol- |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|---|--|
| | lowing: |
| SW_CI_HOLDNEW_WARNSERIALTITLETTL | Serial Holds |
| SW_CI_HOLDNEW_WARNSERMPTITLEANY | Request any item (bib-level request) |
| SW_CI_HOLDNEW_WARNSERMPTITLEITEM | Request the first available copy of one of the listed items |
| SW_CI_HOLDNEW_WARNSERMPTITLEMSG | You have selected a serial or multi-part title. A request placed on the title will trap any available item. Would you like to: |
| SW_CI_HOLDNEW_WARNSERMPTITLETTL | Serial/Multi Volume Holds |
| SW_CI_HOLDQUEUE_BTM | Bottom |
| SW_CI_HOLDQUEUE_BY | By |
| SW_CI_HOLDQUEUE_CLOSE | Close |
| SW_CI_HOLDQUEUE_COLUMNFLTR_DEFAULT | Filter by Column |
| SW_CI_HOLDQUEUE_CONFIRM_CANCEL | Cancel |
| SW_CI_HOLDQUEUE_CONFIRM_CLOSE_MESSAGE | You have made changes to this hold queue. Are you sure you want to close without saving? |
| SW_CI_HOLDQUEUE_CONFIRM_DISCARD_CHANGES | Discard Changes |
| SW_CI_HOLDQUEUE_CONFIRM_REFRESH_MESSAGE | You have made changes to this hold queue. Are you sure you want to refresh without saving? |
| SW_CI_HOLDQUEUE_CONFIRM_TITLE | Hold Queue Changed |
| SW_CI_HOLDQUEUE_DWN | Down |
| SW_CI_HOLDQUEUE_EXPDT | Expiration Date |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|--|------------------------------------|
| SW_CI_HOLDQUEUE_HEADER_CONSTITUENTAUTHOR | Constituent author: |
| SW_CI_HOLDQUEUE_HEADER_CONSTITUENTTITLE | Constituent title: |
| SW_CI_HOLDQUEUE_HEADER_CONTROLNUMBER | Control number: |
| SW_CI_HOLDQUEUE_ISS | Issue |
| SW_CI_HOLDQUEUE_ISSFLTR | Issue Filter |
| SW_CI_HOLDQUEUE_ISSFLTR_DEFAULT | All Issues |
| SW_CI_HOLDQUEUE_PATBRNCH | Patron Branch |
| SW_CI_HOLDQUEUE_PATNM | Patron Name |
| SW_CI_HOLDQUEUE_PCKBRNCH | Pickup Branch |
| SW_CI_HOLDQUEUE_PLACEHOLD | Place Hold |
| SW_CI_HOLDQUEUE_POS | Position |
| SW_CI_HOLDQUEUE_RQSTD | Request Date |
| SW_CI_HOLDQUEUE_SAVE | Save |
| SW_CI_HOLDQUEUE_STATUS | Status |
| SW_CI_HOLDQUEUE_TITLE | Holds Queue |
| SW_CI_HOLDQUEUE_TOP | Top |
| SW_CI_HOLDQUEUE_UP | Up |
| SW_CI_HOLDQUEUE_UPDATED | The hold queue has been updated. |
| SW_CI_HOLDQUEUE_VLMFLTR | Volume Filter |
| SW_CI_HOLDQUEUE_VLMFLTR_DEFAULT | All Volumes |
| SW_CI_HOLDQUEUE_VOL | Volume |
| SW_CI_HOLDSQUEUE | Holds Queue |
| SW_CI_HOLDS_CREATED | Hold request(s) have been created. |
| SW_CI_HSTIND_AMT | Amount: |
| SW_CI_HSTIND_AUTH | AUTHOR |
| SW_CI_HSTIND_BAL | Balance: |
| SW_CI_HSTIND_BRCD | BARCODE |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|-----------------------------|---|
| SW_CI_HSTIND_CRD | Card |
| SW_CI_HSTIND_CSH | Cash |
| SW_CI_HSTIND_DT | Checkout Date |
| SW_CI_HSTIND_FLTRHST | Filter History |
| SW_CI_HSTIND_LIB | LIBRARY |
| SW_CI_HSTIND_MKECLAIM | CLAIM |
| SW_CI_HSTIND_MTHD | Method: |
| SW_CI_HSTIND_PAYFEE | pay |
| SW_CI_HSTIND_REMOVE | Remove |
| SW_CI_HSTIND_TTL | TITLE |
| SW_CI_HSTIND_TYP | FORMAT |
| SW_CI_ILL_ACTDT | Activation Date |
| SW_CI_ILL_AUTH | Author |
| SW_CI_ILL_FRMT | Format |
| SW_CI_ILL_ITEM | Item |
| SW_CI_ILL_PCKUPBRNCH | Pickup Branch |
| SW_CI_ILL_REQUEST | ILL requests |
| SW_CI_ILL_STATUS | Status |
| SW_CI_ILL_TITLE | Title |
| SW_CI_ILLREQ_EXPORT_SUCCESS | Exported successfully |
| SW_CI_ILLREQ_HOLDTILL_DATE | Hold until date |
| SW_CI_INFOMSG_PROMPT_NODISP | Don't display this message again (this check-in session only) |
| SW_CI_INVLD_OVRD_CREDS | The user credentials used to override the action are not valid. |
| SW_CI_ITEM_BIBFETCH_ERROR | The bibliographic record does not exist in the database. |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|---------------------------------|------------------------|
| SW_CI_ITEM_BLOCKSANDNOTES | Blocks and Notes |
| SW_CI_ITEM_CIRC_BRWR | Borrower |
| SW_CI_ITEM_CIRC_CHKDT | Check-out date |
| SW_CI_ITEM_CIRC_CHKINAT | Check-in at |
| SW_CI_ITEM_CIRC_CHKINDT | Ck-in date |
| SW_CI_ITEM_CIRC_CRCDT | Circ date |
| SW_CI_ITEM_CIRC_CRNTBWR | Current borrower |
| SW_CI_ITEM_CIRC_DUEDT | Due date |
| SW_CI_ITEM_CIRC_FROM | From |
| SW_CI_ITEM_CIRC_HLDAT | Held at |
| SW_CI_ITEM_CIRC_HLDFOR | Held for |
| SW_CI_ITEM_CIRC_INTRNTSFRD | In-transit/Transferred |
| SW_CI_ITEM_CIRC_LNBRNCH | Loaning branch |
| SW_CI_ITEM_CIRC_LSTLOC | Last location |
| SW_CI_ITEM_CIRC_LSTUSE | Last use |
| SW_CI_ITEM_CIRC_ORIGDUEDT | Original due date |
| SW_CI_ITEM_CIRC_RCVD | Received |
| SW_CI_ITEM_CIRC_RNWLDT | Renewal date |
| SW_CI_ITEM_CIRC_RNWLLIM | Renewals limit |
| SW_CI_ITEM_CIRC_RNWTKN | Renewals taken |
| SW_CI_ITEM_CIRC_SENT | Sent |
| SW_CI_ITEM_CIRC_SNTFOR | Sent for |
| SW_CI_ITEM_CIRC_SNTTO | Sent to |
| SW_CI_ITEM_CIRC_TO | To |
| SW_CI_ITEM_CIRC_WKSUSR | Wkstn/user |
| SW_CI_ITEM_CONTROLS | Controls |
| SW_CI_ITEM_CTRLS_CALL_NO_SCHEME | Call number scheme |
| SW_CI_ITEM_CTRLS_CLASSIFICATION | Classification |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|----------------------------------|--|
| SW_CI_ITEM_CTRLS_COPY | Copy |
| SW_CI_ITEM_CTRLS_CUTTER | Cutter |
| SW_CI_ITEM_CTRLS_DO_NOT_MAIL | Do not mail |
| SW_CI_ITEM_CTRLS_FCODE | Fine code |
| SW_CI_ITEM_CTRLS_HLDIBLE | Holdable |
| SW_CI_ITEM_CTRLS_HDLIMTO | Hold limited to |
| SW_CI_ITEM_CTRLS_HOMEBRNCH | Home branch |
| SW_CI_ITEM_CTRLS_LNOUTSYS | Loanable outside system |
| SW_CI_ITEM_CTRLS_LNPRD | Loan period |
| SW_CI_ITEM_CTRLS_NAME_OF_PIECE | Name of Piece |
| SW_CI_ITEM_CTRLS_NOFLOAT | Do not float |
| SW_CI_ITEM_CTRLS_PATFRMBRNCH | Patrons from this branch only |
| SW_CI_ITEM_CTRLS_PATFRMLIBBRNCH | Patrons from this library and branches |
| SW_CI_ITEM_CTRLS_PCKUPAT | Pickup at |
| SW_CI_ITEM_CTRLS_PRFFRDBRWR | Preferred borrowers |
| SW_CI_ITEM_CTRLS_RENEWAL_LIMIT | Renewal limit |
| SW_CI_ITEM_CTRLS_STATCODE | Statistical code |
| SW_CI_ITEM_CTRLS_SUFFIX | Suffix |
| SW_CI_ITEM_CTRLS_VOLUME | Volume |
| SW_CI_ITEM_DECLARED_LOST | Item declared lost successfully. |
| SW_CI_ITEM_DETAILS_ASSNBRANCH | Assigned Branch |
| SW_CI_ITEM_DETAILS_BARCODE | Barcode |
| SW_CI_ITEM_DETAILS_BIB_CONTROLNO | Bib Control Number |
| SW_CI_ITEM_DETAILS_CIRCSTATUS | Circulation Status |
| SW_CI_ITEM_DETAILS_COLLECTION | Collection |
| SW_CI_ITEM_DETAILS_DISPLAYINPAC | Display in PAC |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|----------------------------------|-----------------------------------|
| SW_CI_ITEM_DETAILS_FIND | Find |
| SW_CI_ITEM_DETAILS_LINK | Details |
| SW_CI_ITEM_DETAILS_NONCIRC | Non-circulating |
| SW_CI_ITEM_DETAILS_OWNBRANCH | Owning Branch |
| SW_CI_ITEM_DETAILS_PARENTITEM | Parent Item |
| SW_CI_ITEM_DETAILS_PRICE | Price |
| SW_CI_ITEM_DETAILS_SHELFLOCATION | Shelf Location |
| SW_CI_ITEM_DETAILS_TEMPLOCATION | Temporary Location |
| SW_CI_ITEM_DUEDATE_PAST | Cannot set due date in the past. |
| SW_CI_ITEM_DUEDATE_RESET | Item due date reset successfully. |
| SW_CI_ITEM_HDR_ASSN_BRANCH | Assigned branch: |
| SW_CI_ITEM_HDR_BARCODE | Barcode: |
| SW_CI_ITEM_HDR_BIB_CTRL_NO | Bib control number: |
| SW_CI_ITEM_HDR_BY | By |
| SW_CI_ITEM_HDR_CALL_NO | Call number: |
| SW_CI_ITEM_HDR_CIRC_STATUS | Circulation status: |
| SW_CI_ITEM_HDR_COLLECTION | Collection: |
| SW_CI_ITEM_HDR_DISPLAY_IN_PAC | Display in PAC |
| SW_CI_ITEM_HDR_ECONTENT | eContent |
| SW_CI_ITEM_HDR_ILL | ILL |
| SW_CI_ITEM_HDR_ISSUE | Issue: |
| SW_CI_ITEM_HDR_MATERIAL | Material type: |
| SW_CI_ITEM_HDR_NON_CIRCULATING | Non-circulating |
| SW_CI_ITEM_HDR_PRICE | Price: |
| SW_CI_ITEM_HDR_SHELF_LOCATION | Shelf location: |
| SW_CI_ITEM_HDR_TEMP_LOCATIONS | Temp location: |
| SW_CI_ITEMIND_BIB_REQUIRED | Bib control number |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|--------------------------------------|---|
| SW_CI_ITEMIND_CONFIRM_CANCEL | Cancel |
| SW_CI_ITEMIND_CONFIRM_CHANGES | You have made changes to this item record. Do you want to continue saving with the changes? |
| SW_CI_ITEMIND_CONFIRM_MSG | You have made changes to this item record. Are you sure you want to close without saving? |
| SW_CI_ITEMIND_CONFIRM_RFSH_MSG | You have made changes to this item record. Are you sure you want to refresh without saving? |
| SW_CI_ITEMIND_CONFIRM_TITLE | Item Record Changed |
| SW_CI_ITEMIND_CONFIRM_YES | Discard Changes |
| SW_CI_ITEMIND_INCOMPLETE_UPD | An incomplete update process prevents this record from being closed. |
| SW_CI_ITEMIND_NOSAVE_FIELDS | The item record was not saved. Missing fields: |
| SW_CI_ITEMIND_NOTIFY_HISTORY_HEADING | Notification History |
| SW_CI_ITEMIND_PARENT_ITEM_NOEXIST | The parent item record {0} does not exist in the database. |
| SW_CI_ITEMIND_RENWAL_REQUIRED | Renewal limit |
| SW_CI_ITEM_HDR_TITLE | Item Record |
| SW_CI_ITEM_NOT_FOUND | Item Record Not Found |
| SW_CI_ITEMIND_NOTIFY_HISTORY_HEADING | Notification History |
| SW_CI_ITEM_NTSBLKS_FREEBLCK | Free Text Block |
| SW_CI_ITEM_NTSBLKS_LIBBLCK | Library Assigned Block |
| SW_CI_ITEM_NTSBLKS_NONPUBNOTE | Non-Public Note |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|--|------------------------------------|
| SW_CI_ITEM_NTSBLKS_PHYCDTN | Physical Condition |
| SW_CI_ITEM_NTSBLKS_PUBNOTE | Public Note |
| SW_CI_ITEM_NTSBLKS_SYSBLCK | System Block |
| SW_CI_ITEM_RECORD | Item record |
| SW_CI_ITEM_SOURCES_DONOR_FIRSTNAME | Donor First Name |
| SW_CI_ITEM_SOURCES_DONOR_LASTNAME | Last Name |
| SW_CI_ITEM_SOURCES_DONOR_ORG | Donor Organization |
| SW_CI_ITEM_SOURCES_FIRST_AVAILABLE_DATE | First Available Date |
| SW_CI_ITEM_SOURCES_FUNDING_SOURCE | Funding Source |
| SW_CI_ITEM_SOURCES_IMPORT_BIB_CONTROLNO | Import Bib Control Number |
| SW_CI_ITEM_SOURCES_IMPORT_DATE | Import Date |
| SW_CI_ITEM_SOURCES_IMPORT_SOURCE | Import Source |
| SW_CI_ITEM_SOURCES_INVOICE | Invoice |
| SW_CI_ITEM_SOURCES_PO_RELEASE_DATE | PO Release Date |
| SW_CI_ITEM_SOURCES_PRICE | Price |
| SW_CI_ITEM_SOURCES_PURCHASE_ORDER | Purchase Order |
| SW_CI_ITEM_SOURCES_RESOURCE_GROUP | Resource Group |
| SW_CI_ITEM_SOURCES_VENDOR_ACCT | Vendor Account |
| SW_CI_ITEM_STATS_INVENTORY_DATE | Inventory date |
| SW_CI_ITEM_STATS_LIFETIME_CIRC | Lifetime circulation |
| SW_CI_ITEM_STATS_LIFETIME_IN_HOUSE_USE | Lifetime in-house use |
| SW_CI_ITEM_STATS_LIFETIME_PREV_YR_CIRC | Previous year-to-date circulation |
| SW_CI_ITEM_STATS_LINK | Statistics |
| SW_CI_ITEM_STATS_PREV_YR_TO_DATE_INHOUSE | Previous year-to-date in-house use |
| SW_CI_ITEM_STATS_YR_TO_DATE_CIRC | Year-to-date circulation |
| SW_CI_ITEM_STATS_YR_TO_DATE_INHOUSE | Year-to-date in-house use |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|-----------------------------------|--|
| SW_CI_ITEM_UPDATED | Item record has been updated. |
| SW_CI_ITEMIND_CHECKIN_MSG | This item will be checked in. |
| SW_CI_ITEMIND_CHECKIN_TTL | Check in item |
| SW_CI_ITEMIND_NO_NOTIFY_HISTORY | There is no notification history for this item/charge. |
| SW_CI_ITEMREC_SPECIALCHKIN | Special Item Check-In |
| SW_CI_ITEMS_LOWER | items |
| SW_CI_ITM_FILLSHOLD_YES | Yes |
| SW_CI_ITM_FILLSHOLD_NO | No |
| SW_CI_ITMINDX_AUTH | AUTHOR |
| SW_CI_ITMINDX_BRCD | BARCODE |
| SW_CI_ITMINDX_BRNCH | BRANCH |
| SW_CI_ITMINDX_CHCKN | Check In |
| SW_CI_ITMINDX_CHCKTANITM | Check out an item: |
| SW_CI_ITMINDX_CLLNO | CALL NO. |
| SW_CI_ITMINDX_DUEON | DUE ON |
| SW_CI_ITMINDX_FLTRFEES | Filter Items |
| SW_CI_ITMINDX_FLTRITMS | Filter Items |
| SW_CI_ITMINDX_NOTIFICATIONHISTORY | Notification History |
| SW_CI_ITMINDX_RNWD | RENEWALS LEFT |
| SW_CI_ITMINDX_SRCH | Search |
| SW_CI_ITMINDX_TTL | TITLE |
| SW_CI_ITMINDX_TYP | TYPE |
| SW_CI_ITMINFOVW_AUTHOR | Author: |
| SW_CI_ITMINFOVW_BRCD | Barcode: |
| SW_CI_ITMINFOVW_CHCKIN | Check In |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|-------------------------------|---|
| SW_CI_ITMINFOVW_CLLNMBR | Call Number: |
| SW_CI_ITMINFOVW_DUEON | Due On: |
| SW_CI_ITMINFOVW_ITMRNWBL | Item Renewable: |
| SW_CI_ITMINFOVW_MTRLTYP | Material Type: |
| SW_CI_ITMINFOVW_NO | No |
| SW_CI_ITMINFOVW_RNWLS | Renewals: |
| SW_CI_ITMINFOVW_RNWLSLFT | Renewals Left: |
| SW_CI_ITMINFOVW_RNWLSLMT | Renewals Limit: |
| SW_CI_ITMINFOVW_TTLITMS | Total Items: |
| SW_CI_ITMINFOVW_VWBIBRCRD | View Bibliographic Record |
| SW_CI_ITMINFOVW_VWHLDINFO | View Hold Information |
| SW_CI_ITMINFOVW_VWITMRCRD | View Item Record |
| SW_CI_ITMINFOVW_YS | Yes |
| SW_CI_ITMOUT_DAYS | Days |
| SW_CI_ITMOUT_HOURS | Hours |
| SW_CI_ITMOUT_MINUTES | Minutes |
| SW_CI_ITMREC_HISTORY_ACTION | Action |
| SW_CI_ITMREC_HISTORY_BRANCH | Assigned Branch |
| SW_CI_ITMREC_HISTORY_DATE | Date |
| SW_CI_ITMREC_HISTORY_LOCATION | Location |
| SW_CI_ITMREC_HISTORY_PATRONID | PatronID |
| SW_CI_ITMREC_HISTORY_STATUS | Status |
| SW_CI_ITMREC_HISTORY_USRWKS | User/WKS |
| SW_CI_ITMSOUT_CHCKIN | Check in |
| SW_CI_KEYBOARD | Keyboard |
| SW_CI_KYBRD_CLS | Close |
| SW_CI_KYBRD_DLG_DESCRIPTION | To execute a keyboard shortcut, press ctrl+shift, |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|----------------------------------|---|
| | followed by the appropriate key |
| SW_CI_KYBRD_DLG_HEADER | Keyboard Shortcuts |
| SW_CI_KYBRD_DLG_LBL_ACCOUNT | Account |
| SW_CI_KYBRD_DLG_LBL_ACTIONS | ACTIONS |
| SW_CI_KYBRD_DLG_LBL_ASSOCIATIONS | Associations |
| SW_CI_KYBRD_DLG_LBL_CHECKIN | Check In |
| SW_CI_KYBRD_DLG_LBL_CHECKOUT | Check Out |
| SW_CI_KYBRD_DLG_LBL_CLAIMS | Claims/Lost |
| SW_CI_KYBRD_DLG_LBL_FILTER | Filter |
| SW_CI_KYBRD_DLG_LBL_HISTORY | Reading History |
| SW_CI_KYBRD_DLG_LBL HOLDS | Holds/Held |
| SW_CI_KYBRD_DLG_LBL_ITEMS | Out/Overdue |
| SW_CI_KYBRD_DLG_LBL_NEW_PATRON | New Patron |
| SW_CI_KYBRD_DLG_LBL_NOTES | Notes |
| SW_CI_KYBRD_DLG_LBL_NOTICES | Notices |
| SW_CI_KYBRD_DLG_LBL_PATRON_VIEWS | Patron Views |
| SW_CI_KYBRD_DLG_LBL_REGISTRATION | Registration |
| SW_CI_KYBRD_KEYBOARD | Keyboard |
| SW_CI_LEAP_TOPICS | Leap Topics |
| SW_CI_LIB_ASND_BLOCKS_TXT | Library Assigned |
| SW_CI_LIBRARY_DOCUMENTATION | Library Documentation |
| SW_CI_LINKED_ITEM_DELETED | The item linked to this transaction has been deleted. |
| SW_CI_LINKTO_ITMRC | Item Record |
| SW_CI_LOAD_ERR | Something went wrong starting Leap |
| SW_CI_LOAD_ERR_ADDRLBLS | Unable to retrieve list of address labels. |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|------------------------------|---|
| SW_CI_LOAD_ERR_CONTACTSYSADM | Contact your system administrator for assistance. |
| SW_CI_LOAD_ERR_COUNTRIES | Unable to retrieve list of countries. |
| SW_CI_LOAD_ERR_DELOPTS | Unable to retrieve list of delivery options. |
| SW_CI_LOAD_ERR_DSPLYSTRINGS | Unable to retrieve custom display strings. |
| SW_CI_LOAD_ERR_ERMS | Unable to connect to ERMS. |
| SW_CI_LOAD_ERR_ERRCODES | Unable to retrieve error codes. |
| SW_CI_LOAD_ERR_FINECODES | Unable to retrieve list of fine codes. |
| SW_CI_LOAD_ERR_ITEMSTATUSES | Unable to retrieve list of item statuses. |
| SW_CI_LOAD_ERR_LANGS | Unable to retrieve list of languages. |
| SW_CI_LOAD_ERR_LOANPERCODES | Unable to retrieve list of loan period codes. |
| SW_CI_LOAD_ERR_MATTYPES | Unable to retrieve list of material types. |
| SW_CI_LOAD_ERR_NOTSUPPLIED | Unable to retrieve list of hold request not supplied reasons. |
| SW_CI_LOAD_ERR_ORGS | Unable to retrieve list of organizations. |
| SW_CI_LOAD_ERR_PATCODES | Unable to retrieve list of patron codes. |
| SW_CI_LOAD_ERR_PATMSGS | Unable to retrieve list of patron messages. |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|----------------------------|---|
| SW_CI_LOAD_ERR_PHCARRIERS | Unable to retrieve list of phone carriers. |
| SW_CI_LOAD_ERR_PRNTOPTS | Unable to retrieve list of print options. |
| SW_CI_LOAD_ERR_RESTART | Restart |
| SW_CI_LOAD_ERR_RFIDLIC | Unable to retrieve RFID license information. |
| SW_CI_LOAD_ERR_TOMS | Unable to retrieve list of MARC type of materials. |
| SW_CI_LOAD_ERR_WRKFLWCODES | Unable to retrieve work-flow codes. |
| SW_CI_LOADING | Loading... |
| SW_CI_LOADING_STILL | Still Loading... |
| SW_CI_LOADING_WAIT | Your request is taking longer than expected. Please wait. |
| SW_CI_LOCKINFO_DATE | Lock date |
| SW_CI_LOCKINFO_OBJID | Object ID |
| SW_CI_LOCKINFO_OBJTYPE | Object type |
| SW_CI_LOCKINFO_USER | User |
| SW_CI_LOCKINFO_WORKSTATION | Workstation |
| SW_CI_LOGIN_ALERT | Alert |
| SW_CI_LOGIN_ALERT_TITLE | Polaris Leap - Alert Message |
| SW_CI_LOGOFF_HDR | Log out user |
| SW_CI_LOGOFF_WARNING | This operation will close any open workforms and unsaved changes will be lost. Are you sure you wish to log off Polaris Leap? |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|--------------------------------|--|
| SW_CI_LOGOUT | Logout |
| SW_CI_LOSTBILLED_ACTIONS | Actions |
| SW_CI_LOSTBILLED_AMT | Amount |
| SW_CI_LOSTBILLED_AMTDUE | Amount due |
| SW_CI_LOSTBILLED_BILLD | Billed |
| SW_CI_LOSTBILLED_BILDDT | Billed Date |
| SW_CI_LOSTBILLED_CHRG | Charge |
| SW_CI_LOSTBILLED_DATE | Date |
| SW_CI_LOSTBILLED_DUE | Due |
| SW_CI_LOSTBILLED_ITMBRCD | Item Barcode |
| SW_CI_LOSTBILLED_LOST | Lost |
| SW_CI_LOSTBILLED_OVD | Overdue |
| SW_CI_LOSTBILLED_PAID | Paid |
| SW_CI_LOSTBILLED_PATBRCD | Patron Barcode |
| SW_CI_LOSTBILLED_PATNM | Patron Name |
| SW_CI_LOSTBILLED_PAYMTHD | Payment method |
| SW_CI_LOSTBILLED_PROC | Processing |
| SW_CI_LOSTBILLED_RPLMNT | Replacement |
| SW_CI_LOSTBILLED_SELECT_ACTION | Please select an action for each charge. |
| SW_CI_LOSTBILLED_TTL | Title |
| SW_CI_LOSTBILLED_TTLFINE | Total Fine |
| SW_CI_LOSTBILLED_WVD | Waived |
| SW_CI_MAKE_CLAIM | Make a Claim |
| SW_CI_MAKECLAIM_MTHD | Choose a claim status: |
| SW_CI_MANAGE_ITEMRCRDTTL | Manage Item Record |
| SW_CI_MERGE_BLOCKS | Merge of this patron record is blocked for the following conditions: |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|---------------------------|--|
| SW_CI_MERGE_BLOCKS_HEADER | Patron Merge Blocking Conditions |
| SW_CI_MERGE_CABLOCK | Patron has a collection agency block. Merging records will alter the balance reported for the patron. You cannot merge this patron record with another patron. |
| SW_CI_MERGE_CONFIRMATION | The primary record will be updated and saved. The secondary record will be deleted |
| SW_CI_MERGE_ERR | Unexpected error |
| SW_CI_MERGE_PATRONS | Merge Patron Records |
| SW_CI_MERGEPAT_OPENRCD | Open record |
| SW_CI_MERGEPAT_SELECTPAT | Select record to delete |
| SW_CI_MESSAGE_ADD_ERR | Error adding messages. |
| SW_CI_MESSAGE_ADDED | Message has been added successfully. |
| SW_CI_MESSAGE_DELETED | Message has been deleted successfully. |
| SW_CI_MESSAGE_DELETED_ERR | Error deleting messages. |
| SW_CI_MESSAGE_ERR | Message description is required for free text messages. |
| SW_CI_MESSAGE_EXISTS | Message already exists. |
| SW_CI_MESSAGE_LEN_ERR | Message description is too long(max length 255 chars). |
| SW_CI_MESSAGE_MODIFIED | Message has been modified successfully. |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|-----------------------------------|--|
| SW_CI_MESSAGE_MODIFIED_ERR | Error modifying messages. |
| SW_CI_MESSAGE_PROPS_TTL | Message Properties |
| SW_CI_MESSAGE_SELECT | Please select a library assigned message from the list. |
| SW_CI_MESSAGE_SELECT_TYPE | Please select a Message Type. |
| SW_CI_MONEY_DUE_PATRON | is due to the patron. |
| SW_CI_MSG_ASK2CONTINUE | Do you want to continue with this operation? |
| SW_CI_MSG_CLOSEDDAY_MOVE2NEXTDAY | Due date is a closed date. It moved to the next open date. |
| SW_CI_MSG_INVALID_SPECIALLOAN | Invalid loan period |
| SW_CI_MSSGIND_ADD | Add |
| SW_CI_MSSGIND_ADDMSSG | New Message |
| SW_CI_MSSGIND_CREATED_BY | Created By |
| SW_CI_MSSGIND_DATE_CREATED | Date Created |
| SW_CI_MSSGIND_DATE_MODIFIED | Date Modified |
| SW_CI_MSSGIND_DELETE_ALL_SUCCESS | Message(s) have been removed successfully |
| SW_CI_MSSGIND_DELETE_FAILURE | No Messages were removed |
| SW_CI_MSSGIND_DELETE_SOME_SUCCESS | Some Messages were not removed |
| SW_CI_MSSGIND_DELMSSG | Delete |
| SW_CI_MSSGIND_FLTRITMS | Filter Messages |
| SW_CI_MSSGIND_FREETEXTMESSAGE | Enter your free text message here |
| SW_CI_MSSGIND_HSRDMSSG | Patron Has Read |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|------------------------------------|---|
| SW_CI_MSSGIND_MESSAGE_PROPERTIES | Properties |
| SW_CI_MSSGIND_MODIFIED_BY | Modified By |
| SW_CI_MSSGIND_MSSG | Messages |
| SW_CI_MSSGIND_PATREAD_NO | No |
| SW_CI_MSSGIND_PATREAD_YES | Yes |
| SW_CI_MSSGIND_SAVE | Save |
| SW_CI_MSSGIND_SELECTMESSAGE | Select a message description |
| SW_CI_MSSGIND_SRCH | Filter Messages |
| SW_CI_MSSGIND_WORKSTATION | Workstation |
| SW_CI_NEWITEM_HDR_TITLE | New Item Record |
| SW_CI_NEWITEM_HOLDABLE | Holdable |
| SW_CI_NEWITEM_NONCIRC | Non-circulating |
| SW_CI_NEWITEM_SAVE | Create Item |
| SW_CI_NEWITEM_SELECT_BRANCH | Select a branch |
| SW_CI_NEWITEM_SELECT_COLL | Select a collection |
| SW_CI_NEWITEM_SELECT_FINECODE | Select a fine code |
| SW_CI_NEWITEM_SELECT_LOANPRD | Select a loan period |
| SW_CI_NEWITEM_SELECT_MATTYP | Select a material type |
| SW_CI_NEWITEM_SELECT_OWNBRNCH | Select an owning branch |
| SW_CI_NEWITEM_SELECT_SHLFLOC - | Select a shelf location |
| SW_CI_NEWITEM_SELECT_STATCODE | Select a stat code |
| SW_CI_NEWITEM_TEMPLATE | Item Template |
| SW_CI_NEWITEM_USE_TEMP_VALS | Use template values instead of these (if available) |
| SW_CI_NEWITEMREC_ABRANCH_MISSING | Assigned branch |
| SW_CI_NEWITEMREC_CLOSE_CONFIRM_MSG | Are you sure you want to cancel without saving? |
| SW_CI_NEWITEMREC_CONFIRM_MSG | You have made changes |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|----------------------------------|--|
| | to this item record. |
| SW_CI_NEWITEMREC_CONFIRM_TITLE | New Item Record Changed |
| SW_CI_NEWITEMREC_FCODE_MISSING | Fine code |
| SW_CI_NEWITEMREC_LPCODE_MISSING | Loan period code |
| SW_CI_NEWITEMREC_MATTYPE_MISSING | Material type |
| SW_CI_NEWITEMREC_OBRANCH_MISSING | Owning branch |
| SW_CI_NEWITEMREC_RENLIM_MISSING | Renewal limit |
| SW_CI_NEW_OBJECT | New |
| SW_CI_NEW_PATRON | Patron Record |
| SW_CI_NEW_RECSET | Record Set |
| SW_CI_NO_CLOSE_UNSAVED_CHANGES | Unsaved changes prevent this workflow from being closed. |
| SW_CI_NO_LINKED_ITEM | There is no item record linked for this transaction. |
| SW_CI_NO_PERMISSION | You do not have permission. |
| SW_CI_NO_PERMISSION_ACTION | You don't have permission to perform that action. |
| SW_CI_NON_BLOCKING_NTS_TEXT | Non Blocking Notes |
| SW_CI_NONE | None |
| SW_CI_NOT | NOT (Find Tool filter) |
| SW_CI_NOT_PERMITTED_TO | You are not permitted to perform the following: |
| SW_CI_NOT_VALID_VALUE | is not a valid value. |
| SW_CI_NOTICES_FILTER | Filter Notices |
| SW_CI_NOTIFICATION_CRNTURL | Current URL |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|---------------------------------|---|
| SW_CI_NOTIFICATION_DTLS | Details |
| SW_CI_NOTIFICATION_ENV | Environment |
| SW_CI_NOTIFICATION_LINE | line |
| SW_CI_NOTIFICATION_PREVURL | Previous URL |
| SW_CI_NTCSIND_AMT | Amount |
| SW_CI_NTCSIND_CLOSE | Close |
| SW_CI_NTCSIND_DT | Date |
| SW_CI_NTCSIND_FROM | From |
| SW_CI_NTCSIND_ITMRCD | Item Record |
| SW_CI_NTCSIND_MATTYPE | Material Type |
| SW_CI_NTCSIND_MTHD | Method |
| SW_CI_NTCSIND_NOTICE | Notice |
| SW_CI_NTCSIND_STATUS | Status |
| SW_CI_NTCSIND_TTL | Title |
| SW_CI_NTCSIND_TYP | Type |
| SW_CI_OBJECT_LOCKED | Locked |
| SW_CI_OF | of |
| SW_CI_OR | OR (Find Tool filter) |
| SW_CI_ORG_NOT_LICENSED_FOR_LEAP | The organization associated with this workstation is not licensed for Leap circulation. |
| SW_CI_OVD_TOO_LARGE | Changed overdue amount should not be larger than the outstanding. |
| SW_CI_OVERPAYMENT | Overpayment |
| SW_CI_OVERRIDE_INVALID_USRPWD | Please enter both a user-name and password. |
| SW_CI_OVRRD | Override |
| SW_CI_PAT_ILLREQ_PROCERR_PREFIX | ILL request error(s) pro- |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|--|---|
| | cessing |
| SW_CI_PAT_ILLREQ_PROCERR_SUFFIX | action |
| SW_CI_PAT_ILLREQ_CANCEL | cancel |
| SW_CI_PAT_ILLREQ_EXPORT | export |
| SW_CI_PAT_ILLREQ_RETURN | return |
| SW_CI_PAT_VIEW_SA_DISABLED_WARNING | Access to '{0}' view is denied. System Admin attribute is disabled. |
| SW_CI_PAT_VIEW_SA_DISABLED_WARNING_HDR | View is not available |
| SW_CI_PAT_VIEW_ILL_RECEIVE_INNREACH_ERROR | Receiving InnReach request is not supported. |
| SW_CI_PAT_VIEW_ILL_RETURN_ITEMSTATUS_ERROR | Item has a status of [status]. Please check the item in. |
| SW_CI_PAT_ILLREQ_EXPORT_ERR | ILL requests must be saved prior to export. |
| ▪ SW_CI_PAT_ILLREQ_EXPORT_WARNING | Subsequent ILL requests will not be processed. |
| SW_CI_PATBLKS_ADDED | Block has been added successfully. |
| SW_CI_PATBLKS_ADDED_ERR | Error adding blocks. |
| SW_CI_PATBLKS_DELETE_ERR | Error deleting blocks. |
| SW_CI_PATBLKS_DELETED | Block has been deleted successfully. |
| SW_CI_PATBLKS_EXISTS | Block already exists. |
| SW_CI_PATBLKS_FREETXT_ERR | Block description is required for free text blocks. |
| SW_CI_PATBLKS_FREETXT_LEN_ERR | Block description is too long (max length 255 chars). |
| SW_CI_PATBLKS_MODIFIED | Block has been modified |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|----------------------------------|---|
| | successfully. |
| SW_CI_PATBLKS MODIFY_ERR | Error modifying blocks. |
| SW_CI_PATBLKS_SELECT_LIB_ASSGNED | Please select a library assigned block from the list. |
| SW_CI_PATBLKS_SELECT_TYPE | Please select a type of block. |
| SW_CI_PATHOLDINFO_ACTDATE | Activation Date |
| SW_CI_PATHOLDINFO_AUTHOR | Author |
| SW_CI_PATHOLDINFO_CALLNUMBER | Call Number |
| SW_CI_PATHOLDINFO_FORMAT | Format |
| SW_CI_PATHOLDINFO_PICKUPBRANCH | Pickup Branch |
| SW_CI_PATHOLDINFO_STATUS | Status |
| SW_CI_PATHOLDINFO_TITLE | Title |
| SW_CI_PATILL_FILTER | Filter ILLs |
| SW_CI_PATLOCK_REGISTRATION | Patron Record is locked by |
| SW_CI_PATLOCK_STATUS | Patron Status is locked by |
| SW_CI_PATNOTES_UPDATE_ERR | Error updating patron notes. |
| SW_CI_PATNOTES_UPDATED | Patron Notes have been updated. |
| SW_CI_PATRECSET_DATE | CREATION DATE |
| SW_CI_PATRECSET_FILTER | Filter record sets |
| SW_CI_PATRECSET_NAME | NAME |
| SW_CI_PATRECSET_NOTE | NOTE |
| SW_CI_PATRECSET_OWNER | OWNER |
| SW_CI_PATRECSET_TOTALREC | TOTAL RECORDS |
| SW_CI_PATREG_CREATED | The patron record has |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|-------------------------------------|---|
| | been created. |
| SW_CI_PATREG_HEADING | Patron Registration |
| SW_CI_PATREG_LEAVE | You have made changes to this record. Are you sure you want to leave without saving? |
| SW_CI_PATREG_MISSING_FIELDS | Missing Fields |
| SW_CI_PATREG_NOREGVIEWPERM | No permission to view patron registration. |
| SW_CI_PATREG_NOSAVE_FIELDS | The patron record was not saved. Missing fields: |
| SW_CI_PATREG_NOTSAVED | Record Not Saved |
| SW_CI_PATREG_OFFICE1 | Office 1 |
| SW_CI_PATREG_OFFICE2 | Office 2 |
| SW_CI_PATREG_POSTALCODE_99999 | The Postal Code / Country combination is not valid. Please re-enter data in 99999 format. |
| SW_CI_PATREG_POSTALCODE_NOT_PRESENT | The postal code is not present / is invalid. Please re-enter data. |
| SW_CI_PATREG_POSTALCODE_SELECT_CITY | Select a city. |
| SW_CI_PATREG_PWD_NOMATCH | The patron record was not saved. The passwords do not match. |
| SW_CI_PATREG_REQFIELD_ADDRESS | Address |
| SW_CI_PATREG_REQFIELD_GENDER | Gender |
| SW_CI_PATREG_RENEW_REG_HDR | Renew Registration |
| SW_CI_PATREG_SAVE_ERROR | Error saving patron registration! |
| SW_CI_PATREG_SECURE_UNSAVED | This patron record has unsaved changes. |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|---------------------------------|--|
| | Continue to secure patron record without changes? |
| SW_CI_PATREG_SECURE_UNSAVED_TTL | Patron record contains unsaved changes |
| SW_CI_PATREG_STATCLASS_CHG | Statistical Class Changed |
| SW_CI_PATREG_STATCLASS_NONE | The Statistical class has been set to (None). |
| SW_CI_PATREG_UPDATED | The patron record has been updated. |
| SW_CI_PATREG_UPDTIMG_TTL | Update Image |
| SW_CI_PATRON_ADDR_CHK_NEAR | The address check date is nearing. |
| SW_CI_PATRON_ADDR_CHK_PAST | The address check date is in the past. |
| SW_CI_PATRON_BLOCKED_TTL | Patron is blocked |
| SW_CI_PATRON_ERCPT_UPDATED | eReceipt options updated successfully. |
| SW_CI_PATRON_REG_ALMOSTEXPIRED | The patron registration is about to expire. Please update. |
| SW_CI_PATRON_REG_EXPIRED | The patron registration has expired. Please update. |
| SW_CI_PATREG_RENEW_REG_HDR | Renew Registration |
| SW_CI_PATRON_STATUS | Patron status |
| SW_CI_PATRONRECORDSET_DATE | Creation Date |
| SW_CI_PATRONRECORDSET_FILTER | Filter record sets |
| SW_CI_PATRONRECORDSET_NAME | Name |
| SW_CI_PATRONRECORDSET_NOTE | Note |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|----------------------------------|---|
| SW_CI_PATRONRECORDSET_OWNER | Owner |
| SW_CI_PATRONRECORDSET_TOTALREC | Total Records |
| SW_CI_PAY_NEW_FINES | Pay new fines |
| SW_CI_PAYFEE_AMT_LESS_THAN | Please enter an amount less than |
| SW_CI_PAYFEE_APPLY | Apply |
| SW_CI_PAYFEE_APPLY_AS_CREDIT | You chose to pay more than the balance. Do you wish to apply the overpayment as credit? |
| SW_CI_PAYFEE_APPLY_OVER_CREDIT | Apply overpayment as credit |
| SW_CI_PAYFEE_AS_CREDIT | as credit? |
| SW_CI_PAYFEE_BALANCE | Balance |
| SW_CI_PAYFEE_CREDIT | Pay from Credit |
| SW_CI_PAYFEE_INSUFFICIENT_CREDIT | Patron has insufficient credit. Do you want to do a partial payment? |
| SW_CI_PAYFEE_NO_OVERPAY_CC | Overpayment is not allowed when paying by credit card. |
| SW_CI_PAYFEE_NO_OVERPAY_CREDIT | Overpayment is not allowed when paying from credit. |
| SW_CI_PAYFEE_OVERPAYMENT | Overpayment |
| SW_CI_PAYFEE_PAYMENT | Payment |
| SW_CI_PAYMENT_PROPERTIES | Payment Properties |
| SW_CI_PENDING_SERVER_REQUESTS | There are pending server requests. Please wait a few seconds and try again. |
| SW_CI_PERMISSION_OVRD_CLEAR | The permission overrides |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|--------------------------------------|--|
| | have been cleared. |
| SW_CI_PERMISSION_OVRD_CLEARED | Permission overrides have already been cleared. |
| SW_CI_PERMISSION_OVRRD_TTL | Permission Override |
| SW_CI_PERMISSIONS_OWNEDBY | owned by |
| SW_CI_PICKLIST_BRANCH | Branch |
| SW_CI_PICKLIST_BTN_ASKMELATER | Ask me later |
| SW_CI_PICKLIST_BTN_DENY | Deny |
| SW_CI_PICKLIST_BTN_LOCATED | Located |
| SW_CI_PICKLIST_BTN_MISSING | Missing |
| SW_CI_PICKLIST_BTN_PROPERTIES | Properties |
| SW_CI_PICKLIST_BTN_REFRESH | REFRESH |
| SW_CI_PICKLIST_BTN_RETURN | Return |
| SW_CI_PICKLIST_DENY_PROMPT | Denying an item for a hold request will prevent the pending item from ever satisfying the hold request. Do you want to continue? |
| SW_CI_PICKLIST_DENY_REASON | Reason |
| SW_CI_PICKLIST_FILTER | Filter requests |
| SW_CI_PICKLIST_HDR_AUTHOR | AUTHOR |
| SW_CI_PICKLIST_HDR_CALLNUMBER | CALL NUMBER |
| SW_CI_PICKLIST_HDR_COLLECTION | COLLECTION |
| SW_CI_PICKLIST_HDR_FORMAT | MATERIAL TYPE |
| SW_CI_PICKLIST_HDR_HELD_DATE | HELD DATE |
| SW_CI_PICKLIST_HDR_ITEMBARCODE | ITEM BARCODE |
| SW_CI_PICKLIST_HDR_NEW_PICKUP_BRANCH | NEW PICKUP BRANCH |
| SW_CI_PICKLIST_HDR_PATRON_BRANCH | PATRON BRANCH |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|-----------------------------------|-----------------------|
| SW_CI_PICKLIST_HDR_PATRON_NAME | PATRON NAME |
| SW_CI_PICKLIST_HDR_PICKUPBRANCH | PICKUP BRANCH |
| SW_CI_PICKLIST_HDR_SHELFLOCATION | SHELF LOCATION |
| SW_CI_PICKLIST_HDR_TITLE | TITLE |
| SW_CI_PICKLIST_HDR_UNCLAIMED_DATE | UNCLAIMED DATE |
| SW_CI_PICKLIST_ILL_FILTER | ILL requests |
| SW_CI_PICKLIST_LST_NULL | message_list is null! |
| SW_CI_PICKLIST_OK | Ok |
| SW_CI_PICKLIST_PROCESSING | Picklist Processing |
| SW_CI_PICKLIST_PROP_ACT_DATE | Activation Date |
| SW_CI_PICKLIST_PROP_ASSN_BR | Assigned Branch |
| SW_CI_PICKLIST_PROP_BARCODE | Barcode |
| SW_CI_PICKLIST_PROP_CREATED_BY | Created by |
| SW_CI_PICKLIST_PROP_CREATED_DT | Date created |
| SW_CI_PICKLIST_PROP_EXP_DATE | Expiration Date |
| SW_CI_PICKLIST_PROP_FORMAT | Material Type |
| SW_CI_PICKLIST_PROP_HEADER | Hold Properties |
| SW_CI_PICKLIST_PROP_MOD_DT | Date modified |
| SW_CI_PICKLIST_PROP_MODIFIED_BY | Modified by |
| SW_CI_PICKLIST_PROP_PATRON | Patron |
| SW_CI_PICKLIST_PROP_PICKUP_BR | Pickup Branch |
| SW_CI_PICKLIST_PROP_REG_BR | Registered At |
| SW_CI_PICKLIST_PROP_REQUEST_ID | Request ID |
| SW_CI_PICKLIST_PROP_ROUTING_SQN | Routing Sequence |
| SW_CI_PICKLIST_PROP_STATUS | Hold Status |
| SW_CI_PICKLIST_PROP_STATUS_DATE | Status Date |
| SW_CI_PICKLIST_PROP_TAB_ABOUT | About |
| SW_CI_PICKLIST_PROP_TAB_HLDRQST | Hold Request |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|---------------------------------------|--|
| SW_CI_PICKLIST_PROP_TAB_ITEM | Item |
| SW_CI_PICKLIST_PROP_TITLE | Title |
| SW_CI_PICKLIST_TITLE | Picklist |
| SW_CI_PICKLIST_VIEW_HOLDS_TO_TRANSFER | Holds to Transfer |
| SW_CI_PICKLIST_VIEW_HOLDS_UNCLAIMED | Unclaimed |
| SW_CI_PICKLIST_VIEW_ILL_UNCLAIMED | Unclaimed ILL |
| SW_CI_PICKLIST_VIEW_LOCATED | Located |
| SW_CI_PICKLIST_VIEW_PENDING | Pending |
| SW_CI_PLACEHOLDER_HOLDQUEUE | Filter Holds (Holds Queue and Hold Request All Hold Requests) |
| SW_CI_PLACEHOLDER_PCKDT | Pick a Date |
| SW_CI_POLARIS_REPORT_TTL | Polaris Report |
| SW_CI_PRIMARY | Primary record |
| SW_CI_PRINT | Print |
| SW_CI_PRINT_LIST | Print List |
| SW_CI_PRMPTNONE_OK | Ok |
| SW_CI_PROC_TOO_LARGE | Changed processing amount should not be larger than the outstanding. |
| SW_CI_PROCESS_REQUESTS_ERR | Error processing request (s). |
| SW_CI_PSWD | Password |
| SW_CI_PTIND_ACCOUNT | Account |
| SW_CI_PTIND_ACCRUED_ATHR | Author |
| SW_CI_PTIND_ACCRUED_BASEDON | based on return date of |
| SW_CI_PTIND_ACCRUED_DUEDT | Due Date |
| SW_CI_PTIND_ACCRUED_EST | Estimated Fine Total |
| SW_CI_PTIND_ACCRUED_ESTOF | Estimated Fines of |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|-----------------------------------|------------------------------------|
| SW_CI_PTIND_ACCRUED_FINE | Fine |
| SW_CI_PTIND_ACCRUED_ITMSTAT | Item Status |
| SW_CI_PTIND_ACCRUED_NONE | Patron has no accrued fines. |
| SW_CI_PTIND_ACCRUED_SLCTDT | Select Date |
| SW_CI_PTIND_ASSOC | Associations |
| SW_CI_PTIND_BLOCKS | Blocks |
| SW_CI_PTIND_BLOCKS_ADD | Add |
| SW_CI_PTIND_BLOCKS_ASSOC | Associated Patron Blocks |
| SW_CI_PTIND_BLOCKS_DELETE | Delete |
| SW_CI_PTIND_BLOCKS_DESCRIP | Block Description |
| SW_CI_PTIND_BLOCKS_ENTERFREETXT | Enter your free text block here. |
| SW_CI_PTIND_BLOCKS_ERROR | Error processing your request. |
| SW_CI_PTIND_BLOCKS_FLTRBLOCKS | Filter Blocks |
| SW_CI_PTIND_BLOCKS_LIBASGNDESCRIP | Library Assigned Block Description |
| SW_CI_PTIND_BLOCKS_SELECTDESCRIP | Select a block description |
| SW_CI_PTIND_CHCKT | Check Out |
| SW_CI_PTIND_CKO_SCAN | Scan or enter item barcode |
| SW_CI_PTIND_CKO_SPECIAL_LOAN | Special Loan |
| SW_CI_PTIND_CLMS | Claims |
| SW_CI_PTIND_CLMSLST | Claims/Lost |
| SW_CI_PTIND_CLS | Close |
| SW_CI_PTIND_COMPLETE | Complete |
| SW_CI_PTIND_ERECEIPT_CONFIG | Would you like to con- |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|----------------------------------|---|
| | figure this patron to receive an eReceipt for this and future check-outs? |
| SW_CI_PTIND_ERECEIPT_CONFIG_TTL | Configure patron for eReceipts |
| SW_CI_PTIND_ERECEIPT_CONFIG_TTL2 | Configure eReceipts |
| SW_CI_PTIND_FS | Charges |
| SW_CI_PTIND_HAS_BLOCKS | This patron record has blocks. |
| SW_CI_PTIND_HDR_1 | Delete patron record |
| SW_CI_PTIND_HELD | Held |
| SW_CI_PTIND_HLDS | Holds |
| SW_CI_PTIND_HSTRY | Reading History |
| SW_CI_PTIND_ILL | ILL |
| SW_CI_PTIND_INCOMPLETE_CKO | An incomplete check-out process prevents this record from being closed. |
| SW_CI_PTIND_ITMS | Items |
| SW_CI_PTIND_KEEP_BLOCK | Keep block |
| SW_CI_PTIND_LST | Lost |
| SW_CI_PTIND_MODIFIED_BY | The record is being modified by |
| SW_CI_PTIND_MODIFIED_BY_OTHER | The record is being modified by other staff member |
| SW_CI_PTIND_MSG_1 | The patron record will be permanently deleted. Do you want to continue? |
| SW_CI_PTIND_MSSG | Messages |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|-----------------------------|--|
| SW_CI_PTIND_NTCS | Notices |
| SW_CI_PTIND_NTS | Notes |
| SW_CI_PTIND_OUT | Out |
| SW_CI_PTIND_OVRD | Overdue |
| SW_CI_PTIND_PHOTO | Patron Photo |
| SW_CI_PTIND_POPINFO | Patron Info |
| SW_CI_PTIND_POPINFO_SECURED | Record is secured |
| SW_CI_PTIND_PTRNRCRD | Registration |
| SW_CI_PTIND_RECORDSETS | Filter record sets |
| SW_CI_PTIND_REMOVE_BLOCK | Remove block |
| SW_CI_PTIND_SECURED | This record is secured; no changes can be made. |
| SW_CI_PTIND_SOURCEANDDONOR | Source and Donor (Item Source and Donor title) |
| SW_CI_PTIND_UNSAVED_CHANGES | Unsaved changes prevent this record from being closed. |
| SW_CI_PTOVRVW_ADDR | Address: |
| SW_CI_PTOVRVW_EMLADDR | Email Address: |
| SW_CI_PTOVRVW_EXPDT | Expiration Date: |
| SW_CI_PTOVRVW_NOTOPTION | Notification Option |
| SW_CI_PTOVRVW_PATCODE | Patron Code |
| SW_CI_PTOVRVW_PHNNMBR | Phone Number: |
| SW_CI_QCKCIRC_NUMITMS | Enter the number of items |
| SW_CI_QUICK_CIRC_NUMBER | Please enter a number between 1 and 999. |
| SW_CI_RANDOM_AUTH1 | Ernest Hemingway |
| SW_CI_RANDOM_AUTH2 | F. Scott Fitzgerald |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|------------------------------|---|
| SW_CI_RANDOM_AUTH3 | Mark Twain |
| SW_CI_RANDOM_AUTH4 | William Shakespeare |
| SW_CI_RANDOM_AUTH5 | Ralph Waldo Emerson |
| SW_CI_RANDOM_AUTH6 | C. S. Lewis |
| SW_CI_RANDOM_QUOTE1 | I like to listen. I have learned a great deal from listening carefully. Most people never listen. |
| SW_CI_RANDOM_QUOTE2 | Genius is the ability to put into effect what is on your mind. |
| SW_CI_RANDOM_QUOTE3 | A person who won't read has no advantage over one who can't read. |
| SW_CI_RANDOM_QUOTE4 | We know what we are, but know not what we may be. |
| SW_CI_RANDOM_QUOTE5 | A man is what he thinks about all day long. |
| SW_CI_RANDOM_QUOTE6 | You are never too old to set another goal or to dream a new dream. |
| SW_CI_READING_HISTORY_REMOVE | The selected item will be removed from the patron's reading history. |
| SW_CI_REC_RENEW_EXPTERM | Expiration Term |
| SW_CI_RECADDTEMP_ADDR | Address |
| SW_CI_RECADDTEMP_ADDRNM | Address Type |
| SW_CI_RECADDTEMP_CNTY | County |
| SW_CI_RECADDTEMP_CTY | City |
| SW_CI_RECADDTEMP_DLT | Delete |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|------------------------------|------------------------------|
| SW_CI_RECADDTEMP_PSTL | Postal Code |
| SW_CI_RECADDTEMP_ST | State |
| SW_CI_RECADDTEMP_STRTADDR | Street Address |
| SW_CI_RECADDTEMP_STRTADDRTWO | Street Address Line 2 |
| SW_CI_RECADDTEMP_ZIPPLUSFOUR | Zip+4 |
| SW_CI_RECIND_ADDPHN | Phone |
| SW_CI_RECIND_ADDR | Address |
| SW_CI_RECIND_ADDRCHDT | Address Check Date |
| SW_CI_RECIND_ADDRDLT | Delete |
| SW_CI_RECIND_ADDRS | Addresses |
| SW_CI_RECIND_APPLY | Apply |
| SW_CI_RECIND_ATTR | Attributes |
| SW_CI_RECIND_BRCD | Barcode |
| SW_CI_RECIND_BRWS | Browse |
| SW_CI_RECIND_CARRIER | Wireless Carrier |
| SW_CI_RECIND_CHARGES | Acct charges |
| SW_CI_RECIND_CNCL | Cancel |
| SW_CI_RECIND_CNTRY | Country |
| SW_CI_RECIND_COPY | Copy |
| SW_CI_RECIND_CREDIT | Acct credit |
| SW_CI_RECIND_CRTNDT | Creation Date |
| SW_CI_RECIND_CRTTR | Creator |
| SW_CI_RECIND_DLVRYOPTN | Notification Option |
| SW_CI_RECIND_DOB | Birth Date |
| SW_CI_RECIND_DONTDLTREC | Do Not Delete Record |
| SW_CI_RECIND_DOREG | Date of Registration |
| SW_CI_RECIND_DRVLICNO | Drivers License No. |
| SW_CI_RECIND_EMAILNOTICEOPTN | E-mail Notices in Plain Text |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|-----------------------------------|------------------------------------|
| SW_CI_RECIND_EML | Email |
| SW_CI_RECIND_EML1 | Email Address |
| SW_CI_RECIND_EML2 | Alt Email Address |
| SW_CI_RECIND_EXCLUDE_LBL | Exclude from Notices and Reminders |
| SW_CI_RECIND_EXCLUDEFRMALMOVD | Almost Overdue/Auto-Renew |
| SW_CI_RECIND_EXCLUDEFRMBLLNG | Billing |
| SW_CI_RECIND_EXCLUDEFRMCOLLAGENCY | Exclude from Collection Agency |
| SW_CI_RECIND_EXCLUDEFRMHLDNOT | Hold |
| SW_CI_RECIND_EXCLUDEFRMINACTIVE | Inactive Patron |
| SW_CI_RECIND_EXCLUDEFRMVRDUENOT | Overdue |
| SW_CI_RECIND_EXCLUDEFRMPATRECEXP | Patron Record Expiration |
| SW_CI_RECIND_EXCTDT | Exact Date |
| SW_CI_RECIND_EXPDT | Expiration Date |
| SW_CI_RECIND_FAXNO | Fax |
| SW_CI_RECIND_FML | Female |
| SW_CI_RECIND_FRMRBRCD | Former Barcode |
| SW_CI_RECIND_FRSTNM | First Name |
| SW_CI_RECIND_GNDR | Gender |
| SW_CI_RECIND_ITEMSHLD | Items held |
| SW_CI_RECIND_ITEMSOUT | Items out |
| SW_CI_RECIND_LFTMCRC | Lifetime Circ Count |
| SW_CI_RECIND_LIFETIME_SAVE_AMT | Lifetime You Saved Amount |
| SW_CI_RECIND_LNG | Language |
| SW_CI_RECIND_LOADIMG | Loading image... |
| SW_CI_RECIND_LSTACT | Last Activity |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|--------------------------|--------------------------|
| SW_CI_RECIND_LSTNM | Last Name |
| SW_CI_RECIND_MDDL | Middle |
| SW_CI_RECIND_MDDLNM | Middle Name |
| SW_CI_RECIND_MDFDT | Modification Date |
| SW_CI_RECIND_MDFR | Modifier |
| SW_CI_RECIND_MERGE | Merge |
| SW_CI_RECIND_ML | Male |
| SW_CI_RECIND_MNTH | Months |
| SW_CI_RECIND_YRS | Years |
| SW_CI_RECIND_MNTNREADLST | Maintain Reading History |
| SW_CI_RECIND_MRГBC | Merge Barcode |
| SW_CI_RECIND_MRГDT | Merge Date |
| SW_CI_RECIND_MSCINF | Misc. Information |
| SW_CI_RECIND_MSCINFT | Misc. Info |
| SW_CI_RECIND_NA | N/A |
| SW_CI_RECIND_NOTIFOPTN | Notification Option |
| SW_CI_RECIND_NOTIFSTTNGS | Notification Settings |
| SW_CI_RECIND_NTCADDR | Notices Address |
| SW_CI_RECIND_ORG | Registered At |
| SW_CI_RECIND_PHN | Phone/Fax |
| SW_CI_RECIND_PHNNO | Phone |
| SW_CI_RECIND_PLCOFEMP | Place of Employment |
| SW_CI_RECIND_PREF | Preferences |
| SW_CI_RECIND_PRFL | Profile |
| SW_CI_RECIND_PRNTGRD | Parent / Guardian |
| SW_CI_RECIND_PTIMG | Patron Image |
| SW_CI_RECIND_PTRNCD | Patron Code |
| SW_CI_RECIND_PWRD | Password |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|------------------------------|--|
| SW_CI_RECIND_PWRDCNFRM | Password (Confirm) |
| SW_CI_RECIND_RCVERCPTS | eReceipt Option |
| SW_CI_RECIND_RCVTXTNTC | Additional TXT Notice |
| SW_CI_RECIND_RECID | Record ID |
| SW_CI_RECIND_REGAT | Registered On |
| SW_CI_RECIND_RELEASE | Release |
| SW_CI_RECIND_RELEASE_LOCKED | Patron record is locked by another user and may not be released. |
| SW_CI_RECIND_RELEASE_SUCCESS | Patron record has been released |
| SW_CI_RECIND_RNWPT | Renew |
| SW_CI_RECIND_SAVE | Save |
| SW_CI_RECIND_SAVED | Record saved! |
| SW_CI_RECIND_SBADDR | Address |
| SW_CI_RECIND_SBATTR | Attributes |
| SW_CI_RECIND_SBEML | Email |
| SW_CI_RECIND_SBFAX | Fax |
| SW_CI_RECIND_SBIMG | Image |
| SW_CI_RECIND_SBNOTIF | Notifications |
| SW_CI_RECIND_SBPHN | Phone/Fax |
| SW_CI_RECIND_SBPREF | Preferences |
| SW_CI_RECIND_SBPRFL | Profile |
| SW_CI_RECIND_SBPSWD | Password |
| SW_CI_RECIND_SCNDID | Second ID |
| SW_CI_RECIND_SECURE | Secure |
| SW_CI_RECIND_SECURE_LOCKED | Patron record is locked by another user and may not be secured. |
| SW_CI_RECIND_SECURE_SUCCESS | The patron record is now |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|--------------------------------------|---|
| | secured |
| SW_CI_RECIND_SELECTIMG | SELECT IMAGE... |
| SW_CI_RECIND_SFFX | Suffix |
| SW_CI_RECIND_STTCLSS | Statistical Class |
| SW_CI_RECIND_SVPT | Save |
| SW_CI_RECIND_TOTALHOLDILL | Total holds/ILL |
| SW_CI_RECIND_TOTALOVERDUE | Total overdue |
| SW_CI_RECIND_TRM | Term |
| SW_CI_RECIND_TTL | Title |
| SW_CI_RECIND_TXTMSGPHONE | Text Messaging Phone |
| SW_CI_RECIND_UPDATEIMAGE | Update Image... |
| SW_CI_RECIND_YRS | Years |
| SW_CI_RECIND_YTCCRC | YTD Circ Count |
| SW_CI_RECIND_YTD_SAVE_AMT | YTD You Saved Amount |
| SW_CI_RECORD_DUP_CN | Control number |
| SW_CI_RECORD_SECURED | Record secured |
| SW_CI_RECSET_ADD | Add to Record Set |
| SW_CI_RECORD_SETS | Record Sets |
| SW_CI_RECSET_ADD_FROM_FILE | Add from File |
| SW_CI_RECSET_ADDFROMFILE_SEEREPOR | One or more entries failed to add to the record set. Please see the error report for details. |
| SW_CI_RECSET_AUTHORITY_CONFIRM_MSG | You have made changes to this authority record set. |
| SW_CI_RECSET_AUTHORITY_CONFIRM_TITLE | Authority Record Set Changed |
| SW_CI_RECSET_CONFIRM_ACTION_DEL_MSG | This record set [record |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|--|---|
| | set ID] will be permanently deleted. |
| SW_CI_RECSET_CONFIRM_ACTION_DEL_TITLE | Delete Record Set |
| SW_CI_RECSET_CONFIRM_DEL_CANCEL | Cancel |
| SW_CI_RECSET_CONFIRM_DEL_YES | Continue |
| SW_CI_RECSET_BIB_CONFIRM_MSG | You have made changes to this bibliographic record set. |
| SW_CI_RECSET_BIB_CONFIRM_TITLE | Bibliographic Record Set Changed |
| SW_CI_RECSET_CLOSE_CONFIRM_MSG | Are you sure you want to close without saving? |
| SW_CI_RECSET_COUNT_BIB_NOT_ADDED | bibliographic record(s) were not added to the record set. |
| SW_CI_RECSET_COUNT_NOT_ADDED | authority record(s) were not added to the record set |
| SW_CI_RECSET_COUNT_NOT_ADDED | item record(s) were not added to the record set. |
| SW_CI_RECSET_DUPLICATE_RECORD | Duplicate record |
| SW_CI_RECSET_FILTERRCDSSETS - | Filter record sets |
| SW_CI_RECSET_ITEM_CONFIRM_MSG | You have made changes to this item record set. |
| SW_CI_RECSET_ITEM_CONFIRM_TITLE | Item Record Set Changed |
| SW_CI_RECSET_ITEM_NOT_FOUND | No matching item record was found. |
| SW_CI_RECSET_LOCKED | Record set is locked by |
| SW_CI_RECSET_NEW_BTN_CANCEL | Cancel |
| SW_CI_RECSET_NEW_BTN_CREATE | Create |
| SW_CI_RECSET_NEW_CREATE_OBJECTTYPE_OPTION0 | Select record type |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|--|--|
| SW_CI_RECSET_NEW_CREATE_OBJECTTYPE_OPTION1 | Authority |
| SW_CI_RECSET_NEW_CREATE_OBJECTTYPE_OPTION2 | Bibliographic |
| SW_CI_RECSET_NEW_CREATE_OBJECTTYPE_OPTION3 | Item |
| SW_CI_RECSET_NEW_CREATE_OBJECTTYPE_OPTION4 | Patron |
| SW_CI_RECSET_NEW_CREATE_OBJECTTYPE_ERR | Please select a record type. |
| SW_CI_RECSET_NEW_RECORD_TYPE | Record Type |
| SW_CI_RECSET_NO_DUPES_PRE | Record sets may not contain duplicate records. |
| SW_CI_RECSET_NONE_ADDED | No records were added to the record set. |
| SW_CI_RECSET_REFRESH_CONFIRM_MSG | Are you sure you want to refresh without saving? |
| SW_CI_RECSET_RMV_SEL_RECRDS - | Remove selected records. |
| SW_CI_RECSET_TTLRECS | Total Records |
| SW_CI_RECSET_UNLINKED_AUTH_TITLE | Authority Record Set Setup |
| SW_CI_RECSET_UNLINKED_BIB_TITLE | Bibliographic Record Set Setup |
| SW_CI_RECSET_UPDATE_SUCCESS | Record set updated successfully. |
| SW_CI_REFRESH | Refresh |
| SW_CI_REFUND_PROPERTIES | Refund Properties |
| SW_CI_REGFEE_CHARGE | Charge: |
| SW_CI_REGFEE_PRNT | Print payment receipt |
| SW_CI_REGISTRATION | Registration |
| SW_CI_REMINDER | Reminder |
| SW_CI_REMOVE_HISTORY_TTL | Remove from history |
| SW_CI_RENEW_ERR | Error renewing item. |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|--------------------------------|--|
| SW_CI_RENEWPAT_EXPIRE | 's registration will expire on |
| SW_CI_RENEWPAT_EXPIRED | 's registration expired on |
| SW_CI_RENEWPAT_REG | Would you like to renew the registration? |
| SW_CI REPL_TOO_LARGE | Changed replacement amount should not be larger than the outstanding. |
| SW_CI_REQUEST_NOT_ROUTED | Hold request cannot be routed. |
| SW_CI_RESET_CLAIM_COUNT | Reset Claim count |
| SW_CI_RESET_CLAIM_COUNT_PROMPT | Are you sure you want to reset claim count for this patron? Overall Claim Count = |
| SW_CI_RESET_CLAIM_COUNT_TTL | Reset Claim Count |
| SW_CI_RESET_DUE_DATE | Reset Due Date |
| SW_CI_RESETDUEDATE | Reset due date |
| SW_CI_RESTRICTED_PATRON | Patron record is secured. No activity is permitted. |
| SW_CI_RESULTS | Results |
| SW_CI_RETURN_PROPERTIES | Return Properties |
| SW_CI_RFID_CONFIRM_MSG | RFID processing was suspended for receipt printing. There may be unprocessed items on the pad. |
| SW_CI_RFID_CONFIRM_TITLE | RFID processing suspended |
| SW_CI_RFID_CONFIRM_YES | Continue |
| SW_CI_RFID_CONNECT_FAILED | Connect failed. |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|--|---|
| SW_CI_RFID_DISABLED | Disabled |
| SW_CI_RFID_ENABLED | Enabled |
| SW_CI_RFID_ERROR_LBL | RFID Error: |
| SW_CI_RFID_FAILED_TO_BIND_ITEM_AND_PATRON | Failed to bind item and patron. |
| SW_CI_RFID_FAILED_TO_UNBIND_ITEM_FROM_PATRON | Failed to unbind item from patron. |
| SW_CI_RFID_INVALID_BARCODE_FOUND | Invalid barcode found. |
| SW_CI_RFID_MULTIPLE_RFID_TAGS_DETECTED | Multiple RFID tags detected. |
| SW_CI_RFID_NO_RFID_TAGS_DETECTED | No RFID tags detected. |
| SW_CI_RFID_NOT_INITIALIZED | Not initialized. |
| SW_CI_RFID_NOT_SUPPORTED | Not supported. |
| SW_CI_RFID_READ_COMPLETE | RFID Read tags: complete. |
| SW_CI_RFID_READ_ERR | RFID Read tags: error |
| SW_CI_RFID_READ_SEARCHING | RFID Read tags: searching... |
| SW_CI_RFID_SECURITY | Security |
| SW_CI_RFID_SECURITY_DISABLE_FAILED | Unable to turn off security for item |
| SW_CI_RFID_SECURITY_ENABLE_FAILED | Unable to turn on security for item |
| SW_CI_RFID_SECURITY_FAILED | Failed to turn off security for item RFID tags. |
| SW_CI_RFID_SECURITY_ON_FAILED | Failed to turn on security for item RFID tags. |
| SW_CI_RFID_TEST_CONNECT | Testing RFID Connection... |
| SW_CI_RFID_TEST_NOTAGS | No tags found! |
| SW_CI_RFID_TEST_READLBL | RFID Read: |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|---------------------------------|---|
| SW_CI_RFID_TEST_TAGS | tags found! |
| SW_CI_RFID_UNKNOWN | Unknown |
| SW_CI_RNWPRMPT_CNCL | Cancel |
| SW_CI_RNWPRMPT_CONTINUE | Continue |
| SW_CI_RNWPRMPT_EXPTERM_ADDRCHK | Address Check Term |
| SW_CI_RNWPRMPT_EXPTERM_EXTDAT | Exact Date |
| SW_CI_RNWPRMPT_EXPTERM_MNTHS | Months |
| SW_CI_RNWPRMPT_EXPTERM_YRS | Years |
| SW_CI_RNWPRMPT_OK | Ok |
| SW_CI_ROUTER_BIBREC | Bibliographic Record |
| SW_CI_ROUTER_CHANGES_NOT_SAVED | Your changes have not been saved! |
| SW_CI_ROUTER_CHECKIN | Check In |
| SW_CI_ROUTER_ERR_DEF_CHKIN_VIEW | Error retrieving the default check in view. Setting to normal mode. |
| SW_CI_ROUTER_HOLDQUEUE | Hold Queue |
| SW_CI_ROUTER_HOLDREQ | Hold Request |
| SW_CI_ROUTER_ITEM_NOT_FOUND | Item Not Found |
| SW_CI_ROUTER_ITEMRCD | Item Record |
| SW_CI_ROUTER_NEW_ITEM | New Item Record |
| SW_CI_ROUTER_NEW_PATRON | New Patron Registration |
| SW_CI_ROUTER_NO_OWNER | No owner info is found. |
| SW_CI_ROUTER_NOPICKUP | Unable to retrieve the pickup branch ID. |
| SW_CI_ROUTER_OBJDEL | Object Deleted |
| SW_CI_ROUTER_PATRON | Patron |
| SW_CI_ROUTER_PICKLIST | Picklist |
| SW_CI_ROUTER_SETTINGS | Settings |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|-------------------------------------|---|
| SW_CI_SA_ERR_GET | Error retrieving the system administration value for {0}. |
| SW_CI_SA_ERR_SAVE | Error saving the system administration value for {0}. |
| SW_CI_SACACHE_CLEARED | The SA value cache has been cleared. |
| SW_CI_SCAN_A_BARCODE | Scan a barcode |
| SW_CI_SEARCH_CANCEL | Cancel |
| SW_CI_SEARCH_COUNT_ONLY | Count Only |
| SW_CI_SEARCH_EMPTYSEARCHRESULTS | No matches found for xxx. |
| SW_CI_SEARCH_EMPTYSEARCHTERM | Please enter a search term and try again. |
| SW_CI_SEARCH_OPEN | Open |
| SW_CI_SEARCH_RFID_NOTAGS | Tag not found. Please try again. |
| SW_CI_SEARCHFOR_A_TITLE | Search for a title |
| SW_CI_SECMANAGER_INIT_ERROR | Unable to connect to Security Manager |
| SW_CI_SECONDARY | Secondary record (to be deleted) |
| SW_CI_SELECT_BRNCH | Branch |
| SW_CI_SELECT | Select... |
| SW_CI_SELECT_BRNCH_WRKSTN | Select your Branch and Workstation |
| SW_CI_SELECT_FILE_DLG_ADD_BTN | Add from File |
| SW_CI_SELECT_FILE_DLG_BROWSE_BTN | Select File ... |
| SW_CI_SELECT_FILE_DLG_HEADER | Select File |
| SW_CI_SELECT_FILE_DLG_LBL_FILE_NAME | File Name |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|--|--|
| SW_CI_SELECT_FILE_DLG_REPORT_FILE_NAME | AddFromFile_ErrorReport |
| SW_CI_SELECT_FILE_DLG_LBL_REPORT_FILE_NAME | Error Report Name |
| SW_CI_SELECT_FILE_DLG_LBL_WRKSHT_COLUMN_PATRONID | Worksheet/Column containing Polaris Patron ID |
| SW_CI_SELECT_FILE_DLG_REPORT_FILE_NAME_MISSING | Please provide a name for the error report. |
| SW_CI_SELECT_PATRON | Select a patron |
| SW_CI_SELECT_WORKSTATION | Workstation |
| SW_CI_SETTINGS | Settings |
| SW_CI_SETTINGS_CONFIRM_MSG | You have made changes to your settings. Are you sure you want to close without saving? |
| SW_CI_SETTINGS_CONFIRM_TITLE | Settings Changed |
| SW_CI_SETTINGS_NAV_OTHR | Others |
| SW_CI_SETTINGS_NAV_PRNT | Print Options |
| SW_CI_SETTINGS_NAV_RFID | RFID |
| SW_CI_SETTINGS_NAV_SPLOAN | Special Loan |
| SW_CI_SETTINGS_NAV_TOUCH | Touch Device |
| SW_CI_SETTINGS_NAV_WRKFMUSRDEF | Workform User Defaults |
| SW_CI_SETTINGS_PRNT_CKORCPT | Check out receipt |
| SW_CI_SETTINGS_PRNT_FINERCPT | Fine receipt |
| SW_CI_SETTINGS_PRNT_HLDCALLSLIP | Hold call slip |
| SW_CI_SETTINGS_PRNT_HLDONLY | Holds only |
| SW_CI_SETTINGS_PRNT_HLDPCKSLIP | Hold pickup slip |
| SW_CI_SETTINGS_PRNT_HLDSLIP | Hold slip |
| SW_CI_SETTINGS_PRNT_ILLPCKSLIP | Print ILL Pickup Slip |
| SW_CI_SETTINGS_PRNT_ILLSLIP | Print ILL Slip |
| SW_CI_SETTINGS_PRNT_INNPCKSLIP | INN-Reach Pickup Slip |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|--------------------------------|--|
| SW_CI_SETTINGS_PRNT_INTRNSLP | In-transit slip |
| SW_CI_SETTINGS_PRNT_NOERCPT | only if no eReceipt |
| SW_CI_SETTINGS_RFID_AUTOPOOLL | Auto-poll RFID tags |
| SW_CI_SETTINGS_RFID_IDLE | Idle |
| SW_CI_SETTINGS_RFID_SECMGR | Security Manager |
| SW_CI_SETTINGS_RFID_STATUS | Status |
| SW_CI_SETTINGS_RFID_TEST | Test Security Manager Connection |
| SW_CI_SETTINGS_TITLE | Settings |
| SW_CI_SETTINGS_TOUCH_KBRDINUSE | Keyboard in use |
| SW_CI_SETTINGS_TOUCH_PRPHLS | Peripherals |
| SW_CI_SETTINGS_TOUCH_SCNRINUSE | Scanner in use |
| SW_CI_SETTINGS_TOUCH_WARNING | Selecting a peripheral will change how focus is applied to input boxes on this touch device. |
| SW_CI_SETTINGS_WRKFRM_ITMREC | Item Record |
| SW_CI_SHOULD_BE_LARGER | should be larger than 0. |
| SW_CI_SIGNIN | Sign In |
| SW_CI_SIGNIN_PROVIDE_PWD | Please provide a password. |
| SW_CI_SPECIAL_RENEW | Special Renew |
| SW_CI_SPLOAN_CANCEL | Cancel |
| SW_CI_TEXT_PHONE_PHONE1 | Phone 1 |
| SW_CI_TEXT_PHONE_PHONE2 | Phone 2 |
| SW_CI_TEXT_PHONE_PHONE3 | Phone 3 |
| SW_CI_TEXT_PHONE_NONE | None |
| SW_CI_TITLE_DR | Dr. |
| SW_CI_TITLE_MR | Mr. |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|---------------------------------------|-------------------|
| SW_CI_TITLE_MRS | Mrs. |
| SW_CI_TITLE_MS | Ms. |
| SW_CI_TITLE_NONE | None |
| SW_CI_TOTAL | Total |
| SW_CI_TOTAL_LOWER | total |
| SW_CI_TRACKER_CLSALL | CLOSE ALL |
| SW_CI_TRACKER_FILTER | Filter Workforms |
| SW_CI_TRACKER_TITLE | Workforms |
| SW_CI_TRANS_HISTORY_AMOUNT | Amount |
| SW_CI_TRANS_HISTORY_BARCODE | Barcode |
| SW_CI_TRANS_HISTORY_DUEDATE | Due Date |
| SW_CI_TRANS_HISTORY_NOTE | Note |
| SW_CI_TRANS_HISTORY_PAYMETHOD | Payment Method |
| SW_CI_TRANS_HISTORY_REASON | Reason |
| SW_CI_TRANS_HISTORY_STAFFNAME | Staff Name |
| SW_CI_TRANS_HISTORY_TITLE | Title |
| SW_CI_TRANS_HISTORY_TXNDATE | Date |
| SW_CI_TRANS_HISTORY_TYPE | Type |
| SW_CI_TRANS_SUMMARY_AMOUNT | Amount |
| SW_CI_TRANS_SUMMARY_BARCODE | Barcode |
| SW_CI_TRANS_SUMMARY_CREDIT | Credit |
| SW_CI_TRANS_SUMMARY_CREDIT_AMOUNT | Amount to credit: |
| SW_CI_TRANS_SUMMARY_CREDIT_BALANCE | Balance: |
| SW_CI_TRANS_SUMMARY_CREDIT_BTN_CANCEL | Cancel |
| SW_CI_TRANS_SUMMARY_CREDIT_BTN_CREDIT | Credit |
| SW_CI_TRANS_SUMMARY_CREDIT_NOTE | Note: |
| SW_CI_TRANS_SUMMARY_DATE | Date |
| SW_CI_TRANS_SUMMARY_NOTE | Note |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|---|--------------------|
| SW_CI_TRANS_SUMMARY_PROPERTIES_AMOUNT | Amount |
| SW_CI_TRANS_SUMMARY_PROPERTIES_ASSDBRANCH | Assigned branch |
| SW_CI_TRANS_SUMMARY_PROPERTIES_AUTHOR | Author |
| SW_CI_TRANS_SUMMARY_PROPERTIES_CHKBRANCH | Check out branch |
| SW_CI_TRANS_SUMMARY_PROPERTIES_CHKDATE | Check out date |
| SW_CI_TRANS_SUMMARY_PROPERTIES_CREATIONDATE | Date created |
| SW_CI_TRANS_SUMMARY_PROPERTIES_CREATOR | Created by |
| SW_CI_TRANS_SUMMARY_PROPERTIES_DUEDATE | Due date |
| SW_CI_TRANS_SUMMARY_PROPERTIES_FORMAT | Material type |
| SW_CI_TRANS_SUMMARY_PROPERTIES_ITEM_BARCODE | Item barcode |
| SW_CI_TRANS_SUMMARY_PROPERTIES_ITEM_RECORDID | Item record ID |
| SW_CI_TRANS_SUMMARY_PROPERTIES_LIBRARY | Library |
| SW_CI_TRANS_SUMMARY_PROPERTIES_MODDATE | Date modified |
| SW_CI_TRANS_SUMMARY_PROPERTIES_MODIFIER | Modified by |
| SW_CI_TRANS_SUMMARY_PROPERTIES_NOTE | Note |
| SW_CI_TRANS_SUMMARY_PROPERTIES_PATRON_BARCODE | Patron barcode |
| SW_CI_TRANS_SUMMARY_PROPERTIES_PAYMETHOD | Payment method |
| SW_CI_TRANS_SUMMARY_PROPERTIES_TAB_ABOUT | About |
| SW_CI_TRANS_SUMMARY_PROPERTIES_TAB_ITEM | Item |
| SW_CI_TRANS_SUMMARY_PROPERTIES_TAB_TXN | Transaction |
| SW_CI_TRANS_SUMMARY_PROPERTIES_TITLE | Title |
| SW_CI_TRANS_SUMMARY_PROPERTIES_TRANNO | Transaction number |
| SW_CI_TRANS_SUMMARY_PROPERTIES_TRANS_TYPE | Transaction type |
| SW_CI_TRANS_SUMMARY_PROPS | Properties |
| SW_CI_TRANS_SUMMARY_REASON | Reason |
| SW_CI_TRANS_SUMMARY_REFUND | Refund |
| SW_CI_TRANS_SUMMARY_REFUND_AMOUNT | Amount to refund: |
| SW_CI_TRANS_SUMMARY_REFUND_BALANCE | Balance: |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|---------------------------------------|---|
| SW_CI_TRANS_SUMMARY_REFUND_BTN_CANCEL | Cancel |
| SW_CI_TRANS_SUMMARY_REFUND_BTN_REFUND | Refund |
| SW_CI_TRANS_SUMMARY_REFUND_NOTE | Note: |
| SW_CI_TRANS_SUMMARY_TITLE | Title |
| SW_CI_TRANS_SUMMARY_TYPE | Type |
| SW_CI_TXN_ACTION_AUTOWAIVE | Auto Waive |
| SW_CI_TXN_ACTION_CHARGE | Charge |
| SW_CI_TXN_ACTION_CREDIT | Credit |
| SW_CI_TXN_ACTION_DEPOSIT | Deposit |
| SW_CI_TXN_ACTION_FORFEIT | Forfeit |
| SW_CI_TXN_ACTION_LEAVE | Leave as is |
| SW_CI_TXN_ACTION_PAY | Pay |
| SW_CI_TXN_ACTION_REFUND | Refund |
| SW_CI_TXN_ACTION_RETURN | Return |
| SW_CI_TXN_ACTION_WAIVE | Waive |
| SW_CI_TXN_ACTION_WAIVEEXISTING | Waive |
| SW_CI_TXNSUM_ALREADY_PRE | The Payment transaction number |
| SW_CI_TXNSUM_ALREADY_SUFX | was already refunded or credited. Select a payment with balance greater than zero only. |
| SW_CI_TXNSUM_CREDITED | Account credited successfully. |
| SW_CI_TXNSUM_REFUNDED | Payment refunded successfully. |
| SW_CI_TXNSUM_SELECT_PAY_ONLY | Please select Payment type only. |
| SW_CI_UDF_NONE | None |
| SW_CI_UID | UID (Settings workform, |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|--------------------------------|--|
| | RFID tab, UID label) |
| SW_CI_UNEXPECTED_ERR | We're sorry. Something went wrong. |
| SW_CI_UNEXPECTED_ERR_OCCURRED | We're sorry. An unexpected error has occurred. |
| SW_CI_UPDATEITMRCRD_ERR | Error updating item record. |
| SW_CI_UPDATE_NOTES | Update Notes |
| SW_CI_USRNMFMT | username@domain.com or domain\username |
| SW_CI_USRNMOVRD | Override Domain\Username |
| SW_CI UTILITIES | Utilities |
| SW_CI_WAIVE_NEW_FINES | Waive new fines |
| SW_CI_WAIVE_PROPERTIES | Waive Properties |
| SW_CI_WAIVEFEE_AMT_LRG_BALANCE | Changed amount should not be larger than the balance of |
| SW_CI_WAIVEFEE_AMT_LRG_MIN | Changed amount should not be larger than the minimum amount of |
| SW_CI_WEB_BRNCH_WKSTN_TITLE | Polaris Leap - Workstation |
| SW_CI_WEB_LOGIN_TITLE | Polaris Leap - Login |
| SW_CI_WEB_TITLE | Polaris Leap - Circulation |
| SW_CI_WRKFLOW_CMPLTD_FAILR | Completed process with failure |
| SW_CI_WRKFLOW_DUPE_HOLD | Duplicate hold requests exist |
| SW_CI_WRKFLOW_INFO | Additional information |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|-----------------------------------|---|
| SW_CI_WRKFLOW_INVDREPLY | Invalid reply |
| SW_CI_WRKFLOW_ITM_BLCKD | Item is blocked |
| SW_CI_WRKFLOW_REQ_LIM | Request limits exceeded |
| SW_CI_WRKFLOW_STARTED | Started |
| SW_CI_WRKFLOW_TITLE_BLCKD | Title is blocked |
| SW_CI_WRKFLW_BLOCK_BARCODE | Barcode |
| SW_CI_WRKFLW_BLOCK_NAME | Name |
| SW_CI_WRKFLW_LSTCPY_DELETE | Delete |
| SW_CI_WRKFLW_LSTCPY_SUPPRESS | Suppress from PAC |
| SW_CI_WRKFLW_LSTCPY_RETAIN | Retain |
| SW_CI_WRKFLW_LSTCPY_OPEN | Open record set. |
| SW_CI_WRKFLW_LSTCPY_OPTIONS_MSG | The following record options are available: |
| SW_CI_WRKFLW_LSTCPY_PRINT | Print list |
| SW_CI_WRKFLW_WVCHRCNL_CHRGACCT | Charge Account |
| SW_CI_WRKFLW_WVCHRCNL_CNCL | Cancel |
| SW_CI_WRKFLW_WVCHRCNL_CONT | Continue |
| SW_CI_WRKFLW_WVCHRCNL_PAY | Pay |
| SW_CI_WRKFLW_WVCHRCNL_WAIVE | Waive |
| SW_CI_WRKFM_HDR_ACTIONS | Actions |
| SW_CI_WRKFM_HDR_LINKS | Links |
| SW_CI_WRKFM_HDR_LINKS_HLDQ | Holds Queue |
| SW_CI_WRKSTN_DETECT_FAILED | Could not determine workstation. Select your workstation from the list. |
| SW_CI_WRKSTN_NOT_ENABLED | Workstation not enabled. Contract your system administrator for assistance. |
| SW_CI_WRKSTN_NOT_ENABLED_FOR_LEAP | Workstation is not |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|-------------------------------------|--|
| | enabled for use with Leap. Contact your system administrator for assistance. |
| SW_CI_YNPRMPT_NOASK | Do not ask patron again |
| SW_COPYRIGHT | All rights reserved. |
| SW_LEAP-ACCESS_DENIED | You do not have the permission, Access Leap: Allow. Contact your system administrator for assistance. |
| SW_LEAP_REMOTE_ACCESS_DENIED | You do not have the permission, Access Leap remotely: Allow. Contact your system administrator for assistance. |
| SW_LEAP_REMOTE_WRKSTN_ACCESS_DENIED | Workstation does not have the permission, Access Leap remotely: Allow. Contact your system administrator for assistance. |
| SW_LEAP_WRKSTN_ACCESS_DENIED | Workstation does not have the permission, Access Leap: Allow. Contact your system administrator for assistance. |
| SW_LOADING_LEAP_FILES | Loading Leap files |
| SW_LOGIN_INVALID | Invalid Login, try again! |
| SW_PASSWORD_REQUIRED | Password is required. |
| SW_SCAN_SEARCH | Scan or search |
| SW_USERNAME_REQUIRED | Username is required |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|--------------------|-----------------|
| SWC_CUSTOM_1 | Custom 1 |
| SWC_CUSTOM_2 | Custom 2 |

Leap Offline Strings

The following table lists Leap Offline strings. We renamed "Mnemonics" to "String Identifiers" so you can better match terms between documentation and the interface.

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|----------------------------|--|
| LO_LEAPOFF | Leap Offline |
| LO_OFFLINE_CHECK_OUT | Offline Check Out |
| LO_WARNING | Warning! |
| LO_OFFLINE_INSTALLATION | Offline does not appear to be installed correctly. Please re-install using Leap. |
| LO_ENTER_PATRON_BARCODE | Enter patron barcode |
| LO_PATRON_BARCODE_REQUIRED | Patron barcode is required |
| LO_PATRON_BARCODE_INVALID | Patron barcode is not valid |
| LO_ENTER_ITEM_BARCODE | Enter item barcode |
| LO_ENTER_BUTTON | Enter button |
| LO_ITEM_BARCODE_REQUIRED | Item barcode is required |
| LO_ITEM_BARCODE_INVALID | Item barcode is not valid |
| LO_CHECK_OUT | Check Out |
| LO_ITEM_BARCODE | Item Barcode |
| LO_DUE_DATE | Due Date |
| LO_LEAP_LOGO | Leap Logo |
| LO_USERNAME | Username |
| LO_CANCEL | Cancel |
| LO_SETTINGS | Settings |
| LO_SAVE | Save |
| LO_CLOSE | Close |
| LO_PRINT_OPTIONS | Print Options |
| LO_SPECIAL_LOAN | Special Loan |
| LO_WORKFORM_DEFAULTS | Workform Defaults |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|----------------------------|--|
| LO_INSTALLATION | Installation |
| LO_BRANCH | Branch |
| LO_USER | User |
| LO_WORKSTATION | Workstation |
| LO_ID | ID |
| LO_NAME | Name |
| LO_HOME_PAGE | Home Page |
| LO_ORGANIZATION_ID | Organization ID |
| LO_PHONE_NUMBER | Phone Number |
| LO_RECEIPT_NOTE | Receipt Note |
| LO_MISCCELLANEOUS | Miscellaneous |
| LO_VERSION | Version |
| LO_LOAN_PERIOD | Loan Period |
| LO_OFFLINE | Offline |
| LO_LOCALE_NAME | Locale Name |
| LO_POLARIS | Polaris |
| LO_SAVE_CONFIG | Save Config |
| LO_PROVIDE_VERSION | Please provide a version. eg: 1.0 |
| LO_PROVIDE_POL_VERSION | Please provide a Polaris version. eg: 6.3.10.0 |
| LO_CHECK_OUTUNCAP | Check out |
| LO_CHECK_OUT_RECEIPT | Check out receipt |
| LO_APPLY_TO_ALL_CHECK_OUTS | Apply to all check-outs |
| LO_WORKFORMS | Workforms: |
| LO_STANDARD_LOAN_PERIOD | Standard loan period (days) |
| LO_APPLY_TO_NEXT_ITEM_ONLY | Apply to next item only |
| LO_APPLY_TO_ALL_ITEMS | Apply to all items for this patron |
| LO_OK | OK |
| LO_DAYS | Days |

| STRING IDENTIFIERS | DEFAULT MESSAGE |
|-------------------------|---|
| LO_HOURS | Hours |
| LO_MINUTES | Minutes |
| LO_MY_OFFLINE_FILES | My Offline Files |
| LO_FILENAME | Filename |
| LO_TRANSACTIONS | Transactions |
| LO_UNDO_DELETE | I understand that deleting files cannot be undone. |
| LO_DELETE_ALL_FILES | Delete All Files |
| LO_PIN_WORKFORM_TRACKER | Pin workform tracker |
| LO_CURRENT | Current |
| LO_CLOSE_ALL | Close All |
| LO_CACHE_CLEARING | Clearing your browser's cache will delete offline transactions. |
| LO_POLARIS_LEAP_OFFLINE | Polaris Leap Offline |
| LO_ORGANIZATION | Organization |
| LO_CHECK_IN | Check In |
| LO_NEW_PATRON | New Patron |
| LO_PRINT | Print |
| LO_NEW_OFFLINE_CONTENT | New offline content is available |
| LO_REFRESH | 'Refresh' to install the latest offline content. |
| LO_REFRESH_BUTTON | Refresh |